

# Worldwide Soaring Turnpoint Exchange

## Unofficial Coordinates for the Arizona Soaring Association Control Points

Courtesy of Tony Smolder 'TS1' (tsmolder@televox.us)

Dated: 13 January, 2010

Magnetic Variation: 12E

Time zone: US/Arizona, summer offset from GMT is -7:00 and in winter it is -7:00.

*Printed Sunday, 07 February 2010 at 22:48 GMT*

---

UNOFFICIAL, USE AT YOUR OWN RISK

Do not use for navigation, for flight verification only.

Always consult the relevant publications for current and correct information.

This service is provided free of charge with no warranties, expressed or implied.

User assumes all risk of use.

---

<i>Number</i>	<i>Name</i>	<i>Latitude</i> ° ' "	<i>Longitude</i> ° ' "	<i>Latitude</i> ° ' "	<i>Longitude</i> ° ' "	<i>Elevation</i> FEET	<i>Codes</i> *
1	<b>El Tiro</b>	32 25 42 N	111 23 23 W	32 25.700 N	111 23.383 W	2100	HSFDTP17/35 5000x100 05/07
2	Ajo	32 27 00 N	112 52 03 W	32 27.000 N	112 52.050 W	1458	AT
3	Ak Chin	32 59 10 N	112 01 33 W	32 59.167 N	112 01.550 W	1210	ATP
4	Amado	31 44 26 N	111 03 55 W	31 44.433 N	111 03.917 W	3130	LT Aero retrievable uphill to NW
5	Ammon	32 01 29 N	109 57 35 W	32 01.483 N	109 57.583 W	4520	ATP Land RW 27 only 5% Slope
6	Arivaca	31 33 44 N	111 18 07 W	31 33.733 N	111 18.117 W	3680	LT Fence SE end
7	Ash Creek	31 51 27 N	109 32 32 W	31 51.450 N	109 32.533 W	4680	ATP
8	Av Ranch	32 49 12 N	110 19 10 W	32 49.200 N	110 19.167 W	3500	ATP
9	Baboquivari Peak	31 47 29 N	111 35 01 W	31 47.483 N	111 35.017 W	6864	T
10	Bakers Acres	32 33 59 N	111 43 36 W	32 33.983 N	111 43.600 W	1600	LT
11	Bassett Peak	32 30 23 N	110 16 48 W	32 30.383 N	110 16.800 W	7650	T
12	Benson	31 59 58 N	110 21 29 W	31 59.967 N	110 21.483 W	3829	AT
13	Biosphere	32 35 26 N	110 50 58 W	32 35.433 N	110 50.967 W	3905	LT East end 750x70 West end 3500x60 Slopes uphill to east Aeroretrieve 15M
14	Bisbee Douglas	31 28 09 N	109 36 13 W	31 28.150 N	109 36.217 W	4154	AT
15	Bisbee	31 21 50 N	109 52 59 W	31 21.833 N	109 52.983 W	4780	AT

<i>NumberName</i>	<i>Latitude</i>	<i>Longitude</i>	<i>Latitude</i>	<i>Longitude</i>	<i>Elevation Codes*</i>	
	° , ' , ''	° , ' , ''	° , ' , ''	° , ' , ''	FEET	
16 Bowie	32 20 09 N	109 28 26 W	32 20.150 N	109 28.433 W	3737 LT	
17 Buckeye	33 25 14 N	112 41 10 W	33 25.233 N	112 41.167 W	1033 AT	
18 Buenos Aires	31 35 14 N	111 31 29 W	31 35.233 N	111 31.483 W	3545 LT	Land W of bldg
19 Casa Grande	32 57 18 N	111 46 01 W	32 57.300 N	111 46.017 W	1464 AT	
20 Cascabel	32 18 03 N	110 21 51 W	32 18.050 N	110 21.850 W	3350 LT	Shallow uphill to North Fence along eastside Aeroretrieve power lines along West side
21 Chiricahua Peak	31 50 45 N	109 17 28 W	31 50.750 N	109 17.467 W	9600 T	
22 Chuichu	32 45 03 N	111 46 38 W	32 45.050 N	111 46.633 W	1400 T	
23 Circle H Ranch	31 30 08 N	109 23 28 W	31 30.133 N	109 23.467 W	4680 ATP	
24 Clifton/Morenci	32 57 25 N	109 12 40 W	32 57.417 N	109 12.667 W	3798 AT	
25 Cochise College	31 22 16 N	109 41 25 W	31 22.267 N	109 41.417 W	4124 AT	
26 Continental	31 50 37 N	110 58 36 W	31 50.617 N	110 58.600 W	2869 ATP	
27 Coolidge	32 56 09 N	111 25 36 W	32 56.150 N	111 25.600 W	1574 AT	
28 Diamond Bell	32 02 31 N	111 21 12 W	32 02.517 N	111 21.200 W	2600 LT	
29 Dos Titos	32 16 28 N	111 26 59 W	32 16.467 N	111 26.983 W	2834 T	
30 Douglas	31 20 33 N	109 30 23 W	31 20.550 N	109 30.383 W	4173 AT	Alternate ctc Frank Pinon 520-227-0969
31 Dry Tank	32 21 41 N	111 34 10 W	32 21.683 N	111 34.167 W	2263 T	
32 El Ranchito Aravaipa	32 50 17 N	110 41 28 W	32 50.283 N	110 41.467 W	2195 LT	Large Fields
33 Empire Ranch	31 47 38 N	110 37 36 W	31 47.633 N	110 37.600 W	4545 LT	
34 Estrella	33 05 20 N	112 09 47 W	33 05.333 N	112 09.783 W	1273 DT	
35 Evelyn	31 22 09 N	110 07 30 W	31 22.150 N	110 07.500 W	4242 ATP	
36 Fort Grant	32 36 00 N	109 57 18 W	32 36.000 N	109 57.300 W	4800 T	
37 Four Pillars	31 44 45 N	110 14 52 W	31 44.750 N	110 14.867 W	4100 ATP	
38 Gas Line	32 22 41 N	111 22 16 W	32 22.683 N	111 22.267 W	2100 LT	
39 Gas Station	32 25 53 N	111 18 16 W	32 25.883 N	111 18.267 W	1902 T	
40 Gila Bend	32 57 37 N	112 40 25 W	32 57.617 N	112 40.417 W	789 AT	
41 Gila Compressor	33 15 00 N	112 48 48 W	33 15.000 N	112 48.800 W	838 ATP	RW E/W:4500x120-
42 Glenwood-Catron County	33 21 10 N	108 52 02 W	33 21.167 N	108 52.033 W	5428 AT	
43 Gray Ranch	31 27 31 N	108 51 45 W	31 27.517 N	108 51.750 W	5155 ATP	
44 Helvetia Mine	31 54 13 N	110 47 09 W	31 54.217 N	110 47.150 W	3800 LT	Land uphill 13
45 High Mesa	32 45 44 N	109 39 12 W	32 45.733 N	109 39.200 W	3080 ATP	
46 I-19 Fields	31 32 31 N	111 02 13 W	31 32.517 N	111 02.217 W	3300 LT	75'W between wheel irrigation lines
47 Kearney	33 02 50 N	110 54 33 W	33 02.833 N	110 54.550 W	1833 AT	
48 Kitt Peak	31 57 48 N	111 36 01 W	31 57.800 N	111 36.017 W	6700 T	
49 La Cholla	32 26 48 N	111 00 10 W	32 26.800 N	111 00.167 W	2940 ATP	
50 Lake St. Clair	32 39 05 N	111 56 50 W	32 39.083 N	111 56.833 W	1500 T	
51 Lakeside	33 06 45 N	112 39 42 W	33 06.750 N	112 39.700 W	763 ATP	
52 Leroy	32 06 47 N	109 45 42 W	32 06.783 N	109 45.700 W	4197 ATP	
53 Lone Mountain	31 21 18 N	110 22 26 W	31 21.300 N	110 22.433 W	5350 ATP	
54 Lordsburg	32 20 00 N	108 41 30 W	32 20.000 N	108 41.500 W	4289 AT	
55 Manville & Sandario	32 15 06 N	111 13 12 W	32 15.100 N	111 13.200 W	2289 T	
56 Marana Regional	32 24 34 N	111 13 06 W	32 24.567 N	111 13.100 W	2031 AT	

<i>NumberName</i>	<i>Latitude</i>	<i>Longitude</i>	<i>Latitude</i>	<i>Longitude</i>	<i>Elevation Codes*</i>	
	° , ' , ''	° , ' , ''	° , ' , ''	° , ' , ''	FEET	
57 Microwave	32 31 10 N	111 23 53 W	32 31.167 N	111 23.883 W	2405 T	
58 Mobile	33 06 43 N	112 16 09 W	33 06.717 N	112 16.150 W	1261 ATP	
59 Motown	32 55 30 N	112 15 34 W	32 55.500 N	112 15.567 W	1615 ATP	Land W of Bldg (70'W)
60 Mt Graham	32 42 14 N	109 53 03 W	32 42.233 N	109 53.050 W	10299 T	
61 Mt Lemmon	32 26 33 N	110 47 21 W	32 26.550 N	110 47.350 W	8963 T	
62 Mt. Washington	31 20 59 N	110 43 30 W	31 20.983 N	110 43.500 W	6599 T	
63 Mystery Well Ranch	31 48 57 N	109 03 26 W	31 48.950 N	109 03.433 W	4173 ATP	
64 Newman Peak	32 43 08 N	111 24 01 W	32 43.133 N	111 24.017 W	4508 T	
65 Nogales	31 25 04 N	110 50 52 W	31 25.067 N	110 50.867 W	3955 AT	Cell (520) 604-0396
66 Paloma	32 54 20 N	112 54 01 W	32 54.333 N	112 54.017 W	737 ATP	
67 Pearce	31 54 30 N	109 49 00 W	31 54.500 N	109 49.000 W	4400 T	
68 Pescadero	32 11 04 N	111 23 59 W	32 11.067 N	111 23.983 W	3540 T	
69 Phoenix Regional	32 59 27 N	111 55 07 W	32 59.450 N	111 55.117 W	1300 AT	
70 Picacho Peak	32 38 00 N	111 23 59 W	32 38.000 N	111 23.983 W	2555 T	
71 Pinal Airpark	32 30 35 N	111 19 31 W	32 30.583 N	111 19.517 W	1893 AT	(520) 682-4181 X5755
72 Potters	32 52 26 N	111 57 35 W	32 52.433 N	111 57.583 W	1309 ATP	
73 Pretzer	32 40 12 N	111 32 35 W	32 40.200 N	111 32.583 W	1630 LT	Aero retrieve
74 Rainbow Rancho	33 13 13 N	112 18 26 W	33 13.217 N	112 18.433 W	1300 LT	Aero retrieve
75 Rancho Laos	31 50 20 N	111 24 01 W	31 50.333 N	111 24.017 W	2990 LT	18/36:1300x120
76 Rancho San Marcos	31 37 11 N	110 02 51 W	31 37.183 N	110 02.850 W	4353 ATP	
77 Redrock	32 35 18 N	111 20 05 W	32 35.300 N	111 20.083 W	1824 T	
78 Regeneration	33 01 58 N	109 59 15 W	33 01.967 N	109 59.250 W	2750 ATP	
79 Rincon Peak	32 07 13 N	110 31 26 W	32 07.217 N	110 31.433 W	8200 T	
80 Rodeo	31 57 00 N	109 02 30 W	31 57.000 N	109 02.500 W	4157 ATP	
81 Ruby Star	31 54 30 N	111 07 20 W	31 54.500 N	111 07.333 W	4025 ATP	Uphill/ld to W
82 Ryan	32 08 32 N	111 10 28 W	32 08.533 N	111 10.467 W	2417 AT	
83 Safford	32 51 12 N	109 38 06 W	32 51.200 N	109 38.100 W	3179 AT	
84 San Carlos	33 22 40 N	110 27 42 W	33 22.667 N	110 27.700 W	2896 ATP	
85 San Carlos Apache	33 21 11 N	110 40 03 W	33 21.183 N	110 40.050 W	3261 AT	ALT CTC Hanson Muli 928-475-2253
86 San Manuel	32 38 11 N	110 38 50 W	32 38.183 N	110 38.833 W	3274 AT	
87 San Simon	32 16 05 N	109 14 19 W	32 16.083 N	109 14.317 W	3800 T	No ld too narrow
88 Sasabe	31 29 15 N	111 32 34 W	31 29.250 N	111 32.567 W	3537 T	
89 Sasco	32 32 56 N	111 26 25 W	32 32.933 N	111 26.417 W	1800 LT	(East end) Aero retrieve
90 Schuk Toak Farms	32 11 50 N	111 16 18 W	32 11.833 N	111 16.300 W	2290 LT	Farm Fields, Land on roads
91 Sells	31 55 57 N	111 53 39 W	31 55.950 N	111 53.650 W	2409 AT	520-349-5693
92 Serene	32 59 48 N	112 16 21 W	32 59.800 N	112 16.350 W	1456 ATP	
93 Silver Bell Mine	32 25 18 N	111 30 25 W	32 25.300 N	111 30.417 W	3831 T	
94 Steins	32 13 30 N	108 59 00 W	32 13.500 N	108 59.000 W	4500 T	
95 Stronghold	31 55 31 N	110 02 17 W	31 55.517 N	110 02.283 W	4970 ATP	
96 Superior	33 16 40 N	111 07 37 W	33 16.667 N	111 07.617 W	2646 AT	
97 Table Top	32 50 03 N	112 08 32 W	32 50.050 N	112 08.533 W	1700 T	

<i>Number</i>	<i>Name</i>	<i>Latitude</i> ° , ' , ''	<i>Longitude</i> ° , ' , ''	<i>Latitude</i> ° , ' , ''	<i>Longitude</i> ° , ' , ''	<i>Elevation</i> <i>Codes</i> <i>FEET</i>	<i>*</i>
98	The Ultralight Strip	32 17 41 N	111 20 40 W	32 17.683 N	111 20.667 W	2120	ATP
99	Tombstone	31 40 17 N	110 01 18 W	31 40.283 N	110 01.300 W	4743	AT
100	Towers South	32 20 01 N	111 23 36 W	32 20.017 N	111 23.600 W	2465	T
101	Tribal Air	31 36 08 N	109 39 05 W	31 36.133 N	109 39.083 W	4200	ATP
102	Twin Hawks	32 31 40 N	111 11 45 W	32 31.667 N	111 11.750 W	2290	ATP
103	UA Maricopa Ag Center	33 04 49 N	111 59 00 W	33 04.817 N	111 59.000 W	1181	ATP
104	Usery Mtn Park	33 28 04 N	111 08 38 W	33 28.067 N	111 08.633 W	5415	T
105	Volcano	32 30 31 N	111 33 19 W	32 30.517 N	111 33.317 W	2090	T
106	Waterman	32 21 44 N	111 27 29 W	32 21.733 N	111 27.483 W	2067	T
107	West Nogales	31 22 01 N	111 07 02 W	31 22.017 N	111 07.033 W	4936	T
108	Willcox	32 14 43 N	109 53 40 W	32 14.717 N	109 53.667 W	4181	AT
109	Westchester Farm	32 22 35 N	109 56 14 W	32 22.583 N	109 56.233 W	4200	ATP
110	Wrightson	31 42 16 N	110 50 42 W	31 42.267 N	110 50.700 W	8413	T
200	Adobe Ranch Private	33 34 35 N	107 54 00 W	33 34.583 N	107 54.000 W	7354	APT
201	Agua Fria	33 56 48 N	112 12 40 W	33 56.800 N	112 12.667 W	3000	T
202	Aguila	33 55 10 N	113 10 04 W	33 55.167 N	113 10.067 W	2206	ATP
203	Alamo Lake	34 14 00 N	113 36 00 W	34 14.000 N	113 36.000 W	1000	T
204	Alpine	33 50 45 N	109 08 51 W	33 50.750 N	109 08.850 W	7998	T
205	Ashfork	35 13 30 N	112 29 00 W	35 13.500 N	112 29.000 W	5000	T
206	Avi Suquilla	34 09 02 N	114 16 16 W	34 09.033 N	114 16.267 W	452	AT
207	Bagdad	34 35 45 N	113 10 13 W	34 35.750 N	113 10.217 W	4183	AT
208	Bean	33 46 40 N	112 25 44 W	33 46.667 N	112 25.733 W	1500	LT
209	Beaverhead	33 25 10 N	108 08 22 W	33 25.167 N	108 08.367 W	7378	ATP
210	Bell Road	33 37 58 N	112 46 33 W	33 37.967 N	112 46.550 W	1400	LT
211	Big Springs Ranch	34 54 36 N	112 32 03 W	34 54.600 N	112 32.050 W	4421	ATP
212	Black Canyon Landfill	34 03 48 N	112 06 56 W	34 03.800 N	112 06.933 W	2300	LT
213	Bouse	33 55 00 N	113 59 00 W	33 55.000 N	113 59.000 W	900	T
214	Brenda Junction	33 39 46 N	114 01 10 W	33 39.767 N	114 01.167 W	1500	T
215	Casas Adobes	32 48 51 N	107 56 24 W	32 48.850 N	107 56.400 W	5800	ATP
216	Castle Hot Springs	33 59 00 N	112 22 00 W	33 59.000 N	112 22.000 W	3000	T
217	Chapman Ranch	34 05 37 N	110 55 58 W	34 05.617 N	110 55.967 W	5115	ATP
218	Chloride	33 19 42 N	107 39 43 W	33 19.700 N	107 39.717 W	6202	ATP
219	Cibecue	34 00 12 N	110 26 39 W	34 00.200 N	110 26.650 W	5037	AT
220	Clementine	33 46 46 N	112 20 39 W	33 46.767 N	112 20.650 W	1530	T
221	Columbus Muni	31 49 25 N	107 37 37 W	31 49.417 N	107 37.617 W	4024	ATP
222	Columbus Stockyards	31 47 30 N	107 38 17 W	31 47.500 N	107 38.283 W	4017	ATP
223	Congress	34 07 26 N	112 55 03 W	34 07.433 N	112 55.050 W	3000	LT
224	Coopers	34 12 54 N	112 32 10 W	34 12.900 N	112 32.167 W	3440	T
225	Cordes	34 18 20 N	112 09 53 W	34 18.333 N	112 09.883 W	3810	ATP
226	Cottonwood	34 43 48 N	112 02 06 W	34 43.800 N	112 02.100 W	3550	AT
227	Coyote Run	34 41 03 N	112 17 30 W	34 41.050 N	112 17.500 W	4978	ATP

Owner: Ralph Erickson

RW02/20: has a 965' stopway SW end. RW 02/20 first 1000' North end of rwy very soft

RW19: +7' brush 93' from end of RW 110' right

RW05: 50:1 at displaced threshold. RW23: 31:1 at displaced threshold RW05: +3' bush 114'

AP may be clsd during heavy fire tfc in Summer. No snow removal or condition reports; Ch

Owner: Peter Hartmann There are other property owners as well.

Fax 928-338-5915. email: johns@wmat.nsn.us

RW08/26: Center 50' Graded

Pole line adjacent to RW 26.

Owner Henry Cordes

RW 14/32: 300' paved stopway each end of RW RW32: 4' Berm &amp; brush 80' L 40-200' from

<i>Number</i>	<i>Name</i>	<i>Latitude</i> ° , ' , ''	<i>Longitude</i> ° , ' , ''	<i>Latitude</i> ° , ' , ''	<i>Longitude</i> ° , ' , ''	<i>Elevation</i> <i>Codes</i> <i>FEET</i>	<i>*</i>
228	Date Creek	34 12 42 N	113 03 48 W	34 12.700 N	113 03.800 W	2600	LT
229	Dateland	32 49 02 N	113 31 37 W	32 49.033 N	113 31.617 W	450	ATP
230	Deming	32 15 44 N	107 43 14 W	32 15.733 N	107 43.233 W	4314	AT RW04/22: Outside lanes rough
231	Dilkon	35 23 12 N	110 19 48 W	35 23.200 N	110 19.800 W	5800	T
232	Dunton Ranch	35 12 07 N	113 21 39 W	35 12.117 N	113 21.650 W	5115	ATP EMERGENCY USE ONLY. RW not maintained.
233	Eagletail Ranch	33 23 44 N	113 13 23 W	33 23.733 N	113 13.383 W	1203	ATP ACFT Opns should avoid conflict with military acft opns as low as 500' AGL. ACFT OPNS
234	First Aero Squadron	31 52 02 N	107 38 09 W	31 52.033 N	107 38.150 W	4140	ATP E/W 4000x100
235	Flagstaff	35 08 25 N	111 40 09 W	35 08.417 N	111 40.150 W	7014	AT ATIS:125.8
236	Forepaugh	33 57 08 N	112 59 38 W	33 57.133 N	112 59.633 W	2428	LT
237	Four Peaks	33 41 00 N	111 19 00 W	33 41.000 N	111 19.000 W	7657	T
238	Fraziers Well	35 51 09 N	113 04 23 W	35 51.150 N	113 04.383 W	6000	T
239	Gene Wash Reservoir	34 18 29 N	114 11 12 W	34 18.483 N	114 11.200 W	860	ATP
240	Grand Canyon Airport	35 57 08 N	112 08 49 W	35 57.133 N	112 08.817 W	6606	AT
241	Grand Canyon Caverns	35 31 37 N	113 14 51 W	35 31.617 N	113 14.850 W	5386	AT
242	Grand Canyon S Rim	36 04 00 N	112 09 00 W	36 04.000 N	112 09.000 W	6500	LT
243	Granite Mountain	34 38 00 N	112 33 00 W	34 38.000 N	112 33.000 W	7626	T
244	Grant County	32 38 12 N	108 09 23 W	32 38.200 N	108 09.383 W	5446	AT RW17: Dsplcd thld mkd by tires in 'L' pattern. RW17: apch ratio 16:1 fm dsplcd thr 575-38
245	Grapevine	33 38 22 N	111 03 24 W	33 38.367 N	111 03.400 W	2361	LT
246	HH Ranch	34 45 59 N	112 32 57 W	34 45.983 N	112 32.950 W	5025	ATP
247	Hacienda Sur Luna	31 52 40 N	107 38 44 W	31 52.667 N	107 38.733 W	4150	ATP RW E/W:4800x30
248	Happy Mountain	34 03 40 N	108 05 47 W	34 03.667 N	108 05.783 W	7250	ATP
249	Harquahala Peak	33 48 21 N	113 21 14 W	33 48.350 N	113 21.233 W	5681	T
250	Hatch	32 39 40 N	107 11 53 W	32 39.667 N	107 11.883 W	4080	AT RW11: APAP Lgtd. RW29: APAP LGTD. RW11: NSTD ODALS. RW29: NSTD ODALS
251	Hillside	34 25 00 N	112 55 00 W	34 25.000 N	112 55.000 W	4000	T
252	Holbrook	34 56 26 N	110 08 18 W	34 56.433 N	110 08.300 W	5262	AT RW11/29: soft dirt RW, for condition of sfc call 928-241-0288. RW numbers fadedRW03: ap
253	Hualapai	35 34 20 N	113 17 33 W	35 34.333 N	113 17.550 W	5317	ATP
254	Humbolt Peak	33 58 51 N	111 47 51 W	33 58.850 N	111 47.850 W	5000	T
255	Humphreys Peak	35 20 47 N	111 40 40 W	35 20.783 N	111 40.667 W	12633	T
256	I-10 Intersection	33 32 17 N	113 09 52 W	33 32.283 N	113 09.867 W	1200	T
257	Jakes Corner	33 57 51 N	111 19 19 W	33 57.850 N	111 19.317 W	2506	LT
258	Jewett Mesa	34 00 12 N	108 40 41 W	34 00.200 N	108 40.683 W	7681	AT RW06/24: large rocks; SFC deeply rutted. RW mkd with tires on 4' posts at RW end. RW m
259	Juniper	35 00 30 N	113 02 00 W	35 00.500 N	113 02.000 W	5700	LT
260	Kingman	35 15 34 N	113 56 17 W	35 15.567 N	113 56.283 W	3449	AT
261	Kirkland	34 23 45 N	112 40 52 W	34 23.750 N	112 40.867 W	4300	T
262	Lake Pleasant	33 50 52 N	112 16 30 W	33 50.867 N	112 16.500 W	1800	T
263	Las Cruces	32 17 22 N	106 55 19 W	32 17.367 N	106 55.317 W	4456	AT
264	Luke #1	33 43 14 N	112 32 23 W	33 43.233 N	112 32.383 W	1400	T
265	Luke #2	33 42 07 N	112 25 21 W	33 42.117 N	112 25.350 W	1300	LT
266	Luke #4	33 44 31 N	112 38 20 W	33 44.517 N	112 38.333 W	1500	LT
267	Luna Landing	32 06 00 N	107 49 22 W	32 06.000 N	107 49.367 W	4250	ATP
268	Macks Crossing	34 41 00 N	111 00 55 W	34 41.000 N	111 00.917 W	6500	LT

Number	Name	Latitude ° , ' , ''	Longitude ° , ' , ''	Latitude ° , ' , ''	Longitude ° , ' , ''	Elevation FEET	Codes*	
269	Magdalena	34 05 40 N	107 17 52 W	34 05.667 N	107 17.867 W	6727	AT	RW02/20: SFC treated with flyash; firm but dusty with some large rocks RW02/20: edge light
270	Massey Farm	34 41 29 N	114 05 52 W	34 41.483 N	114 05.867 W	1630	ATP	
271	Mauldin	33 28 55 N	113 00 08 W	33 28.917 N	113 00.133 W	1193	ATP	19 NM W Buckeye. Own:William Mauldin
272	Mazatzal Peak	34 04 00 N	111 28 00 W	34 04.000 N	111 28.000 W	7903	T	
273	Me-Own	33 12 43 N	108 01 32 W	33 12.717 N	108 01.533 W	7554	ATP	Arpt may be clsd durg heavy fire fighting periods durg summer. no snow removal or condition
274	Mingus Mountain	34 42 00 N	112 07 00 W	34 42.000 N	112 07.000 W	7815	T	
275	Mogollon	34 23 50 N	110 31 47 W	34 23.833 N	110 31.783 W	6657	ATP	RW 03 700 X 30' overrun. RW 21 1200 X 30' overrun RW21: PNIL RW 21 not lighted no ni
276	Mohawk Pass	32 43 30 N	113 44 00 W	32 43.500 N	113 44.000 W	700	T	
277	Montezuma	34 36 18 N	111 51 55 W	34 36.300 N	111 51.917 W	3370	ATP	RW17/35: 60' asph superimposed on 150' turf. Actvt LIRL RW 17/35
278	Moreton	34 01 10 N	112 49 33 W	34 01.167 N	112 49.550 W	2455	ATP	RW13/31: SE 3200' RW 13/31 LGTD. FOR LIRL RW 13/31 CALL.602-315-0323
279	Mount Ord	33 54 00 N	111 25 00 W	33 54.000 N	111 25.000 W	7228	T	
280	Mount Union	34 25 00 N	112 24 00 W	34 25.000 N	112 24.000 W	7979	T	
281	Music Mountain	35 28 30 N	113 46 09 W	35 28.500 N	113 46.150 W	3450	ATP	100' mountain 0.5 NM north 1500' mountain 2.5 nm east
282	Negrito	33 31 15 N	108 32 34 W	33 31.250 N	108 32.567 W	8143	ATP	May be closed during periods of hvy fire traffic summer mos.Watch for deer on RW Watch f
283	Orme School	34 25 48 N	112 03 45 W	34 25.800 N	112 03.750 W	3934	LT	
284	Outback Ranch	33 50 52 N	113 34 13 W	33 50.867 N	113 34.217 W	1980	ATP	Exercise vigilance for military aircraft invof arpt
285	Parsons	34 59 53 N	113 27 42 W	34 59.883 N	113 27.700 W	3760	ATP	
286	Payson	34 15 25 N	111 20 21 W	34 15.417 N	111 20.350 W	5157	AT	RW06: RW markings faded RW24: RW markings faded RWH1: H1 Helipad surrounded on
287	Pilots Rest	34 55 51 N	112 30 45 W	34 55.850 N	112 30.750 W	4482	ATP	
288	Pine Mountain	34 17 50 N	111 47 06 W	34 17.833 N	111 47.100 W	6820	T	
289	Playas	31 56 12 N	108 32 12 W	31 56.200 N	108 32.200 W	4519	ATP	RW06/24: Severe alligator cracking Arpt is used by both fixed wing and rotary wing AC Exe
290	Pleasant Valley	34 09 29 N	110 56 07 W	34 09.483 N	110 56.117 W	5688	ATP	RW06/24: Decomposed granite.
291	Prescott	34 39 04 N	112 25 22 W	34 39.067 N	112 25.367 W	5042	AT	
292	Quartzsite	33 40 16 N	114 13 25 W	33 40.267 N	114 13.417 W	861	T	
293	Quemado	34 20 25 N	108 30 52 W	34 20.417 N	108 30.867 W	6917	ATP	Rodney Armstrong, PO BOX 420, QUEMADO, NM 87829, 281-686-5575
294	Quintero Golf	33 50 41 N	112 25 04 W	33 50.683 N	112 25.067 W	2000	T	
295	Rael Ranch Horse Pasture	33 48 18 N	108 20 36 W	33 48.300 N	108 20.600 W	6950	ATP	RW06/24: Land RW 24; Tkof RW 06.
296	Ranta	33 51 14 N	112 39 12 W	33 51.233 N	112 39.200 W	1840	ATP	RW E/W:2400x100
297	Red Mine	33 54 47 N	112 28 02 W	33 54.783 N	112 28.033 W	3000	T	
298	Reserve	33 41 39 N	108 50 58 W	33 41.650 N	108 50.967 W	6360	AT	RW06: Road 160' left at controlling point. RW06: 3' scrub at 157' left of centerline RW24:
299	Rimrock	34 39 03 N	111 47 18 W	34 39.050 N	111 47.300 W	3575	ATP	RW05: RW 05 Make rgt turn on tkof RW05/23: Land uphill RW 05; Tkof dwnhill RW 23. R
300	Rio Vista Hills	33 57 08 N	112 41 12 W	33 57.133 N	112 41.200 W	2225	ATP	
301	Robin	34 44 40 N	112 26 43 W	34 44.667 N	112 26.717 W	4772	ATP	
302	Sampley's	33 55 22 N	113 10 53 W	33 55.367 N	113 10.883 W	2208	ATP	RW17/35: 200' OVRN ON EACH RW END. RW17/35: 125' W avbl but overgrown with br
303	Sedona	34 50 55 N	111 47 18 W	34 50.917 N	111 47.300 W	4830	AT	RW03: 5' Fence 150' fm RW end 25' L. RW21: 8' fence 150' fm RW end 125' L 928-300-3
304	Seligman	35 20 06 N	112 53 10 W	35 20.100 N	112 53.167 W	5235	AT	RW 22, 9' fence 199' fm RW end 0B.
305	Sentinel	32 51 00 N	113 12 00 W	32 51.000 N	113 12.000 W	700	T	
306	Separ	32 12 05 N	108 25 42 W	32 12.083 N	108 25.700 W	4487	T	
307	Sergio	34 48 00 N	114 06 45 W	34 48.000 N	114 06.750 W	1900	ATP	
308	Show Low	34 15 56 N	110 00 20 W	34 15.933 N	110 00.333 W	6415	AT	RW03/21: delineators RW 06 apch ratio 40:1 to dsplcd thld
309	Solair Estates	34 42 38 N	111 53 40 W	34 42.633 N	111 53.667 W	3500	LT	

Number	Name	Latitude ° , ' , ''	Longitude ° , ' , ''	Latitude ° , ' , ''	Longitude ° , ' , ''	Elevation FEET	Codes*	
310	Solo Ranch	32 15 45 N	107 24 14 W	32 15.750 N	107 24.233 W	4200	ATP	
311	Springerville	34 07 46 N	109 18 39 W	34 07.767 N	109 18.650 W	7055	AT	928-333-4240 AMGR: SWEST@SPRINGERVILLE.COM
312	St Johns	34 31 07 N	109 22 44 W	34 31.117 N	109 22.733 W	5737	AT	RW 03 200' gravel clear area on S end of RW RW03: RW 03 apch ratio 10:1 to dspcd thr R
313	Sun City Substation	33 42 00 N	112 19 00 W	33 42.000 N	112 19.000 W	1500	T	
314	Sunrise Ranch	35 14 18 N	111 56 09 W	35 14.300 N	111 56.150 W	6958	ATP	
315	Taylor	34 27 10 N	110 06 54 W	34 27.167 N	110 06.900 W	5823	AT	928-536-7366
316	Thunder Ridge	33 49 17 N	112 34 23 W	33 49.283 N	112 34.383 W	1915	ATP	RW 17 dspcd thld marked with paint stripe across the RW FOR MIRL RW 17/35 actvt 8 cli
317	Tonopah	33 32 02 N	112 57 37 W	33 32.033 N	112 57.617 W	1248	ATP	
318	Towers Mountain	34 14 00 N	112 22 00 W	34 14.000 N	112 22.000 W	7628	T	
319	Turf	33 48 03 N	112 15 00 W	33 48.050 N	112 15.000 W	1580	DT	
320	Turf North	33 57 02 N	112 18 40 W	33 57.033 N	112 18.667 W	1600	LT	
321	Valle	35 39 02 N	112 08 53 W	35 39.033 N	112 08.883 W	5999	AT	RW01: NTSD PVASI - single box unit on left side of RW RW19: NTSD PVASI - single box
322	VLA	34 04 46 N	107 37 06 W	34 04.767 N	107 37.100 W	6958	T	
323	Vulture Mine	33 49 30 N	112 49 40 W	33 49.500 N	112 49.667 W	2000	LT	
324	Waltenberry	33 32 06 N	112 51 12 W	33 32.100 N	112 51.200 W	1213	ATP	
325	Western Sky	33 46 41 N	113 38 30 W	33 46.683 N	113 38.500 W	1930	ATP	
326	Whiskey Creek	32 45 43 N	108 12 30 W	32 45.717 N	108 12.500 W	6126	AT	RW clsd to acft over 8000 lbs RW17/35: NSTD LIRL; non-frangible posts RW 17/35 no nrs
327	White Mountain	34 22 11 N	109 41 50 W	34 22.183 N	109 41.833 W	6546	ATP	RW 04U/22U:1550x40 RW 07U/25U:1578x40-TURF
328	White Mountain Lake	34 21 08 N	109 58 12 W	34 21.133 N	109 58.200 W	6066	ATP	E137-1 Military tfc near arpt E137-2 road crosses RW E137-3 grass and weeds coming thro
329	White Tanks	33 34 02 N	112 33 31 W	33 34.033 N	112 33.517 W	4083	T	
330	Whiteriver	33 48 38 N	109 59 09 W	33 48.633 N	109 59.150 W	5153	AT	RW19: 17' trailer, dist 349', 118' R, 20:1 CL slope based on dsp thr X2477
331	Wickenburg	33 58 14 N	112 47 43 W	33 58.233 N	112 47.717 W	2377	AT	RW05: apch ratio 50:1 fm dspcd thr RW05: 5' fence 195 ft fm EOR 100' right. 10' tree 150
332	Wikieup	34 42 00 N	113 37 00 W	34 42.000 N	113 37.000 W	2000	T	
333	Williams	35 18 20 N	112 11 40 W	35 18.333 N	112 11.667 W	6680	AT	RW36: Rock RW18: 3' Berm 65-200' fm RW end 150' left, 12' tree 170' fm end RW 175' r
334	Winona	35 12 12 N	111 20 18 W	35 12.200 N	111 20.300 W	6100	LT	
335	Winslow	35 01 19 N	110 43 21 W	35 01.317 N	110 43.350 W	4941	AT	RW markings faded RW 11 end marked by non-standard painting and lighting RW Markings
336	Wisky Ranch/Chevlon	34 37 00 N	110 37 41 W	34 37.000 N	110 37.683 W	6172	ATP	
337	Wood's	33 50 17 N	113 27 15 W	33 50.283 N	113 27.250 W	1962	ATP	40' pline 1000' NE of RW
338	X Bar 1 Ranch	35 20 54 N	113 41 20 W	35 20.900 N	113 41.333 W	3710	ATP	RW N/S:4250x40 OWN:X-One Ranch
339	Yarnell	34 13 00 N	112 45 00 W	34 13.000 N	112 45.000 W	5000	T	
340	Yav'Pe Ma'Ta	34 30 32 N	112 40 48 W	34 30.533 N	112 40.800 W	4366	ATP	Watch for livestock. Avoid overflight of Skull Valley. Arpt lctd near VR-242 near pt B. ctc P
341	Yolo	34 47 55 N	112 58 13 W	34 47.917 N	112 58.217 W	5950	ATP	

**Codes\***

- A: Airport
- D: Glider Airfield
- F: Finish Point
- H: Home airport
- L: Landing point
- P: Private
- S: Start Point
- T: Turnpoint

