

Map marking information for Bethel, Pennsylvania [Grimes]

Courtesy of Daniel Sazhin

Non-Control Point Waypoints are indicated by a *

Latitude range: 39 41.6 to 41 50.8
 Longitude range: -78 10.0 to -74 50.5

File created Tuesday, 24 March 2020 at 17:48 GMT

USE AT YOUR OWN RISK

Do not use for navigation, for flight verification only.

Always consult the relevant publications for current and correct information. This service is provided free of charge with no warranties, expressed or implied.

User assumes all risk of use.

	Way Point	Latitude	Longitude	ID	Distance	Bearing	Description
*	Potomac	39 41.6 N	78 10.0 W	W35	115	242	W35, 122.8, RW width: 70, CTAF: 122.9
30	Dickey's Mtn	39 45.7 N	78 3.6 W	DICKSMTN	107	243	
*	Franklin County Regional	39 58.4 N	77 38.6 W	FRANKNAL	81	245	70 X 3300ft 122.900 AWOS: 120.725
*	Lost Acres	39 56.3 N	77 37.0 W	LOSTARES	81	243	100X1800ft
*	Rocktop	39 58.5 N	77 33.5 W	ROCKTOP	77	243	70X2000ft
*	Five Lakes	39 54.8 N	77 32.0 W	5 LAKES	78	240	80X2400ft
*	Gettysburg Airport	39 50.5 N	77 16.5 W	GETTYORT	70	231	3100 x 60 feet 122.900
*	Schulteis	39 57.6 N	77 15.5 W	3PN0	64	236	3PN0, 08/26, RW width: 100
*	Bowtie	39 54.5 N	77 12.3 W	BOWTIE	64	232	100 X 2150ft
*	Circle W	39 57.5 N	76 58.2 W	CIRCLE W	52	226	120 X 2600'
*	Level Acres Farm	39 57.2 N	76 54.5 W	LEVELARM	50	223	100 X 2300'
*	York Airport	39 55.0 N	76 52.4 W	YORKAORT	51	219	100X 5300' ASOS: 119.275
*	Gilbert	39 55.7 N	76 46.3 W	GILBERT	47	215	80 X 2400ft
*	Shoestring	39 47.7 N	76 38.8 W	SHOESING	52	203	100 X 2000ft 122.9
75	Baublitz	39 51.2 N	76 29.1 W	BAUBLITZ	45	195	100 X 2500ft 122.9
*	Pembroke	39 42.6 N	76 12.3 W	PEMBROKE	54	177	90 X 2400ft
*	Harris	39 49.1 N	75 55.5 W	HARRIS	49	159	100 X 1900'

	Way Point	Latitude			Longitude			ID	Distance	Bearing	Description
76	Chester Co. Airport	39	58.8	N	75	52.0	W	CHESTORT	41	149	5400 X 100 122.7 WX AWOS-3: 126.25
*	New Garden Airport	39	49.9	N	75	46.2	W	NEWGAORT	52	150	3700 X 65' 123.05
*	Brandywine	39	59.4	N	75	34.9	W	OQN	50	133	OQN, 09/27 23.0, RW width: 50, AWOS: 121.4, UNICOM: 123.075, Fuel: 100
78	Memmi	40	10.2	N	77	59.5	W	0PN6	94	257	0PN6, NNE-SSW, RW width: 100
*	Beers Farm	40	13.8	N	77	55.2	W	PN73	89	259	PN73, 08/26, RW width: 100
*	Mtn Hideaway	40	26.1	N	77	54.0	W	3PS4	86	268	Landable, 3PS4, RW width: 100
*	Orbisonia	40	14.4	N	77	53.8	W	ORBISONI	88	259	
*	Mill Creek	40	25.8	N	77	53.1	W	3PS4	85	268	3PS4, RW width: 100
*	Shirleysburg	40	19.1	N	77	52.5	W	SHRLSBRG	86	263	Landable
11	Burnt Cabins	40	5.1	N	77	51.9	W	11BURINS	89	252	
*	Mills	40	8.6	N	77	51.8	W	05PS	88	255	05PS, RW width: 100
*	Spud View	40	3.9	N	77	41.5	W	18PN	81	249	Landable, 18PN, 05/23, RW width: 50
25	Turnpike Tunnel	40	8.7	N	77	39.0	W	25TURNEL	77	253	
*	Drillmore	40	8.0	N	77	37.7	W	0PN7	76	252	0PN7, RW width: 100
17	Honey Grove	40	24.5	N	77	31.9	W	17HONOVE	67	266	
*	Botsford Airport	40	6.8	N	77	27.2	W	BOTSFORT	68	248	100 X 2400ft. 30ft Paved
*	Herberling	40	9.9	N	77	22.2	W	HERBEING	62	250	60 X 2200ft
14	Doubling Gap	40	15.9	N	77	18.7	W	14DOUGAP	57	255	
*	Egolf	40	20.1	N	77	18.0	W	2PA7	56	260	2PA7, NW/SE, RW width: 100
*	Shulls	40	19.1	N	77	17.0	W	SHULLS	55	258	Landable, N-S
71	Fox Field	40	29.1	N	77	13.2	W	FOXFIELD	50	270	100 X 1300ft
72	Yost	40	19.9	N	77	10.6	W	8PA6	49	258	Landable, 8PA6, PVT, RW width: 100
73	Carlisle Airport	40	11.3	N	77	10.4	W	CARLIORT	52	247	4008 x 60 ft. 122.8
*	Haunstein	40	19.1	N	77	7.5	W	HAUNSEIN	47	256	1200 x 100 feet
*	Mathna	40	1.0	N	77	2.5	W	MATHNA	52	232	100 X 1700'
74	Bermudian Valley	40	1.0	N	77	0.2	W	BERMULEY	51	231	200 X 2300' 122.9
*	Shreveport North	40	2.1	N	76	59.6	W	SHREVRTH	50	231	200 X 2700'
*	Kampel	40	3.0	N	76	58.6	W	KAMPEL	48	232	200 X 3000' 122.9
6	Antennas NE	40	20.7	N	76	52.1	W	ANTENSNE	33	253	
*	Capital City Airport	40	13.1	N	76	51.1	W	CAPITORT	36	239	5000 x 150 ft. CTAF: 119.5 UNICOM: 122.95 ATIS: 134.95
70	Gusler	40	27.9	N	76	50.4	W	PA74	30	268	PA74, NNE-SSW, RW width: 100, Fuel: 100LL
*	Lazy B	40	1.4	N	76	48.9	W	LAZY B	43	223	60 X 3100ft 122.9
*	Carsonville	40	29.2	N	76	46.0	W	0PS3	26	270	0PS3, 06/24, RW width: 100
*	Harrisburg International	40	11.6	N	76	45.7	W	HARRINAL	33	233	10001 x 200 ft. 124.8 ATIS: 118.8
*	Yingst	40	23.8	N	76	44.8	W	YINGST	26	256	2600 X 100ft
41	Black Landing	40	22.4	N	76	44.6	W	BLACKING	26	253	1500 X 90ft
*	Brookside Farms	40	18.9	N	76	41.1	W	59PN	25	242	59PN, 09/27, RW width: 100
38	Riegle	40	17.2	N	76	34.6	W	RIEGLORT	21	230	1955 x 40 ft. 122.8
40	Donegal Spring Airport	40	5.5	N	76	34.5	W	DONEGING	32	211	3250 X 50ft CTAF: 122.8
*	Muir AAF	40	26.1	N	76	34.1	W	MUIR AAF	16	258	3981 x 98 ft. CTAF: 126.2 WX ASOS: 124.175
*	Rover	40	17.1	N	76	31.8	W	ROVER	20	225	2200 X 90'

	Way Point	Latitude			Longitude			ID	Distance	Bearing	Description
*	Walnut Grove	40	5.6	N	76	29.6	W	WALNUOVE	30	204	1400 x 70 feet
23	Swatara N	40	29.4	N	76	29.6	W	23SWARAN	12	272	
33	Horst	40	22.7	N	76	28.1	W	3PA0	13	236	Landable, 3PA0, E/W, RW width: 100
32	Farmer's Pride	40	26.6	N	76	26.6	W	FARMEIDE	9.9	253	3410 x 150 ft. CTAF: 122.9
18	Lebanon	40	20.3	N	76	25.6	W	18LEBNON	13	220	
31	Krill Pvt	40	26.9	N	76	20.5	W	PA86	4.9	237	PA86, 10/28 15T, RW width: 100
34	Deck	40	21.1	N	76	19.8	W	DECK	9.9	201	3786 x 50 ft. CTAF/UNICOM: 122.8 WX AWOS-2: 118.45
36	Keller Bros	40	17.5	N	76	19.7	W	KELLEROS	14	194	2692 x 120 ft. CTAF: 122.9
*	Lancaster Airport	40	7.3	N	76	18.0	W	LANCAORT	25	184	6933 x 150 ft. CTAF: 120.9 ATIS: 125.675
1	Grimes	40	29.1	N	76	15.8	W	GRIMES			2720 x 100 ft. 122.8
2	Start S	40	28.2	N	76	15.8	W	02STARTS	1.0	177	
35	Hurst	40	20.6	N	76	12.5	W	HURST	10	164	1165 x 95 feet
*	Smoketown Airport	40	2.5	N	76	12.1	W	SMOKEORT	31	174	2750 x 50 ft.123.05
15	Ephrata	40	10.7	N	76	10.8	W	15EPHATA	22	168	
9	Bernville	40	26.1	N	76	6.8	W	09BERLLE	8.7	114	
37	Boyer Airport	40	19.3	N	76	6.0	W	BOYERORT	14	143	1060 x 100 feet
*	Reading Airport	40	22.7	N	75	58.0	W	READIORT	17	115	6350 x 150 ft. CTAF: 119.9 UNICOM: 122.95
39	Morgantown Airport	40	9.5	N	75	52.1	W	MORGAORT	31	137	2500 x 100 ft. 122.9
*	Berts	40	17.1	N	75	45.9	W	PS38	30	118	PS38, 08/26 23T, RW width: 100
*	Fetters Construction	40	5.5	N	75	42.6	W	PA70	40	133	PA70, 05/23 18T, RW width: 100
54	Pottstown Muni	40	15.6	N	75	40.2	W	POTTSUNI	35	116	2704 x 75 ft. 122.8
*	Dimascio	40	17.4	N	75	39.5	W	14PA	35	113	14PA, N/S 13T, RW width: 100
*	Bally Spring Farm	40	25.9	N	75	37.6	W	PA35	34	96	PA35, 13/31 22.725, RW width: 50, UNICOM: 122.725
*	Hansen	40	20.4	N	75	34.8	W	H	37	105	RW width: 100
*	Butter Valley Airport	40	23.8	N	75	33.8	W	BUTTEORT	37	99	90 X 1500' 122.9
*	Pottstown Limerick	40	14.4	N	75	33.4	W	POTTSICK	41	114	3371 x 75 feet 122.700 ASOS: 119.425
*	Kolb	40	9.6	N	75	32.8	W	43PA	44	121	43PA, 09/27 32T, RW width: 100
*	Kunda	40	9.9	N	75	27.1	W	KUNDA	48	117	PA61, 11/29 14T, RW width: 50
*	Yarrow	40	15.1	N	75	26.7	W	30PA	46	110	28PA, 05/23 18T, RW width: 100
*	Perkiomen Valley	40	12.2	N	75	25.8	W	N10	48	114	N10, 09/27 22.8, RW width: 40, UNICOM: 122.8
*	Quakertown	40	26.1	N	75	22.9	W	UKT	46	94	UKT, 11/29 22.8, RW width: 50, AWOS: 119.475, UNICOM: 122.725, Fuel: 10
*	Wicker and Wings	40	24.1	N	75	22.2	W	1PS9	47	97	1PS9, 18/36 18T, RW width: 100
*	Navarro	40	22.3	N	75	20.2	W	97PN	49	99	3PA1, 02/20 19T, RW width: 50
*	Tate	40	23.1	N	75	20.0	W	5PS9	49	98	5PS9, 09/27 15T, RW width: 100
*	Gehris	40	19.0	N	75	17.4	W	39PA	52	102	39PA, RW width: 200
*	Pennridge	40	23.4	N	75	17.4	W	CKZ	52	97	N70, 08/26 23.0 AVOID PARA!, RW width: 100, AWOS: 126.325, UNICOM: 122.725
*	Edmonds	40	19.8	N	75	16.9	W	PS54	53	101	PS54, 14/28 18T, RW width: 100
*	Wings	40	8.2	N	75	16.0	W	LOM	58	114	LOM, 06/24 23.0, RW width: 75, AWOS: 118.925, UNICOM: 123.0, Fuel: 10
*	Moyer	40	17.8	N	75	14.9	W	3PA9	55	103	3PA9, RW width: 75
55	PGC	40	19.9	N	75	14.8	W	3PA2	55	101	0PA0, 01/19 25T, RW width: 300
*	A G A Farms	40	25.5	N	75	13.9	W	61PN	54	94	61PN, 05/23 28a, RW width: 55

	Way Point	Latitude			Longitude			ID	Distance	Bearing	Description
*	Elephant Path	40	24.5	N	75	13.9	W	PS03	54	95	PS03, 05/23 28a, RW width: 35
*	Ridgeview	40	27.1	N	75	12.3	W	1PA3	56	92	1PA3, RW width: 100
*	Haney	40	29.7	N	75	7.5	W	23PA	60	89	8PA6, E/W 19T, RW width: 75
*	Doylestown	40	20.0	N	75	7.3	W	DYL	61	100	DYL, 05/23 22.8, RW width: 60, AWOS: 118.875, UNICOM: 122.975, Fuel: 100LL
56	Van Sant	40	29.1	N	75	6.0	W	9N1	61	90	9N1, 05/23 22.8, RW width: 120, UNICOM: 122.8, Fuel: 100LL
*	Hoge Farm	40	28.2	N	75	4.9	W	56PA	62	91	56PA, 06/24 22T, RW width: 100
*	Eagles Lair	40	28.1	N	75	3.0	W	NJ63	64	91	NJ63, 07/25 32T, RW width: 100
*	Windward Farms	40	26.9	N	75	1.1	W	4NJ0	66	92	4NJ0, 11/29 22.95, RW width: 150, UNICOM: 122.95
*	Aerequus	40	23.4	N	75	0.8	W	38PA	66	95	38PA, 05/23 31T, RW width: 100
*	Flying D Farm	40	28.1	N	75	0.1	W	92NJ	66	91	92NJ, E/W 22T, RW width: 100, Fuel: MOGAS
*	Evans	40	28.8	N	74	57.7	W	NJ50	68	90	NJ50, 10/28 22.8, RW width: 50, UNICOM: 122.8, Fuel: 100
*	Hilling	40	30.3	N	77	56.3	W	PN64	88	271	Landable, PN64, RW width: 80
*	Keystone GP	40	53.1	N	77	54.4	W	79N	90	288	79N, 123.3, RW width: 150, CTAF: 122.9
*	Hostetler	40	37.9	N	77	51.0	W	0PA6	84	277	0PA6, NNE-SSW, RW width: 100
*	Univ Park	40	50.9	N	77	51.0	W	UNV	87	287	UNV, TWR 128.475, RW width: 150, ATIS: 127.65, Tower: 128.475, UNICOM: 122.8
*	Bellefonte	40	53.2	N	77	48.9	W	N96	86	289	N96, 6/24, RW width: 60, UNICOM: 122.8, Fuel: 100LL
*	Plane View	40	33.4	N	77	48.6	W	PLANEVIW	81	274	Landable
*	Bierly	40	55.9	N	77	44.4	W	01PN	83	292	01PN, PVT, RW width: 100
*	Dwight Yoder	40	38.2	N	77	43.2	W	DWIGHTDR	77	278	Landable
*	Centre Airpark	40	48.7	N	77	39.4	W	N16	76	288	N16, NE-SW, RW width: 210, UNICOM: 122.7
79	Reedsville Airport	40	40.6	N	77	37.6	W	REEDSORT	73	281	5001 x 75 ft. CTAF/UNICOM: 122.7 WX AWOS-3PT: 123.85
*	Pennfield	40	51.1	N	77	36.8	W	44PA	75	290	44PA, NE-SW, RW width: 100
*	Wagner	40	33.1	N	77	36.7	W	1PA4	71	274	1PA4, 04/22, RW width: 100
*	Penns Cave	40	53.4	N	77	36.2	W	N74	76	292	N74, 122.8, RW width: 40, UNICOM: 122.8
*	Crust	40	59.1	N	77	33.8	W	CRUST	76	297	Landable
*	McCardle	40	38.7	N	77	33.4	W	PS11	69	280	PS11, 05/23, RW width: 100
*	Krout	40	38.2	N	77	29.0	W	KROUT	65	280	Landable
*	Shangri La	40	41.1	N	77	28.5	W	SHANGRIL	65	283	Landable
*	Mifflintown Airport	40	36.0	N	77	24.3	W	MIFFLORT	60	278	2627 x 50 ft. 122.8
*	Carms	40	44.4	N	77	17.9	W	CARMS	57	288	Landable
*	Snook	40	43.9	N	77	16.1	W	PS06	55	288	PS06, 07/25, RW width: 100
29	Thompsons town	40	33.9	N	77	14.2	W	THMPSNTW	51	276	
*	Gilfert	40	47.1	N	77	12.6	W	77PN	54	293	77PN, NW-SE, RW width: 100
*	Roadcap	40	47.3	N	77	6.3	W	37PA	49	296	37PA, E-W, RW width: 100
*	Jansen	40	39.1	N	77	3.3	W	PN71	43	286	PN71, RW width: 100
80	J F T	40	56.7	N	77	2.7	W	8PA4	52	308	8PA4, 06/24, RW width: 100, UNICOM: 122.8
69	Susquehanna Airport	40	33.7	N	76	57.9	W	SUSQUORT	37	278	2800 X 140
*	Fox Hollow	40	59.6	N	76	54.1	W	3PA6	48	317	3PA6, 09/27, RW width: 100
67	Penn Valley	40	49.2	N	76	51.8	W	PENNVLEY	39	307	4760 x 75 ft. CTAF/UNICOM: 122.7 WX ASOS: 123.975
*	Harman	40	31.4	N	76	50.8	W	HARMAN	31	275	1900 x 150 feet
68	Flying Eagle	40	38.8	N	76	48.6	W	FLYINGLE	31	291	1850 x 100 feet

	Way Point	Latitude			Longitude			ID	Distance	Bearing	Description
*	Sunbury	40	53.5	N	76	46.7	W	SUNBURY	39	316	3250 x 250 ft. 122.9
8	Bear SW	40	34.9	N	76	45.0	W	09BEARSW	26	285	
66	Dansville Airport	40	56.9	N	76	38.6	W	DANVIORT	38	328	3500 x 100 ft. CTAF/UNICOM: 123.0 WX ASOS: 118.325
*	Masser	40	38.0	N	76	36.0	W	MASSER	20	300	2100 x 75 ft.
45	Bendigo Airport	40	33.5	N	76	33.6	W	BENDIORT	16	288	2325 x 60 ft. 122.9
65	Northumberland County	40	50.2	N	76	33.1	W	NORTHNTY	29	328	3297 x 75 ft. CTAF/UNICOM: 122.8 WX AWOS-3: 119.175
*	Stone Castle	40	58.4	N	76	31.1	W	STONCSTL	36	338	Landable, ENE-WSW
19	Mahantango_E	40	41.8	N	76	28.5	W	19MAHO_E	18	323	
46	Fairview Farm	40	32.2	N	76	28.0	W	FAIRVARM	11	289	2000 x 100 ft
63	Bloomsburg Airport	40	59.9	N	76	26.1	W	BLOOMORT	37	346	3200 x 60 ft. 122.8
64	Numidia	40	52.0	N	76	23.9	W	NUMIDIA	27	345	2000 x 100 ft.
*	Broadt	40	59.9	N	76	23.1	W	5PA1	36	350	5PA1, PVT, RW width: 100
*	Schylkill Zerby	40	42.4	N	76	22.2	W	SCHYURBY	16	340	4599 x 75 ft. CTAF/UNICOM: 123.075 WX AWOS-3: 127.575
3	Start W	40	30.6	N	76	21.2	W	STARTW	5.0	289	
12	Centralia	40	48.2	N	76	20.4	W	CENTRLIA	22	350	
47	Cider	40	36.4	N	76	16.9	W	CIDERNAL	8.4	353	2200 x 100 ft
*	Chim Commercial	40	42.3	N	76	14.2	W	CHIMCIAL	15	5	2000 x 150 ft.
4	Start E	40	31.4	N	76	11.0	W	04STARTE	5.0	58	
*	McDonald's	40	53.1	N	76	9.3	W	MCDONALD	28	12	2000 x 120 ft.
48	Hillview	40	35.9	N	76	8.2	W	HILLVIEW	10	40	1200 X 100
22	Roadside America	40	30.8	N	76	6.9	W	22ROAICA	8.0	76	
49	Neon	40	41.4	N	76	4.0	W	NEON	18	36	1700 X 70
43	Blue Mountain Academy	40	33.1	N	76	1.8	W	BLUEMEMY	13	69	2730 x 100 feet
61	Hazleton Airport	40	59.2	N	75	59.6	W	HAZLETON	37	22	5001 x 100 ft. 123.0 WX AWOS-3: 119.975
16	Hawk Mountain	40	38.6	N	75	59.6	W	16HAWAIN	18	52	
21	Reservoir	40	35.6	N	75	56.7	W	21RESOIR	18	66	
42	Skyline Airstrip	40	30.4	N	75	56.6	W	SKYLIRIP	17	85	3200 X 120
*	West Penn Township	40	44.8	N	75	56.0	W	WESTPHIP	25	44	2000 x 100 feet
50	Cuatros Vientos	40	39.5	N	75	52.4	W	QUATRITOS	24	59	1200 x 100 feet
*	Grover	40	54.6	N	75	52.2	W	GROVER	36	35	2360 x 100 ft.
*	Kutztown	40	30.2	N	75	47.1	W	KUTZTOWN	25	87	Closed Airport
*	Lehighon Airport	40	48.6	N	75	45.7	W	LEHIGORT	35	49	3000 x 60 ft. 123.05 AWOS-3PT: 119.350
*	Deer Meadows Airstrip	40	59.8	N	75	44.4	W	DEERM RIP	45	38	3500 x 100 feet
*	Solt Field	40	46.8	N	75	43.0	W	9PA5	35	54	Landable, 9PA5, 08/26 6T, RW width: 200
51	Flying M	40	44.2	N	75	42.3	W	FLYING M	34	59	2380 x 100 ft. CTAF: 122.725
24	Tunnel	40	46.7	N	75	39.1	W	24TUNNEL	38	57	
53	Beltzville Airport	40	50.7	N	75	38.1	W	BELTZORT	41	53	2000 X 100 122.9
52	Slatington Airport	40	45.8	N	75	36.3	W	SLATIORT	40	61	2455 x 50 ft. 122.8
*	Queen City Airport	40	34.2	N	75	29.3	W	QUEENORT	41	82	4000 X 80' 122.7 AWOS: 127.875
*	Allentown Airport	40	39.1	N	75	26.5	W	ALLENORT	45	75	120.5 ATIS: 126.975
59	Pegasus	40	56.0	N	75	21.0	W	50PA	57	57	50PA, E/W 22.7, RW width: 100, UNICOM: 122.7

	Way Point	Latitude			Longitude			ID	Distance	Bearing	Description
27	Wind Gap	40	51.6	N	75	18.3	W	27WINGAP	57	62	
13	Cherry Valley	40	53.8	N	75	17.8	W	13CHELEY	58	60	
*	Easton	40	44.5	N	75	14.6	W	N43	56	71	N43, 09/27 23.0, RW width: 165, UNICOM: 123.0, Fuel: 100LL
7	Bangor Offset	40	54.1	N	75	13.6	W	07BANSET	61	62	
*	Hartung	40	39.1	N	75	10.9	W	2NJ5	58	78	2NJ5, 12/30 20T, RW width: 50
*	Mark's Airport	40	53.4	N	75	10.3	W	MARK'ORT	64	64	2000 X 200
*	Hallet's	40	54.6	N	75	9.9	W	HALLET'S	65	63	1500 X 50
*	Markle	40	46.4	N	75	9.6	W	2NJ6	61	71	2NJ6, E/W 22T, RW width: 65
28	Delaware Water Gap	40	59.0	N	75	8.4	W	DLWRWTRG	68	59	
*	Gap View	40	51.5	N	75	8.0	W	49PA	65	66	49PA, RW width: 100
*	Herr Brothers	40	33.4	N	75	4.3	W	NJ95	63	85	NJ95, 07/25 19T, RW width: 75
*	Matthews	40	47.6	N	75	4.3	W	NJ09	66	71	NJ09, 07/25 20T, RW width: 50
*	Mount Pleasant	40	58.2	N	75	4.0	W	MOUNTANT	71	61	2500 x 50 feet
*	Parker	40	40.6	N	75	1.5	W	70NJ	66	78	70NJ, 07/25 16T, RW width: 50
*	Malone	40	32.5	N	75	1.4	W	NJ61	65	86	NJ61, 03/21 18T, RW width: 60 N40Ao32.485' W075Ao01.452'
*	Alexandria	40	35.2	N	75	1.2	W	N85	66	83	N85, 08/26 22.8, RW width: 50, UNICOM: 122.975, Fuel: 100LL
*	High Meadow Farms	40	53.7	N	75	0.1	W	9NJ8	72	66	9NJ8, 13/31 19T, RW width: 100
57	Blairstown Airport	40	58.3	N	74	59.9	W	BLAIRORT	74	63	3112 x 70 ft 123.0
*	Sky Manor	40	34.0	N	74	58.7	W	N40	68	85	N40, 07/25 22.8, RW width: 50, UNICOM: 122.975, Fuel: 100LL
*	Vliet	40	44.6	N	74	57.5	W	6NJ1	71	75	6NJ1, 06/24 13T, RW width: 100
*	Weiss Farm	40	55.1	N	74	51.7	W	JY24	79	67	JY24, 5/23 18T, RW width: 50
*	Hackettstown	40	49.2	N	74	51.3	W	N05	77	72	N05, 5>23 122.9, RW width: 50, CTAF: 122.9, Fuel: 100LL
*	Herr Mountain	40	35.5	N	74	50.5	W	5NJ2	75	84	5NJ2, 07/25 28T, RW width: 100
*	Millers	41	3.6	N	77	29.4	W	MILLERS	75	302	Landable
*	Tall Pines	41	12.1	N	77	26.6	W	6PA8	79	309	6PA8, RW width: 100
81	Lock Haven	41	8.2	N	77	25.3	W	LHV	75	307	LHV, 122.8, RW width: 100, UNICOM: 122.8, Fuel: 100LL
*	Jersey Shore	41	12.4	N	77	13.6	W	P96	71	315	P96, E-W, RW width: 130, UNICOM: 122.7
*	Hinamin	41	8.0	N	77	12.2	W	1PA0	66	313	1PA0, E-W, RW width: 100
*	White Pine	41	24.0	N	77	12.0	W	WHITEPIN	80	323	
*	Finkhaven	41	22.1	N	77	4.3	W	73PN	74	326	73PN, 06/24, RW width: 100
*	Williamsport	41	14.5	N	76	55.3	W	IPT	63	327	IPT, TWR 119.1, RW width: 150, Tower: 119.1, UNICOM: 122.95, Fuel: 100LL
*	Hackenburg	41	9.5	N	76	53.9	W	6PA3	57	325	6PA3, E-W, RW width: 140
*	Scheck	41	7.1	N	76	30.7	W	19PA	46	344	19PA, 03/21, RW width: 100
62	Benton Airport	41	12.0	N	76	23.2	W	BENTOORT	50	353	2200 x 150 feet
*	Seesholtz	41	2.7	N	76	21.3	W	86PN	39	353	86PN, 08/26, RW width: 90
10	Berwick	41	5.5	N	76	8.8	W	BERWICK	42	8	
*	Crosswind	41	2.1	N	76	1.3	W	5PA2	40	18	5PA2, 08/26, RW width: 100
*	Rosenzweig	41	8.2	N	75	51.6	W	ROSENEIG	50	25	1800 x 100 feet
*	Wyoming Valley	41	17.8	N	75	51.1	W	WYOMILEY	60	21	3375 x 75 ft. 122.8
*	Wilkes Barre Intl. Airport	41	20.2	N	75	43.5	W	WILKEORT	65	25	7502 x 150 ft. Tower: 120.1 ATIS: 111.6
*	Lazy J Ranch	41	17.8	N	75	35.9	W	PS82	66	32	PS82, 2/20 15T, RW width: 100

	Way Point	Latitude			Longitude			ID	Distance	Bearing	Description
*	Spring Hill	41	20.8	N	75	24.9	W	70N	74	36	70N, 5/23 22.9, RW width: 42, CTAF: 122.9, Fuel: 100LL
*	Reed	41	29.9	N	75	24.6	W	2PA3	83	32	2PA3, 15/33 12T, RW width: 200
60	Mount Pocono Airport	41	8.2	N	75	22.8	W	MOUNTORT	64	45	3999 x 100 ft CTAF: 122.7 WX ASOS: 120.275
*	Flying Dollar	41	12.9	N	75	14.8	W	8N4	73	46	8N4, 2/20 22.9, RW width: 100, CTAF: 122.9
*	Mountain Bay	41	22.8	N	75	13.9	W	PA49	82	41	PA49, 11/29 22.7, RW width: 55, UNICOM: 122.7, Fuel: 100LL/80
58	East Stroudsburg Airport	41	2.1	N	75	9.7	W	EASTSORT	69	56	3087 x 30 ft. 123.0
26	Upper Reservoir	41	0.3	N	75	3.0	W	26UPPOIR	73	60	
*	Boehms	41	26.6	N	75	0.5	W	2PA1	93	44	2PA1, RW width: 140
20	Millbrook Powerline	41	3.9	N	74	57.7	W	MILLBINE	79	59	
*	Ashlawn	41	37.3	N	75	35.8	W	3PN1	86	24	3PN1, 15/33 18T, RW width: 60
*	Strzk Ultralight	41	41.7	N	75	35.7	W	PA19	91	22	Landable, PA19, 4/22 5T, RW width: 100
*	Cosklo Elkview	41	37.1	N	75	31.7	W	PA53	87	26	PA53, N/S 16T, RW width: 200
*	Stahls Mtn	41	44.9	N	75	29.9	W	3PN7	96	24	3PN7, 2/20 22T, RW width: 80
*	Boden	41	50.8	N	75	26.8	W	2PA4	103	24	2PA4, 18/36 19T, RW width: 100
*	Kellachows	41	31.3	N	75	23.8	W	PA54	85	32	PA54, 1/19 26T, RW width: 100
*	Cavage Use	41	35.6	N	75	21.3	W	15PA	90	31	15PA, 1/19 16T, RW width: 100
*	Cold Spring	41	42.3	N	75	17.3	W	7PA3	98	31	7PA3, 18/36 40a, RW width: 50, Fuel: 100LL
*	Cherry Ridge	41	30.9	N	75	15.1	W	N30	89	36	N30, 17>35 122.8, RW width: 50, UNICOM: 122.8, Fuel: 100LL