

Map marking information for Dansville, New York

Courtesy of L. Roy McMaster "1"

Non-Control Point Waypoints are indicated by a *

Latitude range: 41 18.3 to 43 6.7
Longitude range: -78 44.1 to -75 3.9

File created Saturday, 15 July 2023 at 01:32 GMT

USE AT YOUR OWN RISK

Do not use for navigation, for flight verification only.

Always consult the relevant publications for current and correct information. This service is provided free of charge with no warranties, expressed or implied.

User assumes all risk of use.

	Way Point	Latitude	Longitude	ID	Distance	Bearing	Description
*	Ponderosa	41 18.3 N	77 31.2 W	PONDEROS	88	173	NW/SE 2200 Asphalt
*	Finkhaven	41 22.1 N	77 4.3 W	FINKHAVN	89	158	06/24 1500 x 90 T, RW width: 90
*	Adams 2	41 52.8 N	78 6.9 W	ADAMS 2	52	203	04/22 2900 x 100 T, RW width: 100
*	Ranch Aero	41 44.9 N	78 6.0 W	RANCHAER	60	199	14/32 2500 x 100 T, RW width: 100
45	Genesee X	41 59.3 N	77 52.1 W	45GENION	41	191	
*	Kibbe	41 58.7 N	77 42.6 W	KIBBE	41	180	RW width: 300NW side of road
37	Westfield X	41 55.2 N	77 32.4 W	37BALHLL	46	169	
*	Malco	41 58.8 N	77 31.2 W	MALCO	42	166	RW width: 60 S. side of road
*	Champ	41 57.5 N	77 25.6 W	CHAMP	45	161	RW width: 60Very Narrow
29	Grand Canyon	41 43.7 N	77 23.8 W	29GRNDCN	60	164	122.8 10/28 3600 x 60 A, RW width: 60
*	Baker	41 57.9 N	77 18.9 W	BAKER	47	154	RW width: 150
13	Elkland Bridge	41 59.0 N	77 18.7 W	13ELKLND	45	153	LR-58091 bridge over Cowanesque River
*	Oregon Hill	41 31.7 N	77 17.4 W	OREGHL	75	163	E. side of road
23	Middlebury	41 50.9 N	77 16.9 W	23MIDDLE	55	156	11/29 1750 x 100 T, RW width: 100intermittent mowing
9	Cowanesque Lake	41 58.9 N	77 10.5 W	09CWNSQL	49	146	Peninsula west center of lake
*	Hi Line Lodge	41 41.7 N	77 9.9 W	HILINLDG	67	155	N/S 2450 x 100 T, RW width: 100, e side of road
*	Bear Crik	41 55.2 N	77 8.4 W	BEARCRIK	54	147	03/21 1602 x 100 T, RW width: 100

	Way Point	Latitude			Longitude			ID	Distance	Bearing	Description
36	Buttonwood	41	30.1	N	77	7.6	W	36BTTNWD	80	158	Ridge
15	Mansfield Bridge	41	48.4	N	77	4.9	W	15MNSFLD	62	148	Rt-6 bridge over Tioga River
5	Millerton	41	59.8	N	76	54.3	W	05MLLRTN	57	134	County Rt-328/549 'T' Intersection
*	McClure	41	49.7	N	76	51.4	W	MCCLURE	67	139	17/35 2044 x 100 T, RW width: 100, Intermittent mowing
24	Canton Lake	41	38.0	N	76	50.5	W	24CNTNLK	79	145	Lake Nephawin Center
*	AKM Grass	41	50.2	N	76	44.7	W	AKM	71	135	18/36 2100 x 100 T, RW width: 100
14	Mt. Pisgah	41	48.6	N	76	43.0	W	14MTPSGH	73	136	NY-14 and US-6 'T' Intersection
11	Blue Swan	41	59.2	N	76	33.9	W	11BLUSWN	71	124	122.8 10/28 2890 x 150 T, RW width: 150
*	Cash Creek	41	51.9	N	76	30.6	W	CASHCREK	79	128	18/36 2000 x 200 T, RW width: 200
42	Dwight's Delight	41	31.3	N	76	27.7	W	42DWGHTS	97	138	07/25 1990 x 90 T, RW width: 90
27	Towanda	41	44.4	N	76	26.8	W	27TOWAND	87	131	123.0 05/23 4300 x 75 A, RW width: 75
*	Veit	41	49.1	N	76	24.8	W	VEIT	84	128	06/24 2400 x 100 T, RW width: 100
25	Rome	41	51.5	N	76	20.4	W	25ROME	86	125	Town Center
39	Giffin	41	46.7	N	76	8.2	W	39GRIFFN	98	124	119.075 14/32 2000 x 100 T, RW width: 100
40	Riely's	41	54.2	N	75	59.4	W	40RIELY	100	117	Hangar NW center
59	Skyhaven	41	31.8	N	75	56.8	W	59SKYHVN	116	128	122.8 01/19 2007 x 50 A, RW width: 50
53	Zaverton	41	47.3	N	75	53.4	W	53ZAVRTN	108	119	119.075 10/28 2060 x 100 T, RW width: 100Huskey Haven Airport
*	Seamans Field	41	35.4	N	75	45.4	W	SEMNSFLD	121	123	122.7 04/22 2500 x 50 A, RW width: 50
*	Adams 1	41	46.1	N	75	43.4	W	ADAMS 1	116	118	18/36 2185 x 100 T, RW width: 100
*	Ashlawn	41	37.3	N	75	35.8	W	ASHLAWN	127	120	15/33 1800 x 60 T, RW width: 60
*	Strizki	41	41.8	N	75	35.7	W	STRIZKI	124	118	04/22 500 x 100 T, RW width: 100
*	Stahls Mountain	41	44.9	N	75	29.9	W	STHLSMTN	127	116	02/20 2200 x 80 T, RW width: 80
*	Hiawatha Lake	41	54.9	N	75	21.9	W	HIAWATHA	128	110	03/21 3100 x 100 T, RW width: 100
*	Great Valley	42	12.3	N	78	38.8	W	GREATVLL	54	242	122.9 06/24 3800 x 60 T, RW width: 60
*	Hedge Hop	42	29.3	N	78	38.1	W	HEDGEHOP	47	263	118.375 07/25 2200 x 60 T, RW width: 60
*	Giermek Executive	42	4.1	N	78	24.3	W	GRMKXCTV	50	226	122.9 10/28 3150 x 80 T, RW width: 80
65	Olean	42	14.5	N	78	22.3	W	65OLEAN	41	236	122.8 04/22 4699 x 100 A, RW width: 100
*	Reiss	42	7.0	N	78	18.9	W	REISS	44	225	118.375 NE/SW 3000 x 50 T, RW width: 50
64	Centerville	42	28.8	N	78	15.0	W	64CNTRVL	28	257	RW width: 60
62	Arrowhead Bay	42	22.9	N	78	11.6	W	62ARRWHD	28	242	
60	Belfast	42	20.6	N	78	6.7	W	60BELFST	26	232	RW width: 50
52	Wellsville	42	6.6	N	77	59.4	W	52WLLSVL	35	204	123.0 10/28 5302 x 100 A, RW width: 100
50	Swain Ski	42	28.2	N	77	51.2	W	50SWANSK	10.0	226	Ski Hill
41	Alfred	42	15.2	N	77	47.4	W	41ALFRED	22	190	Town Center
35	Hornell	42	22.9	N	77	40.9	W	35HORNLL	13	173	122.7 18/36 5000 x 75 A, RW width: 75
30	Greenwood X	42	8.6	N	77	38.7	W	30GRNWDN	30	173	RW width: 60
34	Loon Lake	42	29.6	N	77	34.0	W	34LOONLK	9.2	126	Lake
*	Randalls Roost	42	9.7	N	77	25.6	W	RNDLLSRS	32	153	RW width: 50
22	Avoca	42	24.2	N	77	24.7	W	22AVOCA	19	127	Marginal
18	Cameron	42	11.9	N	77	24.4	W	18CAMERN	30	149	Road Intersection
*	Elk Creek	42	2.7	N	77	21.0	W	ELKCREEK	41	153	122.8 09/27 1800 x 60 T, RW width: 60, North side of road

	Way Point	Latitude			Longitude			ID	Distance	Bearing	Description
16	Jolamtra	42	16.8	N	77	20.4	W	16JOLMTR	28	136	04/22 1900 x 100 T, RW width: 100
17	Hammondspport	42	23.6	N	77	15.1	W	17HMMNDS	27	117	Turf, N of Road
*	Towner Farm	42	7.3	N	77	12.7	W	TOWNRFRM	40	140	08/26 2000 x 100 T, RW width: 100
*	Loucks	42	26.1	N	77	7.7	W	LOUCKS	31	107	09/27 2700 x 100 T
6	Corning-Painted Post	42	10.6	N	77	6.7	W	06CRNNGP	41	131	122.8 13/31 3010 x 102 T, RW width: 102
*	Old Port Royal	42	6.7	N	77	5.8	W	OLDPRTRL	45	135	6NY1, RW width: 50
7	Monterey	42	17.5	N	77	3.5	W	07MONTER	39	120	122.8 13/31 1800 x 85 T, RW width: 85
4	Caton	42	3.4	N	77	1.7	W	04CATON	50	135	RW width: 150
20	Dundee Flying Club	42	27.4	N	76	57.0	W	20DNDFLN	40	101	122.9 18/36 3500T x 100 Runway E side of road
*	Beaver Dams	42	17.4	N	76	56.6	W	BEAVRDMS	44	116	Grass/Hangar
8	Watkins Track	42	20.4	N	76	55.6	W	08WTKNST	43	111	
*	HH Emergency Field	42	7.1	N	76	55.2	W	HHMRGNCF	51	127	25/07 1200 x 100 N. Pattern
*	Schuyler	42	27.1	N	76	54.8	W	SCHUYLER	42	101	RW width: 45
1	Harris Hill	42	7.2	N	76	54.1	W	01HRRSHL	52	127	16/34 1115 x 150 A, RW width: 150
*	Elmira/Corning	42	9.6	N	76	53.5	W	ELMRCRNN	51	124	121.1 06/24 7000 x 150 A, RW width: 150
12	Eagle Ridge	42	24.3	N	76	49.2	W	12EGLRDG	47	104	02/20 2700 x 75 T, RW width: 75
*	Dodge/Coppola/Wheeler	42	12.3	N	76	46.2	W	DDGCPPL	54	117	05/23 1000 x 75 T, RW width: 75
*	Kayutah Lake	42	22.1	N	76	43.5	W	KAYUTHLK	52	105	4W/22W 5000 x 150 W, RW width: 150
*	Neno	42	27.0	N	76	37.0	W	NENO	56	98	RW width: 75
19	Grund	42	26.8	N	76	35.8	W	19GRNDFL	57	98	122.9 01/19 3800 x 125 T, RW width: 125
10	Van Etten	42	12.0	N	76	33.3	W	10VANTTN	64	113	Elementary School in Village
*	Tom N Jerry	42	21.3	N	76	31.0	W	TOMNJERR	63	103	RW width: 30
*	Tompkins County	42	29.5	N	76	27.5	W	TMPKNSCN	64	95	119.6 14/32 6601 x 150 A, RW width: 150
*	Saikonen	42	12.5	N	76	27.0	W	SAIKONEN	69	111	119.075 E/W 1600 x 50 T, RW width: 50
21	Candor	42	13.6	N	76	19.9	W	21CANDOR	74	108	Rt 96-96B 'T' intersection
31	Richford	42	21.4	N	76	12.0	W	31RCHFRD	79	100	RW width: 60
33	Tri-Cities	42	4.7	N	76	5.8	W	33TRICTS	89	112	122.8 03/21 3900 x 75 A, RW width: 75
*	Binghamton Regional	42	12.5	N	75	58.8	W	BNGHMTNR	92	105	119.3 16/34 7100 x 150 A, RW width: 150
44	Whitney Point	42	20.3	N	75	58.7	W	44WHTNPN	90	100	I-80 overpass over US-11
*	Chenango Bridge	42	11.5	N	75	50.5	W	CHNNGBRG	99	105	119.075 09/27 2000 x 145 T, RW width: 145
56	Greene	42	18.2	N	75	47.2	W	56GREENE	100	100	122.8 07/25 2665 x 200 T, RW width: 200
55	Kirkwood	42	0.0	N	75	45.6	W	55KIRKWD	107	111	15/33 3350 x 75 T, RW width: 75 Abandoned, landable
*	North Fork	42	16.1	N	75	33.6	W	N FORK	112	100	119.025 04/22 1800 x 65 T, RW width: 65
*	Sidney	42	18.1	N	75	24.9	W	SIDNEY	119	98	7/25, RW width: 75
*	White Birch	42	3.0	N	75	19.0	W	WHITBRCH	128	106	122.8 17/35 1910 x 70 T, RW width: 70
*	Blueberry	42	17.5	N	75	4.0	W	BLUEBERR	136	97	122.8 16/34 2200 x 150 T, RW width: 150
*	Ciszak	42	30.8	N	78	44.1	W	CISZAK	52	266	RW width: 50
*	High Acres	42	34.7	N	78	31.2	W	HIGHACRS	41	271	122.8 15/33 2700 x 60 T, RW width: 60
*	Bloecher Farm	42	45.1	N	78	27.7	W	BLCHRFRM	40	288	RW width: 50
*	Keysa	42	35.8	N	78	20.4	W	KEYSA	32	273	18/36 1860 x 60 T, RW width: 60
63	Perry-Warsaw	42	44.5	N	78	3.1	W	63PRRWRS	21	304	122.8 10/28 3500 x 60 A, RW width: 60

	Way Point	Latitude			Longitude			ID	Distance	Bearing	Description
58	Nunda	42	34.8	N	77	56.5	W	58NUNDA	12	273	RW width: 75
*	Le Roy	42	58.9	N	77	56.2	W	LE ROY	31	338	122.8 10/28 2640 x 60 A, RW width: 60
*	Tuscarora Plateau	42	38.2	N	77	53.0	W	TSCRRPLT	9.8	298	01/19 1600 x 65 T, RW width: 65
57	Seven Gullies	42	41.8	N	77	47.5	W	57SVNGLL	9.5	335	16/34 2700 x 75 T, RW width: 75
71	Dansville-Start	42	34.5	N	77	43.1	W	71START	0.3	314	123.0 14/32 3635 X 100 A
61	Hanna Acres	42	49.6	N	77	42.9	W	61HNNCRS	18	360	01/19 2300 x 75 T, RW width: 75
48	Dansville	42	34.2	N	77	42.8	W	48DNSVLL			123.0 14/32 3635 x 100 A, RW width: 100
70	Dansville-Finish	42	34.1	N	77	42.6	W	70FINISH	0.2	126	123.0 14/32 3635 X 100 A
72	Dansville-East-Start	42	34.2	N	77	40.4	W	72STRTE	2.0	90	
*	Bedsons	42	55.8	N	77	38.6	W	BDSNSLND	25	8	01/19 2000 x 80 T, RW width: 80
*	Skyview	42	59.2	N	77	36.8	W	SKYVIEW	29	10	07/25 2000 x 35 A, RW width: 35
*	Honeoye Falls	42	56.8	N	77	36.0	W	HONEFLLS	27	12	122.9 01/19 1640 x 90 T, RW width: 90
51	Coye	42	45.0	N	77	33.5	W	51COYFLD	15	32	01/19 2175 x 130 T, RW width: 130
47	Bristol Ski	42	44.4	N	77	25.5	W	47BRSTLS	19	51	Ski Hill
*	Creekside	42	55.0	N	77	22.9	W	CREEKSID	29	35	RW width: 25 15-33
54	Canandaigua	42	54.4	N	77	19.3	W	54CANNDG	31	40	122.8 13/31 3200 x 75 A, RW width: 75
38	Middlesex	42	42.8	N	77	16.3	W	38MDDLXS	25	66	122.7 03/21 2200 x 175 T, RW width: 175
*	Hopewell Air	42	55.2	N	77	14.6	W	HOPEWLLR	34	45	122.8 07/25 1650 x 80 T, RW width: 80
26	Prattsburg	42	33.0	N	77	14.3	W	26PRTTSB	24	93	Harry Bartz, parallel to road, SE side, hangar in the middle
46	Midlakes	42	48.8	N	77	12.2	W	46MIDLKS	31	57	122.8 14/32 1820 x 55 T, RW width: 55
*	McBrides	42	51.2	N	77	7.5	W	MCBRIDES	36	57	RW width: 80
28	Penn Yan	42	38.2	N	77	3.2	W	28PENNYN	34	82	123.0 01/19 4505 x 100 A, RW width: 100
32	Seneca AAF	42	42.9	N	76	52.9	W	32SENECF	43	76	34/16 7000 x 150 A
*	Ovid	42	39.3	N	76	47.8	W	OVID	47	83	122.8 1R/19L 2800 x 40 G, RW width: 40
49	Finger Lakes	42	53.0	N	76	46.9	W	49FNGRLK	52	65	RW width: 75 10-28
*	Airy Acres	42	38.6	N	76	43.8	W	AIRYACRS	50	84	N/S 1600 x 50 T, RW width: 50
*	Match Mate	42	44.7	N	76	39.8	W	MATCHMAT	55	77	18/36 3000 x 50 T, RW width: 50
*	Skaneateles	42	54.8	N	76	26.4	W	59SKNTLS	69	69	122.8 10/28 3134 x 60 A, RW width: 60
43	Cortland	42	35.6	N	76	12.9	W	43CRTLND	76	88	122.8 06/24 3400 x 75 A, RW width: 75
*	Walters	42	40.1	N	76	3.4	W	WALTERS	85	85	122.8 11/29 1150 x 80 T, RW width: 80
*	Woodford	42	49.6	N	76	1.6	W	WOODFORD	87	78	133.225 06/24 2900 x 60 T, RW width: 60
*	Hamilton	42	50.6	N	75	33.7	W	HAMILTON	111	79	123.0 17/35 5000 x 75 A, RW width: 75
*	Oneonta	42	31.5	N	75	3.9	W	ONEONTA	135	90	122.8 06/24 4200 x 75 A, RW width: 75
*	Genesee County	43	1.9	N	78	10.1	W	GENESCNT	39	324	122.7 10/28 4403 x 100 A, RW width: 100
*	Lakestone Farm	43	2.1	N	77	18.5	W	LKSTNFRM	38	32	RW width: 40
*	New Salem	43	0.3	N	77	17.5	W	NEWSALEM	37	35	RW width: 50
*	Savannah Agri Air	43	1.1	N	76	45.7	W	SVNNHGRR	57	57	RW width: 60
*	Walls	43	2.6	N	76	27.7	W	WALLS	71	62	17/35 1500 x 50 T, RW width: 50
*	Syracuse	43	6.7	N	76	6.4	W	SYRACUSE	90	65	122.95 10/28 9003 x 150 A, RW width: 150