

## Map marking information for Adrian, Michigan

Courtesy of Glenn Betzoldt

Non-Control Point Waypoints are indicated by a \*

Latitude range: 40 14.4 to 43 37.3  
Longitude range: -86 12.0 to -83 3.7

File created Wednesday, 11 April 2018 at 18:12 GMT

USE AT YOUR OWN RISK

Do not use for navigation, for flight verification only.

Always consult the relevant publications for current and correct information. This service is provided free of charge with no warranties, expressed or implied.

User assumes all risk of use.

Way Point	Latitude	Longitude	Distance	Bearing	Description
* Piqua	40 14.4 N	84 9.2 W	98	182	
* Caldwell	40 37.5 N	86 9.3 W	120	232	54II, RW width: 100
* Grissom	40 38.9 N	86 9.1 W	119	233	Military, GUS, RW width: 200, ATIS: 108.45, Tower: 133.7, Fuel: 100
* Peru	40 47.1 N	86 8.8 W	114	236	I76, RW width: 75, UNICOM: 122.8, Fuel: 100LL
* Robison	40 44.2 N	86 6.9 W	114	234	IN33, RW width: 150, Fuel: 100
* Kokomo	40 31.7 N	86 3.6 W	120	229	OKK, RW width: 150, AWOS: 113.5, UNICOM: 123.0, Fuel: 100LL
* Goodenough	40 44.4 N	86 0.0 W	110	233	83IN, RW width: 75
* Converse	40 34.2 N	85 53.5 W	113	227	1I8, RW width: 75, CTAF: 122.9
* Wabash	40 45.7 N	85 47.9 W	102	230	IWH, RW width: 75, UNICOM: 122.8, Fuel: 100LL
* Fox	40 38.2 N	85 41.3 W	104	225	78II, RW width: 100
* Huntington	40 51.2 N	85 27.4 W	87	226	HHG, RW width: 75, AWOS: 126.575, UNICOM: 122.8, Fuel: 100LL
47 Lee Farms	40 35.7 N	85 25.5 W	98	219	1IN9, RW width: 75
* Johnson	40 46.5 N	85 20.3 W	87	221	3IN4, RW width: 75
* Miller	40 43.0 N	85 15.0 W	87	218	C40, RW width: 100, CTAF: 122.9, Fuel: 100LL
* Fort Wayne	40 58.7 N	85 11.7 W	73	224	FWA, RW width: 150, ATIS: 121.25, Tower: 119.1, UNICOM: 122.95, Fuel: 100LL
* Skip's	40 50.2 N	85 10.3 W	79	219	2IN0, RW width: 75
* Lazy K	40 49.7 N	85 5.2 W	77	216	0IN2, RW width: 60

	Way Point	Latitude			Longitude			Distance	Bearing	Description
*	Holt	40	54.0	N	85	0.0	W	72	216	8II5, RW width: 50
*	Gage	40	48.9	N	84	55.7	W	74	212	13IN, RW width: 60
92	Vanwert	40	51.8	N	84	36.4	W	65	202	VNW, RW width: 95, AWOS: 125.175, UNICOM: 123.0, Fuel: 100LL
*	Mulholland	40	34.4	N	84	29.4	W	80	194	OI99, RW width: 65
*	Youngpeter	40	47.0	N	84	22.1	W	66	192	3OH6, RW width: 60
*	Gerker	40	57.2	N	84	16.4	W	56	189	OH60, RW width: 70
48	Lima	40	42.5	N	84	1.6	W	70	178	AOH, RW width: 150, AWOS: 128.725, UNICOM: 122.7, Fuel: 100LL
*	Dusting	40	57.1	N	83	58.9	W	55	176	6C2, RW width: 150, CTAF: 122.9
13	Bluffton	40	53.1	N	83	52.1	W	60	171	5G7, RW width: 75, UNICOM: 122.8, Fuel: 100LL
*	Ada	40	47.4	N	83	49.8	W	66	170	0D7, RW width: 110, UNICOM: 122.8
*	Schaller	40	56.8	N	83	40.8	W	58	162	27OH, RW width: 70
*	Hardin	40	36.6	N	83	38.6	W	78	165	I95, RW width: 75, UNICOM: 122.8, Fuel: 100LL
*	Ferrell	40	58.6	N	83	38.5	W	57	160	9OH8, RW width: 79
*	Lutz	40	57.7	N	83	35.7	W	59	158	9OH7, RW width: 75
*	Forest	40	49.7	N	83	30.8	W	67	158	9OH9, RW width: 100
*	Elliotts	40	31.5	N	83	30.7	W	85	162	O74, RW width: 110, CTAF: 122.9
*	Tong Farm	40	58.2	N	83	27.5	W	61	153	95OH, RW width: 85
*	Heilman	40	40.1	N	83	26.6	W	77	158	14OH, RW width: 60
*	Wyandot	40	53.0	N	83	18.9	W	68	150	56D, RW width: 75, CTAF: 122.9
*	Freefall	40	56.0	N	83	8.4	W	70	143	OH18, RW width: 66
*	Marion	40	37.0	N	83	3.7	W	88	148	
*	Hackbarth	41	29.4	N	86	12.0	W	98	257	IN42, RW width: 100
*	Scott	41	15.4	N	86	11.4	W	102	250	2IN4, RW width: 100
*	Fulton	41	3.9	N	86	10.9	W	106	244	RCR, RW width: 75, AWOS: 118.775, UNICOM: 122.7, Fuel: 100LL
*	Unsicker	41	25.7	N	86	9.2	W	97	255	0II1, RW width: 60
*	Ball	41	20.6	N	86	8.9	W	98	252	4IN5, RW width: 70
*	Creighton	41	27.4	N	86	7.5	W	95	256	0II2, RW width: 75
*	Arrowhead	41	17.6	N	86	4.3	W	96	250	IN11, RW width: 125
*	Mentone	41	8.8	N	86	3.9	W	99	245	
*	Rust's	41	21.9	N	86	3.8	W	94	252	II95, RW width: 80
*	Nappanee	41	26.8	N	85	56.2	W	87	254	C03, RW width: 50, UNICOM: 123.0, Fuel: 100LL
93	Warsaw	41	16.5	N	85	50.4	W	87	246	ASW, RW width: 100, AWOS: 121.125, UNICOM: 122.7, Fuel: 100LL
*	Zollinger	41	28.5	N	85	41.7	W	76	252	II21, RW width: 75
*	Wawasee	41	25.1	N	85	41.5	W	77	250	4IN9, RW width: 80
*	Hull	41	29.1	N	85	35.6	W	72	252	II51, RW width: 100
*	Plew	41	11.1	N	85	31.3	W	77	238	IN71, RW width: 100, UNICOM: 122.8, Fuel: 100LL
*	Stangland	41	19.0	N	85	27.9	W	71	242	5IN9, RW width: 80
*	Wigent	41	12.6	N	85	27.5	W	74	238	30IN, RW width: 70
*	Shaffer	41	16.9	N	85	26.3	W	71	241	9II0, RW width: 75
*	Gordon	41	7.2	N	85	25.5	W	75	234	09IN, RW width: 70
*	Terry's	41	10.2	N	85	25.3	W	74	236	3IG3, RW width: 100

	Way Point	Latitude			Longitude			Distance	Bearing	Description
*	Homestead	41	4.5	N	85	23.2	W	76	232	29IN, RW width: 75
*	Pippenger	41	19.0	N	85	22.3	W	67	241	3IN5, RW width: 75
*	Gerig's	41	0.6	N	85	22.3	W	78	229	2IN2, RW width: 65
22	Clark	41	17.1	N	85	21.6	W	68	239	19IN, RW width: 100
*	Green	41	13.8	N	85	21.5	W	69	237	9IN8, RW width: 75
*	Tropria	41	14.7	N	85	17.9	W	66	236	IN62, RW width: 100
45	Kendallville	41	28.4	N	85	15.7	W	58	246	C62, RW width: 75, AWOS: 119.925, UNICOM: 122.8, Fuel: 100LLGlider Club on field
*	Confer's	41	5.9	N	85	14.6	W	70	229	1IN3, RW width: 60
*	Dick's	41	5.8	N	85	14.5	W	70	229	3II9, RW width: 65
*	Smith	41	8.6	N	85	9.2	W	65	228	SMD, RW width: 100, AWOS: 124.55, UNICOM: 122.8, Fuel: 100LL
29	De Kalb	41	18.4	N	85	3.9	W	56	233	GWB, RW width: 100, AWOS: 124.15, UNICOM: 123.0, Fuel: 100LL
*	Mooney	41	20.9	N	85	0.5	W	52	234	22IN, RW width: 100
*	Valhalla	41	0.1	N	84	59.6	W	66	219	IN91, RW width: 130
*	Turkey Run	41	7.8	N	84	59.6	W	61	223	04II, RW width: 72
*	Walker	41	25.9	N	84	58.9	W	48	237	4C2, RW width: 100, UNICOM: 122.8, Fuel: 100LL
*	Casad	41	4.8	N	84	56.6	W	61	220	56IN, RW width: 100
*	Greuter	41	22.2	N	84	52.7	W	47	231	69II, RW width: 85
*	Hilltop	41	15.5	N	84	51.8	W	51	224	58IN, RW width: 100
*	Steinman	41	4.4	N	84	50.5	W	59	216	53II, RW width: 80
*	Hook	41	16.5	N	84	48.3	W	48	223	IN18, RW width: 100
*	Howensting	41	15.6	N	84	47.6	W	49	222	75OH, RW width: 70
*	Arend	41	15.4	N	84	38.5	W	45	215	34OH, RW width: 80, Fuel: 100LL/MOGAS
16	Buehler	41	7.4	N	84	37.1	W	51	209	54OH, RW width: 75
*	Paulding	41	10.2	N	84	33.3	W	47	207	2H8, RW width: 80, CTAF: 122.9, Fuel: 100
15	Brian	41	28.0	N	84	30.4	W	31	219	0G6, RW width: 75, UNICOM: 122.8, Fuel: 100LL
*	Strable Landing	41	12.3	N	84	29.8	W	44	206	OH99, RW width: 65
19	Charloe	41	8.1	N	84	27.1	W	47	201	53OH, RW width: 100
28	Defiance	41	20.2	N	84	25.7	W	36	207	DFI, RW width: 72, AWOS: 121.425, UNICOM: 122.7, Fuel: 100LL
*	Rose	41	19.8	N	84	17.9	W	34	197	13OH, RW width: 90
*	Blevins	41	12.4	N	84	16.2	W	41	192	7OI1, RW width: 75
*	Hiltner	41	9.3	N	84	12.9	W	43	188	OH19, RW width: 70
*	Christy's	41	20.1	N	84	9.8	W	32	187	7OI0, RW width: 100
*	Agner	41	4.2	N	84	5.2	W	48	181	51OH, RW width: 80
39	Henry	41	22.4	N	84	4.1	W	30	179	7W5, RW width: 65, UNICOM: 123.0, Fuel: 100LL
81	Ruhe's	41	6.2	N	84	3.1	W	46	179	R47, RW width: 65, UNICOM: 123.0
*	Putnam	41	2.1	N	83	58.9	W	50	175	OWX, RW width: 75, AWOS: 120.525, UNICOM: 122.7, Fuel: 100LL
30	Deshler	41	12.9	N	83	52.5	W	40	167	6D7, RW width: 70, CTAF: 122.9
*	Conklin	41	23.5	N	83	42.2	W	33	150	OI92, RW width: 60
*	Windswept	41	11.9	N	83	42.0	W	44	157	43OI, RW width: 80
*	Tathams'	41	4.4	N	83	41.1	W	51	160	72OI, RW width: 100
32	Findlay	41	0.7	N	83	40.1	W	55	160	FDY, RW width: 100, AWOS: 132.85, UNICOM: 122.725, Fuel: 100LL

	Way Point	Latitude			Longitude			Distance	Bearing	Description
*	Bowling	41	23.5	N	83	37.8	W	35	145	1G0, RW width: 75, AWOS: 120.725, UNICOM: 122.8, Fuel: 100LL
*	Weaver	41	2.1	N	83	34.1	W	55	155	9OH6, RW width: 70
*	Rutter	41	5.8	N	83	30.2	W	53	151	OA04, RW width: 60
*	Diebleys	41	5.1	N	83	26.2	W	55	148	OI78, RW width: 100
*	Stone	41	0.4	N	83	25.6	W	59	150	OH32, RW width: 63
34	Fostoria	41	11.4	N	83	23.6	W	51	143	FZI, RW width: 100, AWOS: 124.625, UNICOM: 122.7, Fuel: 100LL
*	Seneca	41	5.7	N	83	12.8	W	61	140	16G, RW width: 75, AWOS: 127.175, UNICOM: 123.0, Fuel: 100LL
*	Fremont OH	41	20.0	N	83	9.7	W	52	128	14G, RW width: 130, UNICOM: 122.8, Fuel: 100LL
*	Eby	41	33.6	N	86	3.2	W	91	259	II74, RW width: 60
*	Mishawaka	41	39.4	N	86	2.1	W	89	262	3C1, RW width: 100, CTAF: 122.9, Fuel: 100LL
*	Elkhart	41	43.2	N	86	0.2	W	87	265	EKM, RW width: 250, AWOS: 124.475, Tower: 119.5, UNICOM: 122.95, Fuel: 100LL
90	Taylors	41	50.8	N	85	53.7	W	81	270	MI95, RW width: 100
*	Keenum	41	59.9	N	85	51.2	W	80	276	67MI, RW width: 60
*	Goshen	41	31.6	N	85	47.6	W	80	256	GSH, RW width: 180, AWOS: 121.45, UNICOM: 123.05, Fuel: 100LL
*	Wolfe	41	41.5	N	85	35.7	W	69	262	IN65, RW width: 200
79	Three Rivers	41	57.6	N	85	35.6	W	68	275	HAI, RW width: 75, AWOS: 119.975, UNICOM: 122.8, Fuel: 100LL
46	Kirsch	41	48.8	N	85	26.3	W	61	267	IRS, RW width: 100, AWOS: 121.325, UNICOM: 123.05, Fuel: 100LL
77	Reid	41	42.2	N	85	25.2	W	61	261	25IN, RW width: 120, UNICOM: 123.0
*	Yoder	41	41.1	N	85	22.4	W	59	260	5IN0, RW width: 100
91	Tristate	41	38.4	N	85	5.0	W	47	253	ANQ, RW width: 75, AWOS: 118.175, UNICOM: 123.075, Fuel: 100LL
26	Coldwater	41	56.0	N	85	3.1	W	44	275	OEB, RW width: 190, AWOS: 118.125, UNICOM: 122.7, Fuel: 100LL
*	Strebig	41	41.7	N	85	2.8	W	45	257	52IN, RW width: 130
*	Lautzenhiser	41	30.1	N	84	55.8	W	44	240	IN83, RW width: 80
27	Crown	41	30.1	N	84	52.7	W	42	239	7IN2, RW width: 100
65	Murphy	41	41.5	N	84	52.0	W	37	253	3II0, RW width: 100
*	Jonesville	41	58.7	N	84	39.0	W	27	285	
40	Hillsdale	41	55.3	N	84	35.2	W	23	278	JYM, RW width: 100, AWOS: 121.025, UNICOM: 122.8, Fuel: 100LL
41	Holiday	41	36.6	N	84	32.9	W	26	234	
75	Ransom	41	46.6	N	84	32.1	W	21	255	
96	Wheatland	41	58.2	N	84	24.1	W	16	293	
54	Margarita	41	51.2	N	84	21.7	W	13	266	
73	Posey	41	53.9	N	84	17.8	W	10	280	
43	Huffman	41	30.2	N	84	15.6	W	23	201	4OH8, RW width: 100
24	Clayton	41	51.7	N	84	14.2	W	7.2	266	
63	Morenci	41	43.2	N	84	13.1	W	11	216	
7	Airstrip	41	56.7	N	84	12.6	W	7.6	307	
68	Onsted	42	0.0	N	84	11.5	W	9.4	326	
4	Steering	41	53.2	N	84	9.7	W	4.0	286	04 STEERING TURN PT
35	Fulton	41	36.6	N	84	7.6	W	16	189	USE, RW width: 75, AWOS: 127.375, UNICOM: 123.0, Fuel: 100LL
95	Weston	41	46.2	N	84	5.8	W	6.0	190	
6	Adrian	41	52.1	N	84	4.6	W	0.1	228	ADG, RW width: 150, AWOS: 118.375, UNICOM: 122.8, Fuel: 100LL

Way Point	Latitude	Longitude	Distance	Bearing	Description
1 Start N	41 56.5 N	84 4.5 W	4.4	360	01 START NORTH
5 Finish	41 52.2 N	84 4.5 W			ADRIAN PUB-T-ASOS:118.375-RY 05/23:5001x100-ASPH-LGT-RY 11/29:1810x150-TURF
2 Start S	41 47.8 N	84 4.5 W	4.4	180	02 START SOUTH
14 Bombers	41 42.0 N	84 4.2 W	10	179	
11 Bent	41 56.8 N	84 2.4 W	4.9	19	
67 Newbury	41 42.2 N	84 0.2 W	10	162	28OH, RW width: 75, Fuel: 100/MOGAS
3 Start E	41 52.2 N	83 58.7 W	4.3	90	03 START EAST
58 Merillat	41 58.5 N	83 55.5 W	9.2	46	34G, RW width: 100, UNICOM: 122.8, Fuel: 100LL
12 Betz	41 51.3 N	83 52.2 W	9.1	95	44G, RW width: 92, CTAF: 122.9, Fuel: 100LL
78 Riga	41 48.6 N	83 49.3 W	12	107	
* Toledo	41 35.2 N	83 48.5 W	21	145	TOL, RW width: 150, ATIS: 118.75, Tower: 118.1, UNICOM: 122.95, Fuel: 100LL
* Prairie	42 7.4 N	85 42.6 W	75	282	P97, RW width: 75, CTAF: 122.9, Fuel: MOGAS
70 Perry W	42 8.9 N	85 39.2 W	72	284	MI89, RW width: 150
* Kalamazoo	42 14.1 N	85 33.1 W	69	289	AZO, RW width: 150, ATIS: 127.25, Tower: 118.3, UNICOM: 122.95, Fuel: 100LL
* Thrall	42 7.1 N	85 30.6 W	66	284	
* Kellogg	42 18.4 N	85 15.0 W	59	297	BTL, RW width: 150, ATIS: 128.325, Tower: 126.825, UNICOM: 122.95, Fuel: 100LL
10 Bellevue	42 26.6 N	85 3.1 W	55	309	
55 Marshal	42 15.1 N	84 57.3 W	45	301	RMY, RW width: 75, AWOS: 120.025, UNICOM: 122.8, Fuel: 100LL/MOGAS
23 Claucherty	42 4.7 N	84 49.6 W	36	291	
8 Albion	42 13.9 N	84 44.5 W	37	306	
64 Moscow	42 3.0 N	84 30.5 W	22	299	
* Jackson	42 15.6 N	84 27.6 W	29	324	JXN, RW width: 150, ATIS: 125.725, Tower: 128.475, UNICOM: 122.95, Fuel: 100LL
97 Williams	42 21.7 N	84 25.5 W	33	332	5MI7, RW width: 100
9 Artesian	42 2.9 N	84 21.4 W	17	311	
* Wagnen	42 9.3 N	84 20.1 W	21	326	6H4, RW width: 55, CTAF: 122.9
17 Bunker	42 28.4 N	84 19.8 W	38	343	
* Beach	42 7.2 N	84 18.1 W	18	326	
99 Woodstock	42 0.5 N	84 17.5 W	13	311	
* Napoleon	42 10.3 N	84 15.6 W	20	336	3NP, RW width: 200, CTAF: 122.9SKY DIVING
84 Shamrock	42 5.7 N	84 14.4 W	15	331	6G8, RW width: 100, CTAF: 122.9, Fuel: 100LL
62 Mis	42 4.0 N	84 14.4 W	14	328	
98 Wolf	42 12.6 N	84 13.9 W	22	341	PUB-RY 18/36:2155x100-TURF-LG -MGR: MICHAEL KRAUS-517-522-8202
* Wolf	42 12.6 N	84 13.9 W	22	341	26W, RW width: 100, CTAF: 122.9
* Jerry's	42 4.2 N	84 9.6 W	13	343	
50 Loch	42 1.2 N	84 8.2 W	9.5	343	
82 Sand	42 3.4 N	84 8.1 W	12	346	
83 Sandhill	42 26.5 N	84 4.0 W	34	1	69G, RW width: 100, CTAF: 122.9
21 Chrysler	42 15.1 N	84 3.5 W	23	2	
80 Rossettie	42 11.7 N	84 1.9 W	20	6	75G, RW width: 100, CTAF: 122.9
52 Manchester	42 8.5 N	84 1.8 W	16	7	
42 Honey	42 4.7 N	83 59.2 W	13	18	7N4, RW width: 90, CTAF: 122.9MGR: RAYMOND L. KUSSMAUL-517-456-4806

Way Point	Latitude			Longitude			Distance	Bearing	Description	
59	Meyers	42	1.5	N	83	56.4	W	11	33	3TE, RW width: 100, CTAF: 122.9 paved runway in bad shape
*	Carls	42	4.3	N	83	53.0	W	15	35	PRI-RY 18/36:1800x50-TURF-MGR: CARL SHEMWELL-313-721-4213
60	Mills	42	2.0	N	83	52.7	W	13	42	22T, RW width: 75, CTAF: 122.9 #5321 gate DAN MILLS 734-476-1517
18	Cackleberry	42	25.5	N	83	52.1	W	35	15	2E8, RW width: 100, CTAF: 122.9
*	Trudeau	42	5.3	N	83	45.9	W	19	46	PRI-RY 09/27:1800x100-TURF-MGR: JOHN TRUDEAU-734-347-4512
*	Ann Arbor	42	13.4	N	83	44.7	W	26	35	PUB-TWR:120.3-ATIS:134.55-RY 06/24:3505x75-CONC-LGT-RY 12/30:2750x110-TURF-FUEL: 100LL A
*	Milan	42	3.0	N	83	44.4	W	18	54	MI09, RW width: 100
*	Willow Run	42	14.4	N	83	31.9	W	33	47	YIP, RW width: 161, AWOS: 132.35, ATIS: 127.425, Tower: 125.275, Fuel: 100LL
*	Detroit	42	12.8	N	83	21.2	W	38	57	DTW, RW width: 200, Tower: 118.4, 128.125, 135.0, UNICOM: 122.95, Fuel: 100LL
*	Grand Rapids	42	52.9	N	85	31.4	W	88	314	GRR, RW width: 150, ATIS: 118.725, Tower: 135.65, UNICOM: 122.95, Fuel: 100LL
38	Hastings	42	39.8	N	85	20.8	W	74	311	9D9, RW width: 200, UNICOM: 123.075, Fuel: 100LL
*	Lowell	42	57.2	N	85	20.6	W	86	320	24C, RW width: 100, UNICOM: 123.0, Fuel: 100LL
31	Dowling	42	31.4	N	85	15.2	W	65	307	
66	Nashville	42	36.0	N	85	5.6	W	63	314	
44	Ionia	42	56.3	N	85	3.6	W	78	326	Y70, RW width: 340, AWOS: 118.9, UNICOM: 122.8, Fuel: 100LL
89	Sunfield	42	46.2	N	84	57.9	W	67	324	C43, RW width: 100, CTAF: 122.9
94	Wend	42	34.7	N	84	54.5	W	56	319	49G, RW width: 100, CTAF: 122.9
33	Fitch	42	34.5	N	84	48.7	W	53	322	FPK, RW width: 95, AWOS: 118.075, UNICOM: 123.0, Fuel: 100LL
*	Abrams	42	46.5	N	84	44.0	W	62	332	PUB-RY 09/27:3199x75-ASPH-LGT-RY 18/36:2559x120 TURFMGR: JON W. BAYLESS-517-627-2149
*	Hoerners	42	51.9	N	84	42.3	W	66	335	MI10, RW width: 85
*	Forest	42	54.6	N	84	40.5	W	68	337	3F5, RW width: 80, CTAF: 122.9
86	Skyway	42	35.0	N	84	39.1	W	50	329	60G, RW width: 100, CTAF: 122.9
76	Rapids	42	32.1	N	84	37.7	W	47	329	04MI, RW width: 100
*	Zischke	42	51.7	N	84	37.1	W	64	338	92MI, RW width: 75
*	Glowacki	43	0.0	N	84	35.8	W	72	341	97G, RW width: 100, CTAF: 122.9
*	Lansing	42	46.7	N	84	35.2	W	59	338	LAN, RW width: 150, ATIS: 119.75, Tower: 119.9, UNICOM: 122.95, Fuel: 100LL
*	University	42	50.4	N	84	28.8	W	61	343	41G, RW width: 100, CTAF: 122.9
*	Archer	42	54.4	N	84	28.3	W	65	344	MI28, RW width: 110
56	Mason	42	34.0	N	84	25.4	W	45	340	TEW, RW width: 75, AWOS: 119.425, UNICOM: 122.7, Fuel: 100LL
51	Maidens	42	44.0	N	84	19.3	W	53	348	89Y, RW width: 100, CTAF: 122.9
71	Perry E	42	49.3	N	84	16.7	W	58	351	PRI-RY 10/28:2625x50-TURF-MGR: ANTHONY SCHEPIS JR-517-625-5675
*	Test	42	43.5	N	84	11.7	W	52	354	
69	Owasso	42	59.6	N	84	8.3	W	67	358	PUB-T-AWOS:118.025-RY 06/24:2483x130-TURF-RY 11/29:4300x75-ASPH-LGT-RY 18/36:2599x260-TURF-MG
*	Cloud Nine West	42	32.8	N	84	7.7	W	41	357	46MI, RW width: 100
25	Cloud	42	33.1	N	84	5.9	W	41	359	MI26, RW width: 150
72	Pingston	42	48.6	N	84	5.0	W	56	360	PRI-RY 18/36:2600x100-TURF-RY18: 18/36 THLDS MKD WITH CONES.-MGR: ROBERT PINGSTON-810-227-
*	Pingston	42	48.6	N	84	5.0	W	56	360	54MI, RW width: 100
53	Maple	42	43.0	N	84	3.8	W	51	1	65G, RW width: 113, UNICOM: 122.8, Fuel: 100LL
87	Sod	42	31.0	N	84	3.2	W	39	1	Power line at north end of N/S runway
61	Millstream	42	57.8	N	84	2.7	W	66	1	56M, RW width: 70, CTAF: 122.9
49	Livingston	42	37.8	N	83	58.9	W	46	5	OZW, RW width: 100, AWOS: 118.875, UNICOM: 123.0, Fuel: 100LL

	Way Point	Latitude			Longitude			Distance	Bearing	Description
*	Mckenzie's	42	36.2	N	83	51.6	W	45	12	1MI5, RW width: 60
57	Mckenzie's	42	36.2	N	83	51.6	W	45	12	PRI-RY 09/27:2450x60-TURF -MGR: DAVID E MCKENZIE-517-545-8888
*	Flaigh	42	36.7	N	83	51.5	W	46	12	
74	Raether	42	33.9	N	83	51.4	W	43	13	4Y1, RW width: 60, CTAF: 122.9
85	Ski	42	32.5	N	83	48.6	W	42	16	
*	Prices	42	48.5	N	83	46.1	W	58	13	9G2, RW width: 75, UNICOM: 123.0, Fuel: 100LL
*	Trollmans	42	44.6	N	83	45.1	W	54	15	
*	Bishop	42	57.9	N	83	44.7	W	67	12	FNT, RW width: 150, ATIS: 133.15, Tower: 126.3, UNICOM: 122.95, Fuel: 100LL
*	Fremont MI	43	26.4	N	85	59.7	W	127	319	FFX, RW width: 100, AWOS: 118.775, UNICOM: 123.0, Fuel: 100LL
*	Wells	43	7.7	N	85	30.3	W	99	321	35C, RW width: 100, CTAF: 122.9
*	Wabasis	43	7.7	N	85	23.9	W	96	323	MI80, RW width: 80, Fuel: 80
*	Lakeview	43	27.1	N	85	15.9	W	109	331	13C, RW width: 75, UNICOM: 122.8, Fuel: 100LL
37	Greenville	43	8.5	N	85	15.2	W	92	326	6D6, RW width: 200, UNICOM: 122.8, Fuel: 100LL
*	Fairplains	43	9.4	N	85	8.9	W	91	329	02MI, RW width: 100
*	Minickey	43	9.7	N	85	3.7	W	89	331	MI13, RW width: 175
*	Hamp	43	24.0	N	84	48.0	W	97	341	68R, RW width: 100, CTAF: 122.9
36	Gratiot	43	19.3	N	84	41.3	W	91	343	AMN, RW width: 75, AWOS: 124.175, UNICOM: 122.8, Fuel: 100LL
*	Airborn	43	18.6	N	84	38.6	W	90	344	, MI04, RW width: 150
*	McJilton	43	24.3	N	84	34.3	W	95	347	2MI4, RW width: 125
*	Randolph's	43	6.8	N	84	31.2	W	77	345	82MI, RW width: 100
*	Tripp Creek	43	3.9	N	84	29.4	W	74	346	39T, RW width: 50, CTAF: 122.9
88	St Johns	43	2.1	N	84	26.1	W	72	347	PUB-T-RY 07/25:2777x120-TURF-RP07-RY07/25: -MGR: MICHAEL SCHIFFER-989-834-5067
*	Schiffer	43	2.1	N	84	26.0	W	72	347	3S5, RW width: 120, CTAF: 122.9
*	Ernie's	43	25.3	N	84	11.7	W	93	357	1MI4, RW width: 148
*	Stcharles	43	17.2	N	84	10.9	W	85	357	
*	Chesaning	43	10.9	N	84	8.0	W	79	358	50G, RW width: 150, CTAF: 122.9
20	Chesaning	43	10.9	N	84	8.0	W	79	358	PUB-RY 09/27:2800x150-TURF-LGT-RY 18/36:2582x150-TURF-LGT-RY 18/36 & 09 /27 MGR JIM KOZLOWSK
*	Wightman	43	6.6	N	84	7.6	W	74	358	7MI6, RW width: 60
*	Woodside	43	13.0	N	84	2.8	W	81	1	2MI0, RW width: 75
*	Mount Pleasant	43	37.3	N	84	44.3	W	109	345	