

# Map marking information for Blairstown, New Jersey [ACA Little Guys Meet]

Courtesy of Daniel Sazhin

Non-Control Point Waypoints are indicated by a \*

Latitude range: 39 23.1 to 42 21.9  
Longitude range: -78 14.2 to -73 36.6

File created Wednesday, 31 August 2022 at 01:48 GMT

UNOFFICIAL, USE AT YOUR OWN RISK

Do not use for navigation, for flight verification only.

Always consult the relevant publications for current and correct information. This service is provided free of charge with no warranties, expressed or implied.

User assumes all risk of use.

	Way Point	Latitude	Longitude	ID	Distance	Bearing	Description
67	Shockeys Knob	39 23.1 N	78 14.2 W	67SHCKSK	203	238	
*	Potomac	39 41.6 N	78 10.0 W	POTOMAC	189	243	W35, 122.8, RW width: 70, CTAF: 122.9
30	Dickey's Mtn	39 45.7 N	78 3.6 W	30DCKSMT	182	244	
*	Harris	39 49.1 N	75 55.5 W	HARRIS	93	212	100 X 1900'
*	Chester Co. Airport	39 58.8 N	75 52.0 W	CHESTERC	82	214	5400 X 100 122.7 WX AWOS-3: 126.25
69	New Garden Control	39 50.4 N	75 48.2 W	69NEWGAR	89	209	
65	New Garden Airport	39 49.9 N	75 46.2 W	65NWGRDN	89	208	3700 X 65' 123.05
*	Brandywine	39 59.4 N	75 34.9 W	BRANDYWN	74	205	OQN, 09/27 23.0, RW width: 50, AWOS: 121.4, UNICOM: 123.075
*	Memmi	40 10.2 N	77 59.5 W	MEMMI	167	252	0PN6, NNE-SSW, RW width: 100
*	Beers Farm	40 13.8 N	77 55.2 W	BEERSFRM	162	252	PN73, 08/26, RW width: 100
*	Mtn Hideaway	40 26.1 N	77 54.0 W	MTNHIDEW	156	257	Landable, 3PS4, RW width: 100
*	Shirleysburg	40 19.1 N	77 52.5 W	SHRLSBRG	157	254	Landable
26	Burnt Cabins	40 5.1 N	77 51.9 W	26BRNTCB	163	249	
*	Mills	40 8.6 N	77 51.8 W	MILLS	161	250	05PS, RW width: 100
*	Spud View	40 3.9 N	77 41.5 W	SPUDVIEW	155	247	Landable, 18PN, 05/23, RW width: 50
12	Tunnels_SW	40 8.6 N	77 38.9 W	12TNNLS_	150	249	
*	Drillmore	40 8.0 N	77 37.7 W	DRILLMOR	150	248	0PN7, RW width: 100

	Way Point	Latitude			Longitude			ID	Distance	Bearing	Description
22	Honey Grove	40	24.5	N	77	31.9	W	22HONGRV	138	254	
*	Botsford Airport	40	6.8	N	77	27.2	W	BOTSFORD	142	246	100 X 2400ft. 30ft Paved
*	Herberling	40	9.9	N	77	22.2	W	HERBRLNG	136	247	60 X 2200ft
33	Doubling Gap	40	15.9	N	77	18.7	W	33DBLNGG	131	249	
*	Egolf	40	20.1	N	77	18.0	W	EGOLF	128	251	2PA7, NW/SE, RW width: 100
*	Shulls	40	19.1	N	77	17.0	W	SHULLS	128	250	Landable, N-S
*	Fox Field	40	29.1	N	77	13.2	W	FOXFIELD	121	255	100 X 1300ft
*	Yost	40	19.9	N	77	10.6	W	YOST	122	250	Landable, 8PA6, PVT, RW width: 100
*	Carlisle Airport	40	11.3	N	77	10.4	W	CARLISLE	126	245	4008 x 60 ft. 122.8
*	Haunstein	40	19.1	N	77	7.5	W	HAUNSTEN	120	249	1200 x 100 feet
*	Capital City Airport	40	13.1	N	76	51.1	W	CAPITALC	110	242	5000 x 150 ft. CTAF: 119.5 UNICOM: 122.95 ATIS: 134.95
*	Gusler	40	27.9	N	76	50.4	W	GUSLER	103	251	PA74, NNE-SSW, RW width: 100
*	Carsonville	40	29.2	N	76	46.0	W	CARSNVLL	98	251	OPS3, 06/24, RW width: 100
*	Harrisburg International	40	11.6	N	76	45.7	W	HRRSBRGN	107	240	10001 x 200 ft. 124.8 ATIS: 118.8
*	Yingst	40	23.8	N	76	44.8	W	YINGST	100	247	2600 X 100ft
*	Black Landing	40	22.4	N	76	44.6	W	BLCKLNDN	100	246	1500 X 90ft
*	Brookside Farms	40	18.9	N	76	41.1	W	BRKSDFRM	99	243	59PN, 09/27, RW width: 100
*	Riegle	40	17.2	N	76	34.6	W	RIEGLE	95	241	1955 x 40 ft. 122.8
*	Donegal Spring Airport	40	5.5	N	76	34.5	W	DNGLSPRN	103	234	3250 X 50ft CTAF: 122.8
*	Muir AAF	40	26.1	N	76	34.1	W	MUIR AAF	90	246	3981 x 98 ft. CTAF: 126.2 WX ASOS: 124.175
*	Rover	40	17.1	N	76	31.8	W	ROVER	93	240	2200 X 90'
11	Swatara NE	40	29.4	N	76	29.9	W	11SWATR	85	248	
*	Walnut Grove	40	5.6	N	76	29.6	W	WALNTGRV	99	233	1400 x 70 feet
*	Horst	40	22.7	N	76	28.1	W	HORST	87	242	Landable, 3PA0, E/W, RW width: 100
*	Farmer's Pride	40	26.6	N	76	26.6	W	FRMRSPRD	84	245	3410 x 150 ft. CTAF: 122.9
*	Krill Pvt	40	26.9	N	76	20.5	W	KRILLPVT	79	243	PA86, 10/28 15T, RW width: 100
*	Deck	40	21.1	N	76	19.8	W	DECK	82	239	3786 x 50 ft. CTAF/UNICOM: 122.8 WX AWOS-2: 118.45
*	Keller Bros	40	17.5	N	76	19.7	W	KELLRBRS	84	236	2692 x 120 ft. CTAF: 122.9
*	Lancaster Airport	40	7.3	N	76	18.0	W	LANCASTR	90	230	6933 x 150 ft. CTAF: 120.9 ATIS: 125.675
*	Grimes	40	29.1	N	76	15.8	W	GRIMES	74	244	2720 x 100 ft. 122.8
*	Hurst	40	20.6	N	76	12.5	W	HURST	77	236	1165 x 95 feet
*	Smoketown Airport	40	2.5	N	76	12.1	W	SMOKETWN	90	225	2750 x 50 ft.123.05
*	Boyer Airport	40	19.3	N	76	6.0	W	BOYER AP	73	233	1060 x 100 feet
*	Reading Airport	40	22.7	N	75	58.0	W	READING	65	231	6350 x 150 ft. CTAF: 119.9 UNICOM: 122.95
38	Morgantown Airport	40	9.5	N	75	52.1	W	38MRGNTW	72	219	2500 x 100 ft. 122.9
*	Berts	40	17.1	N	75	45.9	W	BERTS	62	221	PS38, 08/26 23T, RW width: 100
45	Pottstown Muni	40	15.6	N	75	40.2	W	45PTTSTW	60	216	2704 x 75 ft. 122.8
*	Dimascio	40	17.4	N	75	39.5	W	DIMASCIO	58	217	14PA, N/S 13T, RW width: 100
*	Bally Spring Farm	40	25.9	N	75	37.6	W	BLLSPRNG	50	222	PA35, 13/31 22.725, RW width: 50, UNICOM: 122.725
*	Hansen	40	20.4	N	75	34.8	W	HANSEN	53	215	RW width: 100
*	Butter Valley Airport	40	23.8	N	75	33.8	W	BUTTRVLL	49	217	90 X 1500' 122.9

	Way Point	Latitude	Longitude	ID	Distance	Bearing	Description
*	Pottstown Limerick	40 14.4 N	75 33.4 W	PTTSTWNL	58	210	3371 x 75 feet 122.700 ASOS: 119.425
*	Kolb	40 9.6 N	75 32.8 W	KOLB	63	207	43PA, 09/27 32T, RW width: 100
*	Perkiomen Valley	40 12.2 N	75 25.8 W	PRKMNVLL	58	203	N10, 09/27 22.8, RW width: 40, UNICOM: 122.8
*	Quakertown	40 26.1 N	75 22.9 W	QUAKRTWN	42	209	UKT, 11/29 22.8, RW width: 50, AWOS: 119.475, UNICOM: 122.725
*	Wicker and Wings	40 24.1 N	75 22.2 W	WCKR+WNG	44	207	1PS9, 18/36 18T, RW width: 100
*	Navarro	40 22.3 N	75 20.2 W	NAVARRO	45	203	3PA1, 02/20 19T, RW width: 50
*	Gehris	40 19.0 N	75 17.4 W	GEHRIS	48	199	39PA, RW width: 200
*	Pennridge	40 23.4 N	75 17.4 W	PENNRIDG	43	201	N70, 08/26 23.0 AVOID PARA!, RW width: 100, AWOS: 126.325, UNICOM
*	Edmonds	40 19.8 N	75 16.9 W	EDMONDS	47	199	PS54, 14/28 18T, RW width: 100
*	Wings	40 8.2 N	75 16.0 W	WINGS	59	194	LOM, 06/24 23.0, RW width: 75, AWOS: 118.925, UNICOM: 123.0
*	Moyer	40 17.8 N	75 14.9 W	MOYER	48	196	3PA9, RW width: 75
46	PGC	40 19.9 N	75 14.8 W	46PGC	46	197	0PA0, 01/19 25T, RW width: 300
*	A G A Farms	40 25.5 N	75 13.9 W	AGAFARMS	40	198	61PN, 05/23 28a, RW width: 55
*	Elephant Path	40 24.5 N	75 13.9 W	ELPHNTPT	41	198	PS03, 05/23 28a, RW width: 35
*	Ridgeview	40 27.1 N	75 12.3 W	RIDGEVIW	37	197	1PA3, RW width: 100
*	Russo Airstrip	40 26.0 N	75 8.9 W	RUSSO AS	38	192	E/W
*	Haney	40 29.7 N	75 7.5 W	HANEY	34	191	8PA6, E/W 19T, RW width: 75
*	Doylestown	40 20.0 N	75 7.3 W	DOYLSTWN	45	188	DYL, 05/23 22.8, RW width: 60, AWOS: 118.875, UNICOM: 122.975
47	Van Sant	40 29.1 N	75 6.0 W	47VANSNT	34	189	9N1, 05/23 22.8, RW width: 120, UNICOM: 122.8
*	Hoge Farm	40 28.2 N	75 4.9 W	HOGEFARM	35	187	56PA, 06/24 22T, RW width: 100
*	Eagles Lair	40 28.1 N	75 3.0 W	EAGLESLR	35	185	NJ63, 07/25 32T, RW width: 100
*	Windward Farms	40 26.9 N	75 1.1 W	WNDWRDFR	36	182	4NJ0, 11/29 22.95, RW width: 150, UNICOM: 122.95
*	Aerequus	40 23.4 N	75 0.8 W	AEREQUUS	40	181	38PA, 05/23 31T, RW width: 100
*	Flying D Farm	40 28.1 N	75 0.1 W	FLNGDFRM	35	180	92NJ, E/W 22T, RW width: 100
*	Evans	40 28.8 N	74 57.7 W	EVANS	34	177	NJ50, 10/28 22.8, RW width: 50, UNICOM: 122.8
*	Hilling	40 30.3 N	77 56.3 W	HILLING	157	259	Landable, PN64, RW width: 80
*	Keystone GP	40 53.1 N	77 54.4 W	KEYSTNGP	152	269	79N, 123.3, RW width: 150, CTAF: 122.9
*	Hostetler	40 37.9 N	77 51.0 W	HOSTETLR	151	262	0PA6, NNE-SSW, RW width: 100
*	Univ Park	40 50.9 N	77 51.0 W	UNIVPARK	149	268	UNV, TWR 128.475, RW width: 150, ATIS: 127.65, Tower: 128.475, UNICO
*	Bellefonte	40 53.2 N	77 48.9 W	BELLEFNT	147	269	N96, 6/24, RW width: 60, UNICOM: 122.8
*	Plane View	40 33.4 N	77 48.6 W	PLANEVIW	150	260	Landable
*	Bierly	40 55.9 N	77 44.4 W	BIERLY	143	270	01PN, PVT, RW width: 100
*	Dwight Yoder	40 38.2 N	77 43.2 W	DWIGHTDR	144	262	Landable
*	Centre Apk	40 48.7 N	77 39.4 W	CENTREPK	139	266	N16, NE-SW, RW width: 210, UNICOM: 122.7
*	Reedsville Airport	40 40.6 N	77 37.6 W	REEDSVLL	139	262	5001 x 75 ft. CTAF/UNICOM: 122.7 WX AWOS-3PT: 123.85
*	Pennfield	40 51.1 N	77 36.8 W	PENNFILD	137	267	44PA, NE-SW, RW width: 100
*	Wagner	40 33.1 N	77 36.7 W	WAGNER	140	259	1PA4, 04/22, RW width: 100
*	Penns Cave	40 53.4 N	77 36.2 W	PENNSCAV	136	268	N74, 122.8, RW width: 40, UNICOM: 122.8
*	Crust	40 59.1 N	77 33.8 W	CRUST	134	271	Landable
*	McCardle	40 38.7 N	77 33.4 W	MCCARDLE	136	261	PS11, 05/23, RW width: 100
*	Krout	40 38.2 N	77 29.0 W	KROUT	132	261	Landable

	Way Point	Latitude			Longitude			ID	Distance	Bearing	Description
*	Shangri La	40	41.1	N	77	28.5	W	SHANGRIL	131	262	Landable
*	Mifflintown Airport	40	36.0	N	77	24.3	W	MFFLNTWN	129	259	2627 x 50 ft. 122.8
*	Carms	40	44.4	N	77	17.9	W	CARMS	121	263	Landable
*	Snook	40	43.9	N	77	16.1	W	SNOOK	120	263	PS06, 07/25, RW width: 100
29	Thompsons town	40	33.9	N	77	14.2	W	29THMPSN	121	257	
*	Gilfert	40	47.1	N	77	12.6	W	GILFERT	116	264	77PN, NW-SE, RW width: 100
*	Roadcap	40	47.3	N	77	6.3	W	ROADCAP	111	264	37PA, E-W, RW width: 100
*	Jansen	40	39.1	N	77	3.3	W	JANSEN	110	259	PN71, RW width: 100
*	J F T	40	56.7	N	77	2.7	W	J F T	107	270	8PA4, 06/24, RW width: 100, UNICOM: 122.8
57	Susquehanna Airport	40	33.7	N	76	57.9	W	57SSQHNN	107	255	2800 X 140
*	Fox Hollow	40	59.6	N	76	54.1	W	FOXHOLLW	99	271	3PA6, 09/27, RW width: 100
*	Penn Valley	40	49.2	N	76	51.8	W	PENNVALL	98	265	4760 x 75 ft. CTAF/UNICOM: 122.7 WX ASOS: 123.975
*	Harman	40	31.4	N	76	50.8	W	HARMAN	102	253	1900 x 150 feet
56	Flying Eagle	40	38.8	N	76	48.6	W	56FLNGGL	97	257	1850 x 100 feet
*	Sunbury	40	53.5	N	76	46.7	W	SUNBURY	93	267	3250 x 250 ft. 122.9
*	Dansville Airport	40	56.9	N	76	38.6	W	DANSVILL	86	269	3500 x 100 ft. CTAF/UNICOM: 123.0 WX ASOS: 118.325
*	Masser	40	38.0	N	76	36.0	W	MASSER	87	255	2100 x 75 ft.
*	Bendigo Airport	40	33.5	N	76	33.6	W	BENDIGO	87	251	2325 x 60 ft. 122.9
*	Northumberland County	40	50.2	N	76	33.1	W	NRTHMBRL	82	264	3297 x 75 ft. CTAF/UNICOM: 122.8 WX AWOS-3: 119.175
*	Stone Castle	40	58.4	N	76	31.1	W	STONCSTL	79	271	Landable, ENE-WSW
32	Mahantango_E	40	41.8	N	76	28.5	W	32MHNTNG	80	257	
*	Fairview Farm	40	32.2	N	76	28.0	W	FARVWFRM	83	249	2000 x 100 ft
*	Bloomsburg Airport	40	59.9	N	76	26.1	W	BLOMSBRG	75	272	3200 x 60 ft. 122.8
55	Numidia	40	52.0	N	76	23.9	W	55NUMIDI	73	265	2000 x 100 ft.
*	Broadt	40	59.9	N	76	23.1	W	BROADT	72	272	5PA1, PVT, RW width: 100
*	Schulkill Zerby	40	42.4	N	76	22.2	W	SCHLKLLZ	74	256	4599 x 75 ft. CTAF/UNICOM: 123.075 WX AWOS-3: 127.575
*	Cider	40	36.4	N	76	16.9	W	CIDER	72	250	2200 x 100 ft
*	Chim Commercial	40	42.3	N	76	14.2	W	CHMCMMRC	67	255	2000 x 150 ft.
*	McDonald's	40	53.1	N	76	9.3	W	MCDONLDS	61	265	2000 x 120 ft.
*	Hillview	40	35.9	N	76	8.2	W	HILLVIEW	65	247	1200 X 100
*	Neon	40	41.4	N	76	4.0	W	NEON	59	251	1700 X 70
40	Blue Mountain Academy	40	33.1	N	76	1.8	W	40BLMTNC	61	242	2730 x 100 feet
*	Hazleton Airport	40	59.2	N	75	59.6	W	HAZLETON	52	272	5001 x 100 ft. 123.0 WX AWOS-3: 119.975
18	Hawk Mountain	40	38.6	N	75	59.6	W	18HWKMTN	57	247	
37	Reservoir	40	35.6	N	75	56.7	W	37RESRVR	56	243	
*	Skyline Airstrip	40	30.4	N	75	56.6	W	SKYLINES	59	237	3200 X 120
*	West Penn Township	40	44.8	N	75	56.0	W	WPNNTWNS	51	253	2000 x 100 feet
42	Cuatro Vientos	40	39.5	N	75	52.4	W	42CTRSVN	51	245	1200 x 100 feet
54	Grover	40	54.6	N	75	52.2	W	54GROVER	46	265	2360 x 100 ft.
62	Kutztown	40	30.2	N	75	47.1	W	62KTZTWN	52	232	Closed Airport
*	Lehighton Airport	40	48.6	N	75	45.7	W	LEHIGHTN	41	255	3000 x 60 ft. 123.05 AWOS-3PT: 119.350

	Way Point	Latitude			Longitude			ID	Distance	Bearing	Description
*	Deer Meadows Airstrip	40	59.8	N	75	44.4	W	DERMDWSS	39	273	3500 x 100 feet
*	Solt Field	40	46.8	N	75	43.0	W	SOLTFILD	40	251	Landable, 9PA5, 08/26 6T, RW width: 200
43	Flying M	40	44.2	N	75	42.3	W	43FLYNGM	40	247	2380 x 100 ft. CTAF: 122.725
*	Bullfly	40	42.5	N	75	41.2	W	BULLFLY	40	243	NE/SW
19	Tunnel	40	46.7	N	75	39.1	W	19TUNNEL	37	249	
44	Beltzville Airport	40	50.7	N	75	38.1	W	44BLTZVL	34	256	2000 X 100 122.9
*	Slatington Airport	40	45.8	N	75	36.3	W	SLATNGTN	35	246	2455 x 50 ft. 122.8
*	Queen City Airport	40	34.2	N	75	29.3	W	QUEEN C	38	223	4000 X 80' 122.7 AWOS: 127.875
*	Allentown Airport	40	39.1	N	75	26.5	W	ALLENTWN	32	227	120.5 ATIS: 126.975
50	Pegasus	40	56.0	N	75	21.0	W	50PEGASS	19	262	50PA, E/W 22.7, RW width: 100, UNICOM: 122.7
25	Wind Gap	40	51.6	N	75	18.3	W	25WINDGP	18	245	
31	Cherry Valley	40	53.8	N	75	17.8	W	31CHRRVL	16	252	
*	Easton	40	44.5	N	75	14.6	W	EASTON	20	219	N43, 09/27 23.0, RW width: 165, UNICOM: 123.0
20	Bangor Offset	40	54.1	N	75	13.6	W	20BNGRFF	13	248	
8	Hangglider Launch	40	56.3	N	75	11.0	W	08HNGGLD	10.0	257	
60	Hartung	40	39.1	N	75	10.9	W	60HARTNG	24	204	2NJ5, 12/30 20T, RW width: 50
63	Mark's Airport	40	53.4	N	75	10.3	W	63MARKS	11	238	2000 X 200
*	Hallet's	40	54.6	N	75	9.9	W	HALLETS	9.7	245	1500 X 50
*	Ultralight Strip	40	53.5	N	75	8.4	W	ULTRLGHT	9.3	234	
58	Delaware Water Gap	40	59.0	N	75	8.4	W	58DLWRWT	7.5	277	
*	Gap View	40	51.5	N	75	8.0	W	GAP VIEW	11	223	49PA, RW width: 100
4	Belvidere	40	48.0	N	75	6.4	W	04BELVDR	13	206	
21	Harmony Reservoir	40	43.8	N	75	6.3	W	21HRMNRS	18	199	
10	Portland Bridge	40	55.3	N	75	5.5	W	10PRTLND	6.0	235	
*	Herr Brothers	40	33.4	N	75	4.3	W	HRBRTHR	29	188	NJ95, 07/25 19T, RW width: 75
*	Matthews	40	47.6	N	75	4.3	W	MATTHEWS	13	198	NJ09, 07/25 20T, RW width: 50
64	Mount Pleasant	40	58.2	N	75	4.0	W	64MTPLSN	3.6	269	2500 x 50 feet
*	Parker	40	40.6	N	75	1.5	W	PARKER	20	184	70NJ, 07/25 16T, RW width: 50
*	Malone	40	32.5	N	75	1.4	W	MALONE	30	183	NJ61, 03/21 18T, RW width: 60
*	Alexandria	40	35.2	N	75	1.2	W	ALEXANDR	27	182	N85, 08/26 22.8, RW width: 50, UNICOM: 122.975
61	High Meadow Farms	40	53.7	N	75	0.1	W	61HGHMDW	5.3	183	9NJ8, 13/31 19T, RW width: 100
1	Blairstown Airport	40	58.3	N	74	59.9	W	01BLRSTW			3112 x 70 ft 123.0
2	Start S	40	57.5	N	74	59.3	W	02STRT S	1.0	150	
*	Sky Manor	40	34.0	N	74	58.7	W	SKYMANOR	28	178	N40, 07/25 22.8, RW width: 50, UNICOM: 122.975
13	Washington RC	40	45.9	N	74	56.2	W	13WSHNGT	15	167	
66	Weiss Farm	40	55.1	N	74	51.7	W	66WSSFRM	8.0	117	JY24, 5/23 18T, RW width: 50
59	Hackettstown	40	49.2	N	74	51.3	W	59HCKTTS	13	144	N05, 5>23 122.9, RW width: 50, CTAF: 122.9
*	Gus' House	40	58.1	N	74	50.2	W	GUSHOUSE	8.4	91	N/S 1300 X 50'
7	Trinca	40	58.0	N	74	46.8	W	07TRINCA	11	91	
*	Solberg	40	34.9	N	74	44.1	W	SOLBERG	30	153	04/22 13/31 122.800
*	Somerset	40	37.5	N	74	40.2	W	SOMERSET	29	144	SMQ, 12/30 123.0, RW width: 200

	Way Point	Latitude			Longitude			ID	Distance	Bearing	Description
*	Millers	41	3.6	N	77	29.4	W	MILLERS	130	274	Landable
*	Tall Pines	41	12.1	N	77	26.6	W	TALLPINS	128	278	6PA8, RW width: 100
68	Lock Haven	41	8.2	N	77	25.3	W	68LCKHVN	127	276	LHV, 122.8, RW width: 100, UNICOM: 122.8
*	Jersey Shore	41	12.4	N	77	13.6	W	JERSESHR	117	279	P96, E-W, RW width: 130, UNICOM: 122.7
*	Hinamin	41	8.0	N	77	12.2	W	HINAMIN	115	276	1PA0, E-W, RW width: 100
*	Finkhaven	41	22.1	N	77	4.3	W	FINKHAVN	111	285	73PN, 06/24, RW width: 100
*	Williamsport	41	14.5	N	76	55.3	W	WLLMSVRT	102	281	IPT, TWR 119.1, RW width: 150, Tower: 119.1, UNICOM: 122.95
*	Hackenburg	41	9.5	N	76	53.9	W	HACKNBRG	100	278	6PA3, E-W, RW width: 140
*	Scheck	41	7.1	N	76	30.7	W	SCHECK	80	278	19PA, 03/21, RW width: 100
*	Benton Airport	41	12.0	N	76	23.2	W	BENTON	74	283	2200 x 150 feet
*	Seesholtz	41	2.7	N	76	21.3	W	SEESHLTZ	71	275	86PN, 08/26, RW width: 90
24	Berwick	41	5.5	N	76	8.8	W	24BERWCK	60	278	
*	Crosswind	41	2.1	N	76	1.3	W	CROSSWND	54	275	5PA2, 08/26, RW width: 100
*	Rosenzweig	41	8.2	N	75	51.6	W	ROSENZWG	46	285	1800 x 100 feet
*	Wyoming Valley	41	17.8	N	75	51.1	W	WYMGVLL	50	297	3375 x 75 ft. 122.8
*	Wilkes Barre Intl. Airport	41	20.2	N	75	43.5	W	WLKSBRRX	45	304	7502 x 150 ft. Tower: 120.1 ATIS: 111.6
*	Lazy J Ranch	41	17.8	N	75	35.9	W	LAZY JRC	38	306	PS82, 2/20 15T, RW width: 100
*	Spring Hill	41	20.8	N	75	24.9	W	SPRNGHLL	34	320	70N, 5/23 22.9, RW width: 42, CTAF: 122.9
*	Reed	41	29.9	N	75	24.6	W	REED	42	330	2PA3, 15/33 12T, RW width: 200
52	Mount Pocono Airport	41	8.2	N	75	22.8	W	52MTPOCN	23	300	3999 x 100 ft CTAF: 122.7 WX ASOS: 120.275
*	Flying Dollar	41	12.9	N	75	14.8	W	FLNGDLLR	21	322	8N4, 2/20 22.9, RW width: 100, CTAF: 122.9
*	Mountain Bay	41	22.8	N	75	13.9	W	MTN BAY	31	337	PA49, 11/29 22.7, RW width: 55, UNICOM: 122.7
48	East Stroudsburg Airport	41	2.1	N	75	9.7	W	48ESTRDS	9.6	298	Closed! 3087 x 30 ft. 123.0
23	Upper Reservoir	41	0.3	N	75	3.0	W	23UPRRS	3.6	310	
3	Start NW	41	2.1	N	75	2.7	W	03STRTNW	5.1	331	
*	Boehms	41	26.6	N	75	0.5	W	BOEHMS	33	359	2PA1, RW width: 140
5	Catfish Pond	41	2.4	N	74	59.8	W	05CTFSHP	4.8	1	
35	Millbrook Powerline	41	3.9	N	74	57.7	W	35MLLBRK	6.7	16	
17	Dingman's Ferry	41	13.2	N	74	51.5	W	17DNGMNS	19	23	
9	Milford RC	41	18.1	N	74	49.2	W	09MLFRDR	25	22	
16	Aeroflex-Andover	41	0.5	N	74	44.3	W	16ARFLXN	14	79	12N, 03/21 122.8, RW width: 50
39	Monument	41	19.3	N	74	39.7	W	39MONMNT	30	36	High point monument
28	Horse Farm	41	24.5	N	74	38.3	W	28HRSFRRM	36	32	Good Landing Field
51	Sussex	41	12.0	N	74	37.4	W	51SUSSEX	25	51	FWN, 21/03 122.7, RW width: 75
6	Franklin RC	41	7.0	N	74	37.4	W	06FRNKLN	22	63	
34	Lewis Landing	41	24.4	N	74	32.0	W	34LWSLND	39	39	NK79, 08/26, RW width: 50
14	Wawayanda RC	41	22.2	N	74	25.4	W	14WWNDRC	41	47	
*	Duster	41	20.2	N	74	24.8	W	DUSTER	39	50	122.8, 03/21, RW width: 100
36	Middletown	41	25.9	N	74	23.6	W	36MDDLTV	45	44	06N, 26/08 122.8, RW width: 60
*	Greenwood Lake	41	7.7	N	74	20.8	W	GRENWDLK	36	72	4N1, 06/24 122.9, RW width: 60
*	Hill Top	41	5.0	N	74	20.3	W	HILL TOP	35	77	JY43, 09/27, RW width: 40, Land 09 Uphill

	Way Point	Latitude			Longitude			ID	Distance	Bearing	Description
53	Warwick	41	17.2	N	74	17.2	W	53WARWCK	43	59	N72, 08/26 123.0, RW width: 80, Fuel: 100LL, Grass open and usable
*	Skyhaven	41	31.8	N	75	56.8	W	SKYHAVEN	63	308	76N, 122.8 01/19 2007 x 50 A, RW width: 50
*	Husky Haven	41	47.3	N	75	53.4	W	HUSKYHVN	73	321	P32, 122.9, 10/28, RW width: 100
*	Seamens Field	41	35.4	N	75	45.4	W	SEMNSFLD	58	318	9N3, 122.7, 04/22, RW width: 50
*	Adams 1	41	46.1	N	75	43.4	W	ADAMS 1	67	326	17/35 2185 x 100 T, RW width: 100
*	Tyler	41	49.2	N	75	41.9	W	TYLER	69	328	6PS8, 02/20, RW width: 100
*	Ashlawn	41	37.3	N	75	35.8	W	ASHLAWN	55	326	3PN1, 15/33 18T, RW width: 60
*	Strzk Ultralight	41	41.7	N	75	35.7	W	STRZKLTR	59	328	Landable, PA19, 4/22 5T, RW width: 100
*	Cosklo Elkview	41	37.1	N	75	31.7	W	CSKLLKVW	53	329	PA53, N/S 16T, RW width: 200
*	Stahls Mtn	41	44.9	N	75	29.9	W	STHLSMTN	60	334	3PN7, 2/20 22T, RW width: 80
*	Boden	41	50.8	N	75	26.8	W	BODEN	65	339	2PA4, 18/36 19T, RW width: 100
*	Kellachows	41	31.3	N	75	23.8	W	KELLCHWS	43	332	PA54, 1/19 26T, RW width: 100
*	Hiawatha	41	54.9	N	75	21.9	W	HIAWATHA	68	344	4PA6, 03/21 3100X100, RW width: 100
*	Cavage Use	41	35.6	N	75	21.3	W	CAVAGEUS	47	337	15PA, 1/19 16T, RW width: 100
*	Cold Spring	41	42.3	N	75	17.3	W	CLDSPRNG	53	344	7PA3, 18/36 40a, RW width: 50
*	Cherry Ridge	41	30.9	N	75	15.1	W	CHERRRDG	40	341	N30, 17>35 122.8, RW width: 50, UNICOM: 122.8
*	Campis	41	42.0	N	75	0.1	W	CAMPIS	50	360	7NY0, 01/19, RW width: 35
*	Skytop	41	52.4	N	74	58.7	W	SKYTOP	62	1	NY03, 122.8 18/36, RW width: 110
49	Sullivan	41	42.1	N	74	47.7	W	49SULLVN	52	12	MSV, 33/15 122.8, RW width: 150
15	Wurtsboro	41	35.9	N	74	27.6	W	15WRTSBR	52	33	5/23 3591 x 60 ft. 122.8
*	Sha-Wan-Ga Valley	41	34.2	N	74	24.0	W	SHWNGVLL	52	37	8NY7, Runway 13 only, RW width: 40, Emergency only, keep left
27	Ellenville	41	43.7	N	74	22.6	W	27ELLNVL	61	31	N89, 04/22 122.8, RW width: 75
41	Piolis	41	51.8	N	74	19.8	W	41PIOLIS	71	29	6NY7, 14/32 26T, RW width: 75
*	Orange County	41	30.6	N	74	15.8	W	ORANGCNT	53	45	MGJ, 03/21 122.725, RW width: 100
*	Gardiner Skydive	41	40.5	N	74	8.9	W	GRDNRSKD	66	42	Skydiving, 5NY5, 122.975, 12/30, RW width: 20 CAUTION: Skydiving
*	Kobelt	41	37.5	N	74	8.5	W	KOBELT	63	44	N45, 03/21 122.8, RW width: 50
*	Sheeley's Farm	41	49.9	N	74	7.8	W	SHELSEFRM	75	37	NK08, 13/31, RW width: 40, Emergency only, too narrow for 15M
*	Stewart International	41	30.2	N	74	6.3	W	STWRTNT.	59	51	SWF, 09/27 121.0, RW width: 150
*	Old Orchard	41	39.4	N	74	4.6	W	OLDRCHRD	67	45	2NK9, 18/36 RW width: 100
*	Kingston	41	59.1	N	73	57.8	W	KINGSTON	88	37	20N, 15/33 122.8, RW width: 60
*	Dutchess County	41	37.6	N	73	53.0	W	DTCHSSCN	73	52	POU, 06/24, 124.0, RW width: 100
*	Airhaven	41	50.0	N	73	52.5	W	AIRHAVEN	83	44	09N, Turnpoint, 02/20 122.9, RW width: 75
*	Old Rhinebeck	41	58.3	N	73	51.8	W	OLDRHNBC	91	40	NY94, 01/19, RW width: 75, Caution: Weekend Airshows
*	Sky Park	41	59.1	N	73	50.1	W	SKY PARK	92	40	46N, 01/19, 122.9, RW width: 30
*	Sky Acres	41	42.4	N	73	44.3	W	SKYACRES	83	52	44N, Turnpoint, 17/35, 122.8, RW width: 60
*	White Birch	42	3.0	N	75	19.0	W	WHITBRCH	76	348	NK68, 122.8, 17/35, RW width: 70
*	Downsville	42	3.2	N	75	0.8	W	DOWNSVLL	75	359	NY78, 06/24, RW width: 75
*	Roxbury Runway	42	17.9	N	74	32.9	W	ROXBURRW	95	14	1NK0, 03/21, RW width: 75
*	Maben	42	16.3	N	74	23.6	W	MABEN	95	19	N00, 03/21 122.8, RW width: 35, Caution: Land 03 uphill
*	Hunter Mountain	42	14.1	N	74	14.3	W	HUNTRMTN	96	24	97NY, N/S 122.8, RW width: 75
*	Freehold	42	21.9	N	74	4.0	W	FREEHOLD	108	26	115, 12/30, RW width: 22

	<b>Way Point</b>	<b>Latitude</b>			<b>Longitude</b>			<b>ID</b>	<b>Distance</b>	<b>Bearing</b>	<b>Description</b>
*	In The Woods	42	1.0	N	74	2.9	W	INTHEWDS	87	34	18NY, 05/23, RW width: 40
*	Catskill Valley	42	16.8	N	73	57.2	W	CTSKLLVL	105	30	2NY0, 02/20, RW width: 100
*	Green Acres	42	8.9	N	73	45.0	W	GREENCRS	104	38	1A1, 03/21, 122.9, RW width: 75
*	Columbia	42	17.5	N	73	42.6	W	COLUMBIA	113	36	1B1, 123.05, 03/21, RW width: 100
*	B Flat Farm	42	8.3	N	73	36.6	W	BFLATFRM	108	41	3NK8, 18/36, RW width: 40