

# Worldwide Soaring Turnpoint Exchange

## Unofficial Coordinates for the Crazy Creek Soaring, California Control Points

Courtesy of Peter J. Kelly ( [pjkelly@sonic.net](mailto:pjkelly@sonic.net) )

Dated: 10 March, 2003

Updated: 12 March, 2003

Magnetic Variation: -15.9

Time zone: US/Pacific, summer offset from GMT is -7:00 and in winter it is -8:00.

Release name: wsc-303b

**Names:**Asterisk (\*) at beginning of the TP name keeps that name at the top of the list. All other TP's are alphabetical: The Name of Each TP is somewhat arbitrary.

**Elevations:**Most Elevations are rounded to nearest ten feet.

**Classification contained in name:**Last 3 characters of each TP is classification: -R = Runway on sectional, -E = Emergency Landing area, -U = Unlandable area

**Qualification:**After the letter is a qualification number: 1, 2, or 3 is good, 7, 8, or 9 is bad.

**Comments at end of line may include:**Runway direction e.g. 14/32, N/S, 16/34Length in hundreds e.g. 25=2500 ft, 30=3000 ft.Type of runway surface e.g. 1

*Printed Thursday, 11 March 2004 at 03:14 GMT*

### UNOFFICIAL, USE AT YOUR OWN RISK

Always consult the relevant publications for current and correct information.

This service is provided free of charge with no warranties, expressed or implied.

User assumes all risk of use.

Number	Name	Latitude ° , ' , "	Longitude ° , ' , "	Latitude Feet	Elevation Feet	Codes*	Description	Distance Sm	Bearing	Comment
--------	------	-----------------------	------------------------	------------------	-------------------	--------	-------------	----------------	---------	---------

Number	Name	Latitude ° , ' , ''	Longitude ° , ' , ''	Latitude ° , ' , ''	Longitude ° , ' , ''	Elevation Feet	Codes*	Description	Distance Sm	Bearing	Comment
1	* WSC -R1	39 09 48 N	122 07 54 W	39 09 800 N	122 07 900 W	68	TLA	16/34 25H 23.5	36	25	16 / 34, 2500 x 40, asphalt
2	*CrazyCrk-R1	38 46 06 N	122 34 00 W	38 46 100 N	122 34 000 W	1000	TL	23.3			
3	3Sister-E6	39 07 27 N	122 19 45 W	39 07 450 N	122 19 750 W	2000	TL	See Charters	28	11	
4	5Ponds-U9	38 49 15 N	122 22 28 W	38 49 250 N	122 22 460 W	2500	T		11	55	
5	7M Rnch-R2	38 43 06 N	122 34 12 W	38 43 100 N	122 34 200 W	1300	TA	12/30 61T	3.5	167	12 / 30, 6100 x 50, turf
6	Acrewood-R3	39 40 14 N	121 53 08 W	39 40 240 N	121 53 140 W	190	TA	16/34	72	14	16 / 34, 2700 x 60, turf
7	AldrSprgs-U8	39 38 46 N	122 43 07 W	39 38 760 N	122 43 110 W	4550	T	W Of Ponds	61	337	
8	AngwnVirg-R1	38 35 00 N	122 26 00 W	38 35 000 N	122 26 000 W	1848	TA	23.0 32H	15	135	16 / 34, 3217 x 50, asphalt
9	Antlp Vly-R3	39 08 48 N	122 21 31 W	39 08 800 N	122 21 510 W	400	TL	NW-SE	28	7	15 / 33, 2384 x 60, turf
10	AntnyM5-U9	39 51 06 N	122 57 30 W	39 51 100 N	122 57 500 W	6954	T	MTN Top	78	329	
11	ArbMcCabe-R5	39 00 39 N	122 05 51 W	39 00 650 N	122 05 850 W	65	TA	14/32 15H	30	40	14 / 32, 1500 x 36, gravel/treated
12	Beale ARSA	39 08 00 N	121 27 00 W	39 08 000 N	121 27 000 W	110	TA	15/33 120C	65	51	15 / 33, 12000 x 300, concrete/grooved
13	Bentn-R2	40 34 30 N	122 24 30 W	40 34 500 N	122 24 500 W	719	TA	22.8	125	348	15 / 33, 2420 x 80, asphalt
14	BesDam-U8	38 30 49 N	122 06 30 W	38 30 820 N	122 06 500 W	200	T		30	109	
15	BesTwrs-U8	38 39 54 N	122 11 30 W	38 39 900 N	122 11 500 W	3060	T	TWR	21	93	
16	BigBluf-E-R9	40 04 50 N	122 34 40 W	40 04 830 N	122 34 670 W	890	TA	-9-Poor-Trees--	91	344	16 / 34, 2100 x 50, turf
17	Blakes-R8	38 27 29 N	122 02 43 W	38 27 480 N	122 02 710 W	310	TA	Dirt Narrow	35	111	17 / 35, 1600 x 75, turf
18	BlkButtM-U9	39 43 37 N	122 52 19 W	39 43 620 N	122 52 310 W	7448	T		68	330	
19	BoatLnch-U9	38 30 18 N	122 12 51 W	38 30 300 N	122 12 850 W	460	T		26	118	
20	Bowls-R4	39 17 09 N	121 41 38 W	39 17 150 N	121 41 630 W	75	TA	15/33	59	36	15 / 33, 2600 x 50, asphalt/gravel
21	BrBrmRdx-E8	39 09 50 N	122 26 29 W	39 09 840 N	122 26 480 W	1500	TL	Road Int	28	358	
22	Brownsvil-R8	39 27 30 N	121 17 54 W	39 27 500 N	121 17 900 W	2120	TA	22.9 23H	83	39	
23	BrVly-E6	39 06 00 N	122 26 06 W	39 06 000 N	122 26 100 W	1500	TL	Fenc-To-Nel 15s	24	1	
24	BuroGap-E4	39 45 08 N	122 31 05 W	39 45 130 N	122 31 080 W	1500	TL	Choose Fld-Fences	68	346	
25	Caldwel-E3	39 08 56 N	122 10 14 W	39 08 940 N	122 10 240 W	70	TL	Lites	34	23	
26	Calistoga-E8	38 34 54 N	122 34 00 W	38 34 900 N	122 34 000 W	350	TLA	CLSD	13	164	
27	CaiWrthn-E9	39 40 36 N	122 19 48 W	39 40 600 N	122 19 800 W	400	TL	Priv 40H	64	355	
28	CCrazyCrk-R1	38 46 06 N	122 34 00 W	38 46 100 N	122 34 000 W	1000	HSFTL	23.3			
29	CentryR-E4	39 18 40 N	122 31 27 W	39 18 660 N	122 31 450 W	1200	TL	N/S 15S	38	348	
30	Charter-E3	39 09 45 N	122 15 46 W	39 09 750 N	122 15 770 W	80	TL	Aero-Tow 20S	32	15	
31	Chico-R2	39 47 43 N	121 51 30 W	39 47 720 N	121 51 500 W	238	TA	CT21.0 67H	80	12	
32	Clovrdale-R2	38 46 30 N	122 59 30 W	38 46 500 N	122 59 500 W	272	TA	22.8	23	255	14 / 32, 3155 x 60, asphalt
33	Colusa-R1	39 10 53 N	121 59 37 W	39 10 880 N	121 59 610 W	47	TA	22.8 3H	42	31	13 / 31, 3000 x 60, asphalt
34	Cooks-E3	39 11 18 N	122 12 00 W	39 11 300 N	122 12 000 W	68	TL	Weeds 20H	35	18	
35	Comrg-R3	39 56 23 N	122 10 16 W	39 56 390 N	122 10 260 W	292	TA	23.0 27H	84	359	16 / 34, 2700 x 50, asphalt
36	DimmDM-R3	39 34 16 N	122 36 30 W	39 34 270 N	122 36 500 W	1296	TA	LND-W Ok-Aeroretv	56	342	09 / 27, 2400 x 75, turf
37	Eag6663-U7	39 58 04 N	122 44 21 W	39 58 070 N	122 44 350 W	6663	T	12 NW Paskenta	83	338	
38	EagM3-U8	39 56 06 N	122 46 48 W	39 56 100 N	122 46 800 W	6400	T	13 W Paskenta	81	336	
39	EagMicro-U6	39 54 48 N	122 40 12 W	39 54 800 N	122 40 200 W	3600	T	7W Paskenta	79	340	
40	Esparto-E3	38 39 18 N	122 01 42 W	38 39 300 N	122 01 700 W	200	TL	Al Adobe N-S 20H	30	89	
41	FallRivR-R5	41 00 58 N	121 26 12 W	41 00 970 N	121 26 200 W	3320	TA	02/20 22.8	166	5	
42	FousCtr-E8	39 21 06 N	122 39 06 W	39 21 100 N	122 39 100 W	1600	TL	Penal Fac	41	338	
43	G3 Rnch-R8	38 43 00 N	122 08 30 W	38 43 000 N	122 08 500 W	360	TA	28K	23	83	
44	Gnoss-R2	38 08 40 N	122 33 29 W	38 08 660 N	122 33 480 W	2	TA	23.0 13/31	43	163	13 / 31, 3300 x 75, asphalt
45	Goat M14-U2	39 15 37 N	122 42 54 W	39 15 610 N	122 42 900 W	6121	T	TWR	35	331	
46	GoldMines-U9	38 51 40 N	122 26 44 W	38 51 660 N	122 26 740 W	2750	T	E/W 25D	9.1	30	E/W, 2500 x 70, dirt
47	Graywood-R5	38 26 04 N	122 33 49 W	38 26 060 N	122 33 820 W	450	TA	Dirt 20S	23	164	
48	Grims-E2	39 04 47 N	121 54 55 W	39 04 780 N	121 54 910 W	40	TL	NW-SE 15S	41	42	
49	GrmDstr-E6	39 02 43 N	121 57 00 W	39 02 710 N	121 57 000 W	160	TL	NE-SW 20S Rough	38	44	
50	GrvlyVly-R4	39 27 06 N	122 57 00 W	39 27 100 N	122 57 000 W	1900	TA		51	321	01 / 19, 4050 x 200, gravel

Number	Name	Latitude ° , ' , ''	Longitude ° , ' , ''	Latitude ° , ' , ''	Longitude ° , ' , ''	Elevation Feet	Codes*	Description	Distance Sm	Bearing	Comment
51	Guenoc-E8	38 44 23 N	122 31 29 W	38 44.386 N	122 31.491 W	1000	TL	Beside Hill	3.0	115	
52	Guinda-E8	38 47 54 N	122 10 42 W	38 47.900 N	122 10.700 W	200	TL	15/33	21	68	
53	Gunnersfld-R4	39 21 30 N	122 05 30 W	39 21.500 N	122 05.500 W	62	TA	22.8 16/34 20S	48	16	16 / 34, 2570 x 40, asphalt
54	H20/16Hwy-U2	39 00 51 N	122 21 22 W	39 00.850 N	122 21.360 W	1200	T	Hills	20	18	
55	H20GapS -U8	39 02 42 N	122 19 24 W	39 02.700 N	122 19.400 W	2300	T		23	18	
56	Healdsbrg-R2	38 39 12 N	122 53 54 W	38 39.200 N	122 53.900 W	278	TA	13/31	20	230	13 / 31, 2707 x 60, asphalt
57	HHWir-R4	40 08 35 N	123 23 54 W	40 08.590 N	123 23.900 W	2493	TA	18/36 Unkn	105	319	18 / 36, 2520 x 50, dirt
58	Hi-Vally-E3	39 02 53 N	122 41 20 W	39 02.880 N	122 41.330 W	1768	TL	E/W Near Road	20	325	
59	Hobrg-E3	38 52 18 N	122 40 29 W	38 52.300 N	122 40.480 W	2080	TA	Closed14/32	9.2	305	14 / 32, 3300 x 30, asphalt
60	Hyf6399-U7	40 28 15 N	122 59 28 W	40 28.250 N	122 59.470 W	6399	T	Near Knob	120	333	
61	Hyfrk-R3	40 33 00 N	123 10 30 W	40 33.000 N	123 10.500 W	2321	TA	07/25	127	330	07 / 25, 4115 x 60, asphalt
62	HymPk5905-U9	40 37 00 N	123 33 36 W	40 37.000 N	123 33.600 W	5905	T	PK By Hyampm	138	322	
63	Hympm -R3	40 37 39 N	123 28 14 W	40 37.650 N	123 28.230 W	1250	TA	14/32 29H	137	324	14 / 32, 2980 x 60, asphalt
64	I-5/505-E8	38 50 24 N	121 56 21 W	38 50.400 N	121 56.350 W	100	TL	Farm Fields	34	66	
65	Ind Rnch-E4	39 16 30 N	122 28 30 W	39 16.500 N	122 28.500 W	1262	TL	Weeds 20S	35	352	
66	IVResDam-U7	39 04 51 N	122 32 11 W	39 04.850 N	122 32.180 W	1700	T		22	348	
67	Johnsons-E3	38 48 23 N	122 35 37 W	38 48.390 N	122 35.620 W	1000	TL	6/24	3.0	315	
68	Jones-R5	39 27 34 N	121 41 46 W	39 27.570 N	121 41.760 W	109	TA	15/33 26S	67	28	15 / 33, 2600 x 30, asphalt
69	KittsKrnrs-U8	38 55 48 N	122 44 49 W	38 55.800 N	122 44.820 W	1350	T	Towers	15	303	
70	Knocit-U5	38 58 34 N	122 45 50 W	38 58.560 N	122 45.840 W	4300	T		18	308	
71	LakeC-R3	40 21 40 N	122 12 57 W	40 21.670 N	122 12.950 W	615	TA	15/33	112	354	15 / 33, 3000 x 75, asphalt
72	Lampson-R1	38 59 36 N	122 54 00 W	38 59.600 N	122 54.000 W	1378	TA	22.8 10/28 30H	24	295	10 / 28, 3600 x 60, asphalt
73	Larrys-E4	38 45 47 N	122 38 39 W	38 45.779 N	122 38.651 W	1000	TL	8/26	4.2	249	
74	Letz Lk-U4	39 18 12 N	122 42 24 W	39 18.200 N	122 42.400 W	4100	TS	Se End	38	333	
75	Lincln-R2	38 54 33 N	121 21 05 W	38 54.550 N	121 21.080 W	120	TA	23.0 WX24.25	66	65	15 / 33, 6001 x 100, asphalt
76	LongVly-E9	39 05 13 N	122 40 41 W	39 05.220 N	122 40.690 W	2000	TL	Cultvrd FLDS	23	329	
77	LorAnt-U2	38 47 30 N	122 29 45 W	38 47.500 N	122 29.750 W	625	T	E Of CCS	4.1	51	
78	M-6 5068-U9	39 46 48 N	122 40 54 W	39 46.800 N	122 40.900 W	5068	T		70	339	
79	MaxMoller-R7	39 17 19 N	122 11 21 W	39 17.310 N	122 11.350 W	85	TA	Weeds Ruts	41	13	N/S, 1700 x 75, asphalt/dirt
80	McClenn-ARSA	38 40 04 N	121 24 02 W	38 40.060 N	121 24.030 W	75	TA	16/34 106C	63	80	16 / 34, 10600 x 200, concrete/grooved
81	Millers-E5	39 04 27 N	122 05 30 W	39 04.450 N	122 05.500 W	70	TL	E/W Rwy 20S	33	34	
82	Moskowitz-R9	38 27 29 N	122 12 18 W	38 27.480 N	122 12.300 W	900	TA	Hill On E End	29	122	03 / 21, 2200 x 80, dirt
83	MtSHelna-U8	38 40 18 N	122 38 02 W	38 40.300 N	122 38.040 W	4760	T		7.6	193	
84	Mysterios-R9	38 45 00 N	122 22 06 W	38 45.000 N	122 22.100 W	1410	TA	14/32 Lites 35S	11	81	14 / 32, 3500 x 30, dirt
85	Napa Cnty-R2	38 12 47 N	122 16 50 W	38 12.790 N	122 16.840 W	33	TA	CT18.7 06/24	41	142	06 / 24, 5007 x 150, concrete
86	Nolltas-R4	39 34 54 N	122 12 00 W	39 34.900 N	122 12.000 W	145	TA	N/S	60	3	N/S, 1900 x 85, gravel
87	NurTree-R1	38 22 24 N	121 58 00 W	38 22.400 N	121 58.000 W	110	TA	22.7 02/20	42	114	02 / 20, 3800 x 75, asphalt
88	OrindHaig-R1	39 43 06 N	122 08 48 W	39 43.100 N	122 08.800 W	215	TA	22.7	69	3	15 / 33, 4500 x 60, asphalt
89	Orovile-R2	39 29 16 N	121 37 19 W	39 29.260 N	121 37.320 W	192	TA	22.8 N-S 25H	71	29	1 / 19, 6000 x 100, asphalt
90	Pearce-E8	38 56 06 N	122 37 00 W	38 56.100 N	122 37.000 W	1385	TL	Closed	12	331	
91	Petaluma-R2	38 16 00 N	122 36 30 W	38 16.000 N	122 36.500 W	87	TA	22.7 11/29	35	168	11 / 29, 3600 x 75, asphalt
92	PopeVly-R1	38 36 24 N	122 23 42 W	38 36.400 N	122 23.700 W	618	TA	10/28 37H	15	124	10 / 28, 3700 x 60, asphalt
93	Prdisr-R4	39 42 35 N	121 36 59 W	39 42.580 N	121 36.980 W	1300	TA	22.8 17/35 20H	83	22	17 / 35, 2700 x 40, asphalt
94	Psknta-E9	39 53 18 N	122 32 06 W	39 53.300 N	122 32.100 W	1000	TL	Not Found	77	345	
95	PwrStam-E8	39 13 24 N	122 16 00 W	39 13.400 N	122 16.000 W	200	TL	Pwrlines	35	11	
96	RedBluff-R2	40 09 18 N	122 15 00 W	40 09.300 N	122 15.000 W	349	TA	23.6 15/33	97	354	15 / 33, 5684 x 150, asphalt
97	RedngRDD-R1	40 30 32 N	122 17 36 W	40 30.540 N	122 17.600 W	502	TA	12/30	121	351	12 / 30, 5062 x 150, asphalt
98	Richvale-R4	39 52 17 N	121 46 17 W	39 29.860 N	121 46.280 W	100	TA	16/34	66	24	16 / 34, 2220 x 50, asphalt
99	RidgN-TP-U9	38 53 18 N	122 17 18 W	38 53.300 N	122 17.300 W	3000	T	S Of Rumsey Gap	17	45	
100	RidgS-TP-U9	38 43 12 N	122 13 18 W	38 43.200 N	122 13.300 W	2500	T	S Of H20	19	84	

Number	Name	Latitude ° , ' , ''	Longitude ° , ' , ''	Latitude ° , ' , ''	Longitude ° , ' , ''	Elevation Feet	Codes*	Description	Distance Sm	Bearing	Comment
101	Rio Vista-R5	38 11 37 N	121 42 09 W	38 11 610 N	121 42 143 W	20	TA	7/25 22.8	61	114	07 / 25, 4200 x 75, asphalt
102	RnchoTeha-R2	40 01 00 N	122 23 00 W	40 01 000 N	122 23 500 W	550	TA	E/W 25H	87	350	09 / 27, 3750 x 60, gravel/dirt
103	Rnchro-R4	39 43 14 N	121 52 04 W	39 43 240 N	121 52 060 W	173	TA	22.9 15/33	76	13	15 / 33, 2280 x 30, asphalt
104	RndVly-R2	39 47 48 N	123 16 00 W	39 47 800 N	123 16 000 W	1434	TA	10/28	80	317	10 / 28, 3670 x 55, asphalt
105	RumysyGp-U7	38 55 12 N	122 18 15 W	38 55 200 N	122 18 250 W	2500	T	N Of Gap	18	37	
106	Ruth -R3	40 13 00 N	123 17 54 W	40 13 000 N	123 17 900 W	2781	TA	22.8 35H	107	323	13 / 31, 3500 x 50, asphalt
107	Sanbrn-R4	39 06 34 N	121 53 02 W	39 06 560 N	121 53 030 W	36	TA	16/34	44	41	16 / 34, 2745 x 95, asphalt/gravel
108	Silvr Crk-R3	40 19 03 N	123 15 14 W	40 19 050 N	123 15 230 W	2511	TA	13/31	113	325	13 / 31, 1500 x 50, turf
109	Sites-E7	39 18 24 N	122 20 00 W	39 18 400 N	122 20 000 W	299	TL	Pasture	39	3	
110	SMF-Int-ARSA	38 41 00 N	121 36 00 W	38 41 000 N	121 36 000 W	80	TA	122.95	52	80	
111	SnomSky-R3	38 15 30 N	122 26 00 W	38 15 500 N	122 26 000 W	20	TA	22.8 E/W 25H	36	152	08 / 26, 2480 x 40, asphalt
112	SnomVly-R2	38 13 25 N	122 26 59 W	38 13 410 N	122 26 980 W	10	TA	22.9 07/25	38	155	07 / 25, 2700 x 45, asphalt
113	Snow Mtn-U6	39 22 32 N	122 45 31 W	39 22 540 N	122 45 520 W	7056	T		43	330	
114	SommCty-R2	38 30 32 N	122 48 46 W	38 30 530 N	122 48 770 W	125	TA	CT18.5 01/19	22	201	01 / 19, 5002 x 150, asphalt
115	Stlohn-U2	39 26 00 N	122 41 30 W	39 26 000 N	122 41 500 W	6746	T	TWR	46	336	
116	StonyEast-E9	39 21 35 N	122 31 35 W	39 21 580 N	122 31 590 W	1100	TL	Short-Obstructns	41	347	
117	Stonyfrd-E7	39 22 01 N	122 33 09 W	39 22 010 N	122 33 150 W	1100	TL	Dirt	41	345	
118	Storage-U8	38 53 23 N	122 36 16 W	38 53 380 N	122 36 270 W	1500	T	Visbl RD Intxn	8.6	330	
119	SurrButes-U6	39 12 19 N	121 49 30 W	39 12 310 N	121 49 500 W	999	T		50	37	
120	T-15 7755-U8	40 12 18 N	123 00 35 W	40 12 300 N	123 00 580 W	7755	T	Ruth To W.	102	331	
121	T-16 6757-U8	40 08 09 N	122 49 01 W	40 08 150 N	122 49 020 W	6757	T	Bigbluf To E.	95	336	
122	Tews-R3	40 40 21 N	122 20 30 W	40 40 350 N	122 20 500 W	740	TA	08/26	132	349	08 / 26, 1800 x 24, asphalt
123	Travs AFB-R9	38 15 46 N	121 55 38 W	38 15 760 N	121 55 640 W	60	TA		49	119	
124	TmtyAlps-U8	41 00 06 N	123 03 54 W	41 00 100 N	123 03 900 W	8994	T	15S=WVRVL	157	335	
125	TmtyCrr-R7	40 58 48 N	122 41 54 W	40 58 800 N	122 41 900 W	2390	TA	14/32 32H	153	342	14 / 32, 3215 x 50, asphalt
126	Ukiah-R2	39 07 30 N	123 12 00 W	39 07 500 N	123 12 000 W	614	TA	23.6 WX34.75 44H	42	290	15 / 33, 4415 x 150, asphalt
127	UkiQry-U8	39 10 11 N	123 09 23 W	39 10 180 N	123 09 390 W	730	T	Unkn	42	295	
128	UnivDavis-R1	38 32 00 N	121 47 00 W	38 32 000 N	121 47 000 W	70	TA	22.8 16/34	45	95	16 / 34, 3185 x 50, asphalt
129	VacaPnd-U7	38 21 43 N	122 04 31 W	38 21 720 N	122 04 520 W	2600	T		39	121	
130	Vndrfrd-R5	39 05 44 N	121 42 59 W	39 05 740 N	121 42 980 W	40	TA	16/34	51	48	16 / 34, 3220 x 48, asphalt
131	Wagmr-E5	38 52 19 N	121 42 35 W	38 52 320 N	121 42 590 W	20	TA	14/32	47	65	14 / 32, 3100 x 35, treated/gravel
132	Wlilts-R1	39 27 00 N	123 22 12 W	39 27 000 N	123 22 200 W	2054	TA	22.8 30H	64	302	16 / 34, 3000 x 75, asphalt
133	WillowsGln-R2	39 31 00 N	122 13 12 W	39 31 000 N	122 13 200 W	139	TA	22.8 13/31	55	4	13 / 31, 4210 x 100, asphalt
134	WlkrRdg-U1	39 05 56 N	122 29 19 W	39 05 930 N	122 29 310 W	3587	T	TWR	23	354	
135	WoodWatts-R1	38 40 30 N	121 52 12 W	38 40 500 N	121 52 200 W	130	TA	22.8 18/36	38	84	18 / 36, 3770 x 60, asphalt
136	wWSC -R1	39 09 48 N	122 07 54 W	39 09 800 N	122 07 900 W	68	TA	16/34 25H 23.5	36	25	16 / 34, 2500 x 40, asphalt
137	WsktnDamm-U9	40 35 38 N	122 32 28 W	40 35 630 N	122 32 460 W	1500	T		126	345	
138	Wvrvt-R2	40 45 00 N	122 56 00 W	40 45 000 N	122 56 000 W	2350	TA	N/S 30H	138	336	18 / 36, 2980 x 50, asphalt
139	Yolla8092-U8	40 02 21 N	122 51 38 W	40 02 350 N	122 51 640 W	8092	T	17 NW Paskenia	89	334	
140	Yolo Cnty-R1	38 34 42 N	121 51 24 W	38 34 700 N	121 51 400 W	100	TA	23.0 16/34 40H	40	93	16 / 34, 6000 x 100, asphalt

**Codes\***

- A: Airport
- F: Finish Point
- H: Home airport
- L: Landing point
- S: Start Point
- T: Turnpoint