

# Worldwide Soaring Turnpoint Exchange

## Official Coordinates for the Marana, Arizona [ El Tiro ] Control Points and Landmarks

Contest: 15 Meter Class Nationals, 2025

Courtesy of Jon Davis

Dated: 26 March 2025

Magnetic Variation: 12E

Time zone: US/Arizona, Summer offset from GMT is -7:00 and in Winter it is -7:00.

---

Version 2025

---

*Printed Thursday, 27 March 2025 at 17:56 GMT*

---

USE AT YOUR OWN RISK

Do not use for navigation, for flight verification only.

Always consult the relevant publications for current and correct  
information.

This service is provided free of charge with no warranties,  
expressed or implied.

User assumes all risk of use.

---

*Number***Name**

*Latitude* *Longitude* *Latitude* *Longitude* *Elevation***Codes**<sup>\*</sup>  
° ' " ° ' " ° ' ° ' *FEET*

---

1	<b>El Tiro Gliderport</b>	32 25 42 N	111 23 23 W	32 25.700	N111 23.383 W	2100	DHP	(AZ67) RY R08/26:5000x130 RY R17/35:5000x130 MGR: 520-440-5800
2	<i>Start-Finish</i>	32 25 42 N	111 23 23 W	32 25.700	N111 23.383 W	2100	DSP	(AZ67) RY R08/26:5000x130 RY R17/35:5000x130 MGR: 520-440-5800
3	<i>Start N</i>	32 31 05 N	111 23 52 W	32 31.083	N111 23.867 W	1967	S	Microwave
4	<i>Start E</i>	32 25 44 N	111 18 17 W	32 25.733	N111 18.283 W	1950	S	Gas Station
5	<i>Start S</i>	32 19 10 N	111 23 28 W	32 19.167	N111 23.467 W	2765	S	Towers South
6	<i>Start W</i>	32 24 48 N	111 30 58 W	32 24.800	N111 30.967 W	3754	S	Silver Bell Mine Building
7	Ajo Eric Marcus Muni	32 27 10 N	112 51 41 W	32 27.167	N112 51.683 W	1458	AT	(P01) RY 12/30:3800X60. RESTRICTED AIRSPACE ON THREE SIDES. MGR:ANNA ST
8	Ak Chin Farm Strip	32 59 27 N	112 01 25 W	32 59.450	N112 01.417 W	1210	ATP	(41AZ) RY 17/35 2950x35. Land on paved rwy not the field to the west. Very rough gravel s
9	Ak Chin Regional	32 59 26 N	111 55 08 W	32 59.433	N111 55.133 W	1307	AT	(KA39) AWOS:126.9 RY 04/22: 4751X50. MGR:TIM COSTELLO 520-709-8914. REV 12
10	Amado	31 44 25 N	111 03 55 W	31 44.417	N111 03.917 W	3130	T	RY 14/32: 3000X50. Land uphill to NW; USE CAUTION Last use by glider was 2010. Field

Number	Name	Latitude ° ' "	Longitude ° ' "	Latitude ° ' "	Longitude ° ' "	Elevation	Codes*	
						FEET		
11	Ammon	32 01 29 N	109 57 35 W	32 01.483	N109 57.583	W	4520	ATP (AZ14) RY 09/27: 1950X75. LAND UPHILL 27 STEEP SLOPE MGR: 520-826-4514. REV
12	Angel Field	32 36 24 N	109 56 59 W	32 36.400	N109 56.983	W	4700	LT RY 06/24: 1300X75 Abandoned unsurveyed and likely overgrown. REV 05/21
13	Apache Lake	33 34 46 N	111 16 07 W	33 34.767	N111 16.117	W	1988	T
14	Arivaca Field	31 34 25 N	111 20 13 W	31 34.417	N111 20.217	W	3637	LT Surveyed 03/23. Landable to East. Powerlines on East side.
15	AV Ranch	32 49 07 N	110 19 04 W	32 49.117	N110 19.067	W	3500	LTP (AN01) RY 13/31 NARROW!! Two fields next to strip may be landable but not surveyed. RE
16	Baboquivari Peak	31 46 16 N	111 35 42 W	31 46.267	N111 35.700	W	7734	5T
17	Bakers Acres	32 33 59 N	111 43 36 W	32 33.983	N111 43.600	W	1600	LT RY 09/27 2600x60 DIRT STRIP AT TP - NOT THE PAVED RUNWAY JUST NORTH-40 ft
18	Bassett Peak	32 30 23 N	110 16 48 W	32 30.383	N110 16.800	W	7663	5T
19	Benson Muni	31 59 58 N	110 21 29 W	31 59.967	N110 21.483	W	3831	AT (KE95) AWOS:118.475 RY 10/28: 4002X75. MGR:JAY HOWE 520-686-9477/520-586-224
20	Biosphere Strip	32 35 26 N	110 50 58 W	32 35.433	N110 50.967	W	3690	LT RY 06/24: 4000X60. NARROW - VEGETATION IS STARTING TO ENCROACH. Slopes u
21	Bisbee Douglas Intl	31 28 08 N	109 36 14 W	31 28.133	N109 36.233	W	4150	AT (KDUG) ASOS:119.275 RY 17/35: 6430x100. RY 08/26: 4966x60. MGR:520-432-9268/DA
22	Bisbee Muni	31 21 50 N	109 52 59 W	31 21.833	N109 52.983	W	4780	AT (P04) RY 17/35: 5929X60. RY 02/20: 2650x110. 520-432-6262 MGR:Logan Dodd 520-255
23	Border Patrol 911	32 03 59 N	111 22 23 W	32 03.983	N111 22.383	W	2620	LT EMERGENCY ONLY!! Land E/W: 1000x400. POWER LINES cross the field 1/3 in from e
24	Bowie Airstrip	32 18 33 N	109 24 46 W	32 18.550	N109 24.767	W	3680	LT Grass clumps on runway surface smoother to the West of buildings. Jan/2019
25	Buckelew West	32 04 43 N	111 20 31 W	32 04.717	N111 20.517	W	2550	LT Open oval desert area. RY 13/31: 1000X200 RY 18/36: 950x100. Surveyed 01/25
26	Buckeye Muni	33 25 21 N	112 41 10 W	33 25.350	N112 41.167	W	1033	AT (KBXK) AWOS:119.625 RY R17/35: 5500X75. MGR:DAN WEIMER 850-621-2285. REV
27	Buenos Aires Airstrip	31 35 18 N	111 31 42 W	31 35.300	N111 31.700	W	3550	LT RY 11/29: 1750X50. CAUTION: Wash crosses right by fuel tank. REV 01/25
28	C & L Ranch	31 44 16 N	110 37 35 W	31 44.267	N110 37.583	W	4600	LzPT RW width: 250.
29	Canyon Lake	33 32 37 N	111 26 11 W	33 32.617	N111 26.183	W	1862	T
30	Casa Grande Muni	32 57 18 N	111 46 01 W	32 57.300	N111 46.017	W	1464	AT (KCGZ) AWOS:132.175 RY 05/R23: 5200X100. MGR:520-421-8625 opt 7/520-251-3366. 1
31	Cascabel Strip	32 18 03 N	110 21 52 W	32 18.050	N110 21.867	W	3300	LT RY 02/20: 2800X80. Shallow uphill to North. Fence along eastside Power lines along west si
32	Cedar Canyon Fields	31 32 12 N	111 16 12 W	31 32.200	N111 16.200	W	3758	LT Fields just west of Arivaca Lake
33	Central Cascabel Fields	32 14 06 N	110 19 45 W	32 14.100	N110 19.750	W	3216	LT Land N/S 100X1200. Beware irrigation equipment and ruts. Power lines along S of field. Bri
34	Chiricahua Peak	31 50 47 N	109 17 29 W	31 50.783	N109 17.483	W	9759	5T
35	Circle H Ranch	31 29 49 N	109 23 33 W	31 29.817	N109 23.550	W	4680	ATP (AZ17) RY 18/36: 1000X35. EMERGENCY ONLY!! Unsurveyed appears too narrow. MGR
36	Cochise College	31 22 17 N	109 41 24 W	31 22.283	N109 41.400	W	4146	AT (KP03) AWOS:119.925 RY 05/23: 5551X60. MGR: BELINDA BURNETT 520-266-0534, S
37	Continental	31 50 37 N	110 58 36 W	31 50.617	N110 58.600	W	2869	LT (15m or less) RY 01/19: 1500X70. CAUTION Tall Wires close to South and West side of RY
38	Coolidge Muni	32 56 10 N	111 25 35 W	32 56.167	N111 25.583	W	1576	AT (KP08) AWOS:119.35 RY 05/R23: 5564X150. RY R17/35:3872x75. MGR:520-723-6075. R
39	Coyote Store Rd 911	32 02 26 N	111 28 59 W	32 02.433	N111 28.983	W	2850	LT EMERGENCY ONLY!! RY 18/36: 2000X25. USE CAUTION ACTIVE ROADWAY! Paver
40	Diamond Bell	32 02 33 N	111 21 13 W	32 02.550	N111 21.217	W	2600	LT RY 02/20: 1000X200. Trimmed down and landable. Grass thatch grows quickly after rains. S
41	Dos Titos	32 16 32 N	111 26 52 W	32 16.533	N111 26.867	W	2700	5T
42	Douglas Muni	31 20 33 N	109 30 23 W	31 20.550	N109 30.383	W	4173	AT (KDGL) RY R03/21: 5760X75. MGR:520-368-6015 ALTN 520-417-7329. REV 12/24
43	El Ranchito Fields	32 48 59 N	110 41 42 W	32 48.983	N110 41.700	W	2243	LT RY 15/33: 950X80. N & Middle fields are very landable. 6 inch mounds running 15/33. Pow
44	Eloy Muni	32 48 24 N	111 35 12 W	32 48.400	N111 35.200	W	1511	AT (E60) USE CAUTION HEAVY SKYDIVING ACTIVITY! RY 02/R20: 3901X75. Stay west
45	Estrella	33 05 07 N	112 09 40 W	33 05.117	N112 09.667	W	1273	AT (E68) RY 06/24: 1995X50. Glider traffic Pattern is north of all centerlines Caution extensive
46	Ethnos Air	31 36 02 N	109 39 41 W	31 36.033	N109 39.683	W	4200	ATP (2AZ9) RY R04/22: 4330X100 RY 17/R35:3060x100 Land N of Tetrahedron or well east of
47	Florence Aeromodeler Park	32 59 08 N	111 21 26 W	32 59.133	N111 21.433	W	1658	LT (Emergency Use Only- Model Airplane Strip 600 ft x 100 ft)
48	Four Peaks	33 41 00 N	111 19 00 W	33 41.000	N111 19.000	W	7657	5T
49	Gas Line Strip	32 22 31 N	111 22 11 W	32 22.517	N111 22.183	W	2100	LT RY 15/33: 2500X60. Very Narrow Gravel bushes on sides Power Lines on S End. No Aero R
50	Gila Bend Muni	32 57 37 N	112 40 25 W	32 57.617	N112 40.417	W	789	AT (E63) RY 04/22: 5200x75. MGR:COREY DRURY 623-810-4662. REV 12/24
51	Grapevine Airstrip	33 38 27 N	111 03 25 W	33 38.450	N111 03.417	W	2329	ATP (88AZ) 5mi SE of Roosevelt Lk. USE AT RISK. Re-paved and opened 2017 not surveyed. M

Number	Name	Latitude ° ' "	Longitude ° ' "	Latitude ° ' "	Longitude ° ' "	Elevation	Codes*	
						FEET		
52	Gu Achi Peak	32 20 51	N111 52 37	W32 20.850	N111 52.617	W	4556	5T
53	Helvetia Mine	31 54 13	N110 47 09	W31 54.217	N110 47.150	W	3800	T From 2011 Sat Image - EMERGENCY ONLY! Narrow with obvious ruts   RY 13/31:1400x60
54	I-19 Fields	31 32 31	N111 02 13	W31 32.517	N111 02.217	W	3300	LT 75'W between wheel irrigation lines. Possibly NW/SE Road between fields.
55	Inde Motorsports Ranch	32 13 29	N110 00 28	W32 13.483	N110 00.467	W	4463	ATP (93AZ) RY 08/26: 3800x60 paved. ACTIVE MOTORSPORTS TRACK. CALL ON UNICO
56	Kearny	33 02 50	N110 54 33	W33 02.833	N110 54.550	W	1833	AT (E67) RY 08/26: 3400x60. MGR: 520-363-5547. REV 12/24
57	Kennedy Peak	32 38 33	N110 18 16	W32 38.550	N110 18.267	W	7549	5T Near former China Peak AS
58	Keystone Towers	31 52 37	N111 12 54	W31 52.617	N111 12.900	W	5687	jT
59	King Anvil Ranch	31 59 22	N111 23 05	W31 59.367	N111 23.083	W	2710	LT Land N/S in west field E/W in east field. Retrieve access on East side of fields. Surveyed 01/19
60	Kitt Peak	31 57 48	N111 36 01	W31 57.800	N111 36.017	W	6900	5T
61	La Cholla Airpark	32 26 53	N111 00 06	W32 26.883	N111 00.100	W	2953	ATP (57AZ) RY 01/19: 4670x44 RY 1 uphill for landing preferred. Watch roll-out for low lights. M
62	Lake St Clair	32 38 53	N111 55 46	W32 38.883	N111 55.767	W	1500	T
63	Lakeside Airpark 911	33 06 45	N112 39 42	W33 06.750	N112 39.700	W	780	APT (AZ05) EMERGENCY ONLY!! RY 16/34: 2750x36 15M ONLY 36ft pavement land mid f
64	Landfill Strip	32 41 00	N111 17 19	W32 41.000	N111 17.317	W	2011	LT (Dirt Strip on north side of Landfill. Appears flat and 50 feet or more wide with slight taper. I
65	Leroy	32 06 47	N109 45 42	W32 06.783	N109 45.700	W	4197	ATP (4AZ9) RY 07/25:2640x70 MGR: PHIL LEROY 520-253-0757/520-384-2611
66	Lordsburg Muni	32 20 01	N108 41 31	W32 20.017	N108 41.517	W	4288	AT (KLSB) AWOS:118.1 RY 12/30: 5224X75. RY 01/19: 3251X60. GATE=1880 On Top Hash
67	Manville + Sandario	32 17 30	N111 13 05	W32 17.500	N111 13.083	W	2289	T Manville and Sandario
68	Marana Regional	32 24 34	N111 13 06	W32 24.567	N111 13.100	W	2031	AT (KAVQ) AWOS:118.375 RY R03/21: 3892x75. RY 12/R30: 6901x99. MGR:GALEN BEEM
69	McKinley Ranch Strip	33 05 22	N111 17 50	W33 05.367	N111 17.833	W	1549	LT (Observed from outside gate, appears to be semi-improved surface suitable for power aircraft
70	Mica Mountain	32 13 11	N110 32 37	W32 13.183	N110 32.617	W	8664	5T
71	Motown	32 55 30	N112 15 34	W32 55.500	N112 15.567	W	1615	ATP (5AZ6) RY 06/24:2700x65 Land W of Bldg (70'W) MGR: MO SHELDON 602-692-7995. A
72	Mt Graham	32 42 14	N109 53 03	W32 42.233	N109 53.050	W	10720	5T
73	Mt Lemmon	32 26 33	N110 47 21	W32 26.550	N110 47.350	W	9157	5T
74	Mt Washington	31 22 15	N110 43 26	W31 22.250	N110 43.433	W	7221	5T
75	Mystery Well Ranch	31 48 35	N109 03 31	W31 48.583	N109 03.517	W	4173	ATP (25AZ) RY 18/36: 2640X80. Overflow 05/21 and looks likely good possibly some small bus
76	Newman Peak	32 43 08	N111 24 01	W32 43.133	N111 24.017	W	4520	5T
77	Night Sky Fields	32 27 21	N111 44 53	W32 27.350	N111 44.883	W	1711	LT Farm Fields - LIMITED/NO CELL COVERAGE. See Also Night Sky Alternate 1.5 miles N
78	Night Sky Alt	32 29 05	N111 44 40	W32 29.083	N111 44.667	W	1690	LT Open Desert on west side of road. Alternate to Night Sky Fields, Surveyed 2/25
79	Nogales Airport	31 25 04	N110 50 52	W31 25.067	N110 50.867	W	3955	AT (KOLS) ASOS:121.125 RY 04/22:7199x99. FBO: SETH 520-287-9120/913-669-5990 MGR
80	Pecan Road Fields	32 37 31	N111 19 56	W32 37.517	N111 19.933	W	1867	LT East-West Road between North-Eastern fields wide and clear (Observed from ground and air
81	Pescadero Peak	32 11 04	N111 23 59	W32 11.067	N111 23.983	W	3740	5T
82	Picacho Peak	32 38 00	N111 23 59	W32 38.000	N111 23.983	W	2555	5T
83	Pinal Airpark	32 30 35	N111 19 31	W32 30.583	N111 19.517	W	1893	AT (KMZJ) AWOS:130.375 RY 12/R30: 6849x150. MGR:JIM PETTY 520-866-6545/FBO: 520
84	Pinal Peak	33 16 56	N110 49 16	W33 16.933	N110 49.267	W	7848	T
85	Podium Club Fields	32 48 45	N111 49 54	W32 48.750	N111 49.900	W	1394	LT Racetrack Complex with fields on south side
86	Potters Field	32 52 26	N111 57 35	W32 52.433	N111 57.583	W	1309	ATP (55AZ) RY 18/36: 2400X50. North 1600' paved remainder is smooth dirt. Caution Extensive
87	Pretzer Strip	32 40 12	N111 32 35	W32 40.200	N111 32.583	W	1630	ATP RY 16/34:4600x99. Aero retrieve, Surveyed 2/25
88	Price Range	31 52 40	N109 31 25	W31 52.667	N109 31.417	W	4722	LT NE/SW runway 1 1350X60. Not walked but easily viewed from Rd. 50 foot power lines on b
89	Ragged Top	32 26 59	N111 29 31	W32 26.983	N111 29.517	W	2200	5T
90	Rancho Laos	31 50 20	N111 24 01	W31 50.333	N111 24.017	W	2990	LT Open Desert, 18/36:1300x120. Watch for livestock. Retrieve may be challenging, entrance ro
91	Rancho San Marcos	31 37 11	N110 02 51	W31 37.183	N110 02.850	W	4353	ATP 74AZ RY 18/36:4800x50MGR: ANDREW B COSENTINO 520-481-8981
92	Redfield Canyon	32 25 29	N110 29 19	W32 25.483	N110 29.317	W	2900	LT Huge circle Power lines on NE and E side

Number	Name	Latitude ° , ' , ''	Longitude ° , ' , ''	Latitude ° , ' , ''	Longitude ° , ' , ''	Elevation FEET	Codes*	
93	Redrock	32 34 08 N	111 20 27 W	32 34.133 N	111 20.450 W	1824	T	
94	Reiley Peak	32 23 24 N	110 06 20 W	32 23.400 N	110 06.333 W	7680	5T	
95	Rincon Peak	32 07 13 N	110 31 26 W	32 07.217 N	110 31.433 W	8482	5T	
96	Robles Junction	32 04 36 N	111 18 49 W	32 04.600 N	111 18.817 W	2600	T	
97	Ruby Star Airpark	31 54 33 N	111 07 15 W	31 54.550 N	111 07.250 W	4025	ATP	(14AZ) RY 06/R24: 4300x50 Uphill/ld to W. Slopes upward strongly to West MGR: TRUDY
98	Ryan Field	32 08 32 N	111 10 28 W	32 08.533 N	111 10.467 W	2419	AT	(KRYN) TWR:125.8 ATIS:133.350 RY R06R/24L: 5500x75. RY 06L/R24R: 4900x75. RY I
99	Safford Regional	32 51 12 N	109 38 06 W	32 51.200 N	109 38.100 W	3178	AT	(KSAD) ASOS:124.175 RY 08/26: 4802x60. RY 12/30: 6007x99. MGR: 928-432-4235/435
100	San Carlos Apache	33 21 11 N	110 40 03 W	33 21.183 N	110 40.050 W	3261	AT	(P13) AWOS:120.075 RY 09/R27: 6500x99. MGR: BARNEY 928-475-3222/928-475-5563/
101	San Manuel	32 38 11 N	110 38 50 W	32 38.183 N	110 38.833 W	3272	AT	(E77) AWOS:134.125 RY 11/R29:4207x75. GATE CODE: 1234 MGR: JIM PETTY 520-86
102	Santa Rosa	32 20 44 N	112 05 18 W	32 20.733 N	112 05.300 W	1879	LT	Probable Damage! Rough/Corrugated dirt field, some vegetation, trailer accessible thru wire
103	Sasabe Border Patrol	31 29 40 N	111 32 43 W	31 29.667 N	111 32.717 W	3558	T	Use this waypoint for Sasabe: Careful - only 3/4mi from border!!
104	Sasco	32 32 56 N	111 26 25 W	32 32.933 N	111 26.417 W	1800	T	Waypoint Only - Locked Gate. EMERGENCY ONLY! VERY OVERGROWN 780x60 Powe
105	Sawtooth Arprt	32 39 39 N	111 40 54 W	32 39.650 N	111 40.900 W	1550	ATP	(AZ04) USE CAUTION HEAVY SKYDIVING ACTIVITY! (Fields along roads 1 mile Nor
106	Schuk Toak Farms	32 11 50 N	111 16 18 W	32 11.833 N	111 16.300 W	2290	LT	Land on every other dirt road with no irrigation ditches. Land far SE corner for easy retrieve
107	Sells	31 55 57 N	111 53 39 W	31 55.950 N	111 53.650 W	2409	AT	(E78) NOT SAFE - RY 04/22: 5830x55 Large potholes/ruts in runway, vegetation encroachin
108	Serene Field	32 59 48 N	112 16 21 W	32 59.800 N	112 16.350 W	1456	ATP	(AZ31) RY 17/35: 3960x99 DIRT. No Aero Retrive. GREG AGUIRRE 602-430-3885/480-3
109	Superior Muni	33 16 48 N	111 07 53 W	33 16.800 N	111 07.883 W	2646	AT	(E81) RY 04/22:3250x75 GATE CODE 2646 MGR: MELANIE OLIVER 520-689-5752
110	Superstitions	33 28 04 N	111 08 38 W	33 28.067 N	111 08.633 W	6266	5T	
111	Table Top	32 44 56 N	112 07 24 W	32 44.933 N	112 07.400 W	4373	5T	
112	The Ultralight Strip	32 17 41 N	111 20 40 W	32 17.683 N	111 20.667 W	2120	zTP	(4AZ8) RY 02/20: 1650x75 RY 08/26: 850x75 RY 14/32: 1650x75. Retrieve entrance on NE
113	Tombstone Muni	31 40 17 N	110 01 17 W	31 40.283 N	110 01.283 W	4733	AT	(P29) RY 06/24: 4430x60. CALL FOR GATE CODE MGR: ROY JONES 520-720-7125. RI
114	Tucker Rd Field	32 20 09 N	111 20 43 W	32 20.150 N	111 20.717 W	2050	LT	Large Fields divided by concrete irrigation ditches running N/S. May need high clearance ve
115	Twin Hawks Airpark	32 31 40 N	111 11 45 W	32 31.667 N	111 11.750 W	2290	ATP	(AZ63) RY R04/22: 2800x75. Watch roll-out for low lights. MGR: DUANE LAMBETH 907
116	Volcano	32 30 31 N	111 33 19 W	32 30.517 N	111 33.317 W	2090	T	
117	Walden Grove Strip	31 58 48 N	110 56 15 W	31 58.800 N	110 56.250 W	2680	LT	RY 17/35: 4000x100. Dirt strip, possible crop dusters for pecan grove. NOTE: 2 Nm inside t
118	Waterman	32 21 44 N	111 27 29 W	32 21.733 N	111 27.483 W	2067	T	
119	West Nogales	31 22 01 N	111 07 02 W	31 22.017 N	111 07.033 W	4936	T	Waypoint. Careful - only 1 1/4mi from border!!
120	Willcox	32 14 43 N	109 53 41 W	32 14.717 N	109 53.683 W	4187	AT	(P33) Cochise County AWOS:119.025 RY 03/21:6095x75. MGR: MIKE WEAR 520-384-29
121	Willow Springs Airstrip	32 42 35 N	110 52 44 W	32 42.583 N	110 52.733 W	3745	LT	Paved Portion 500 feet long and 50 feet wide. Narrow with steep embankment on both sides.
122	Wrightson Peak	31 42 16 N	110 50 42 W	31 42.267 N	110 50.700 W	9453	5T	

**Codes\***

- 5: Parachutes
- A: Airport
- D: Glider Airfield
- H: Home airport
- L: Landing point
- P: Private
- S: Start Point
- T: Turnpoint
- j: Antenna
- z: Ultralight Strip

