

## Map marking information for Lake Keepit, NSW, Australia (2022)

Courtesy of Ian Steventon

Latitude range: -33 24.4 to -26 32.7  
Longitude range: 146 49.0 to 151 59.5

File created Tuesday, 25 January 2022 at 00:37 GMT

UNOFFICIAL, USE AT YOUR OWN RISK

Do not use for navigation, for flight verification only.

Always consult the relevant publications for current and correct information. This service is provided free of charge with no warranties, expressed or implied.

User assumes all risk of use.

	Way Point	Latitude	Longitude	ID	Distance	Bearing	Description
18	Bathurst AD	33 24.4 S	149 39.1 E	018BATHAD	292	196	Both runways 90m wide.
177	Orange AD	33 22.9 S	149 8.0 E	177ORANGA	306	205	80m wide Tar/Grass
19	Bathurst GC AF	33 22.8 S	149 31.1 E	019BATHGA	293	199	Narrowest rwy 35m wide.
182	Parkes AD	33 7.9 S	148 14.3 E	182PARKSA	329	220	10m wide
61	Condobolin AD	33 4.0 S	147 12.8 E	061CONDOB	395	231	Paved 30m wide in 90m area. Grass marked at 30m and 90m.
73	Dabee AF	32 49.3 S	150 2.5 E	073DABEEA	219	192	
201	Rylstone AD	32 46.2 S	149 59.6 E	201RYLSTN	215	193	
183	Peak Hill AF	32 43.8 S	148 12.7 E	183PKHILL	299	226	
165	Mudgee AD	32 33.8 S	149 36.7 E	165MUDGEA	205	205	60m wide Tar/Grass
251	Warkworth AF	32 32.9 S	151 1.4 E	251WARKWA	190	166	
261	Wellington AD	32 27.8 S	148 59.5 E	261WELLGA	227	219	8m wide Tar/Grass
105	Gulgong AF	32 17.9 S	149 33.6 E	105GULGNG	181	210	
238	Tottenham AF	32 15.4 S	147 22.1 E	238TOTTHA	335	242	
170	Narromine AD	32 13.2 S	148 14.0 E	170NARMNA	263	235	100m wide Tar
80	Dubbo AD	32 13.1 S	148 34.4 E	080DUBBOA	237	231	Tar/Grass
203	Scone AD	32 2.3 S	150 49.9 E	203SCONE	131	167	100m wide Tar
81	Dunedoo AG	32 0.6 S	149 25.8 E	081DUNDO	162	220	15m wide. Faded
53	Cassilis AG	32 0.1 S	149 57.8 E	053CASILI	135	203	40m wide
236	Tongy Stn AG	31 58.7 S	149 47.7 E	236TONGY	139	210	20m wide
239	Trangie AF	31 58.5 S	148 0.2 E	239TRANGI	268	243	

	Way Point	Latitude	Longitude	ID	Distance	Bearing	Description
148	Midbk Scone AG	31 58.5 S	150 48.7 E	148MIDSCO	123	167	25m wide
91	Eumungerie TP	31 56.8 S	148 37.3 E	091EUMNGS	216	236	
142	Mendooran TP	31 50.2 S	149 7.7 E	142MENDRT	169	231	
55	Chesney Oks TP	31 47.3 S	150 40.2 E	055CHOAK	101	172	
63	Coolah AD	31 46.5 S	149 36.5 E	063COOLHA	131	221	30m dirt in 90m area.
85	Ellerston AG	31 46.1 S	151 17.2 E	085SELLERS	122	144	50m wide
77	Doganabuganaram AG	31 45.9 S	149 25.4 E	077DOGABU	143	227	25m wide Stock
3	Ardglen Rw TP	31 44.3 S	150 47.3 E	003ARDGLN	98	165	
254	Warren AD	31 44.0 S	147 48.1 E	254WARREN	275	249	80m wide Tar/Grass
101	Glenrock AG	31 43.6 S	151 23.3 E	101GLENRO	124	139	25m wide
24	Berwicks AG	31 43.5 S	150 24.3 E	024BERWKA	94	187	70m wide
95	Gilgandra AD	31 41.8 S	148 38.2 E	095GILGNA	201	243	
60	Collie AG	31 39.5 S	148 19.7 E	060COLLIE	226	247	50m wide south side of road
128	Kurrajon Pk AG	31 39.5 S	149 42.8 E	128KURAPA	115	222	50m wide
144	Mernot AG	31 39.5 S	151 28.0 E	144MERNOT	124	134	Faded
4	Ardgour AG	31 39.3 S	150 2.5 E	004ARDGRA	97	208	Hilly valley downdraughts.
266	Willow Tree TP	31 39.0 S	150 43.5 E	266WILTRE	87	167	
260	Weetaliba TP	31 38.4 S	149 35.0 E	260WETLBS	122	227	
253	Warrah Rdg AG	31 38.0 S	150 36.7 E	253WARRAH	83	174	Faded
100	Glencoe AG	31 37.3 S	148 11.9 E	100GLNCOE	236	249	50m wide
164	MtAbundance AG	31 36.8 S	149 36.9 E	164MTABUN	118	227	20m wide
67	Coopla AG	31 36.8 S	151 54.5 E	067COOPLA	154	122	30m wide. Faded e/w
268	Wimboyne AF	31 34.9 S	150 10.5 E	268WIMBNA	84	203	Stock
106	Gum Springs AG	31 33.7 S	149 18.2 E	106GUMSPR	138	237	20m wide
27	Binnaway AF	31 33.2 S	149 20.7 E	027BINAWY	134	236	40m wide.
174	Nyngan AD	31 33.1 S	147 11.9 E	174NYNGNA	325	256	80m wide Tar/Grass
248	Walladabah TP	31 32.3 S	150 49.8 E	248WALLTP	78	158	
192	Quirindi Si TP	31 30.2 S	150 40.9 E	192QUIRSI	70	168	
191	Quirindi AD	31 29.9 S	150 31.1 E	191QUIRND	68	181	80m wide Tar/crushed rock
118	Judes Creek AG	31 28.9 S	148 39.1 E	118JUDESC	190	249	25m wide
188	Premier AG	31 28.8 S	149 54.2 E	188PREMER	88	222	Faded
112	Haddon Rig AF	31 28.0 S	147 53.8 E	112HADDNR	258	255	
249	Wangabutta AF	31 27.2 S	149 10.1 E	249WNGABU	144	244	
276	Yarran AG	31 26.8 S	148 18.2 E	276YARRAN	220	253	30m wide
237	Tooraweenah AD	31 26.6 S	148 53.9 E	237TOORWA	167	248	
209	Spring Ridge AG	31 26.0 S	150 13.3 E	209SPRNGR	67	206	5m wide
194	Riamukka AG	31 25.7 S	151 40.5 E	194RIAMUK	125	119	Faded
51	Caroona AG	31 24.2 S	150 23.9 E	051CARONA	58	192	35m wide.
229	The Gap TP	31 21.4 S	150 35.5 E	229THEGAP	52	173	
263	Werris Creek TP	31 21.0 S	150 38.8 E	263WERRCK	52	167	
65	Coonabarabran AD	31 20.0 S	149 15.7 E	065COONBA	130	247	30m paved in 90m area. Grass 60m wide.

	Way Point	Latitude			Longitude			ID	Distance	Bearing	Description
168	N Woodside AG	31	19.9	S	148	9.7	E	168NTHWOO	230	257	Faded
28	Bluff Mountain TP	31	19.8	S	148	58.6	E	028BLUFF	155	251	
139	Mandaloo AG	31	18.8	S	151	35.8	E	139MANDAL	112	115	35m wide
220	Tambar Springs AF	31	18.7	S	149	50.5	E	220TAMBAR	80	234	
11	Baby State Forest TP	31	18.3	S	149	28.4	E	011BABYSF	110	245	
103	Goonoo Goonoo AF	31	17.9	S	150	55.3	E	103GNOOAG	59	140	50m wide
245	Urubula AG	31	16.9	S	150	19.9	E	245URUBUL	47	203	40m wide
262	Werrikimbe AG	31	16.6	S	151	59.5	E	262WERRIK	146	107	25m wide
58	Coladdi AG	31	16.6	S	149	55.9	E	058COLADI	71	233	45m wide.
56	Clift AG	31	16.6	S	150	21.6	E	056CLIFT	46	200	30m wide. Parallel to road east side
37	Breeza Silo TP	31	14.7	S	150	27.6	E	037BREEZS	40	189	
14	Bando AG	31	14.3	S	149	50.8	E	014BANDO	75	239	80m wide.
275	Yarramundi AG	31	14.2	S	148	28.2	E	275YARRAM	199	258	Faded
214	Strathaven AG	31	14.1	S	150	38.5	E	214STRTHA	40	164	Faded
145	Merrimba AG	31	12.1	S	147	55.5	E	145MERIMA	250	261	25m wide
256	Weabonga AG	31	12.1	S	151	27.0	E	256WEABON	95	112	30m wide
232	Tia River AG	31	11.2	S	151	46.5	E	232TIA RI	123	106	30m wide
94	Garrawilla AG	31	10.4	S	149	38.1	E	094GARRAW	90	249	Faded. slope high SW Hilly country
171	Nea AG	31	10.1	S	150	19.9	E	171NEA-AG	36	211	25m wide
87	Emby West AG	31	7.7	S	147	55.1	E	087EMBYWA	250	263	40m wide
72	Curlewis Si TP	31	6.8	S	150	16.2	E	072CURLWS	35	224	
151	Milchomi AG	31	6.5	S	148	59.6	E	151MILCHO	148	260	25m wide
166	Mullaley AF	31	6.5	S	149	56.3	E	166MULALY	61	246	
180	Oxley AG	31	6.3	S	147	35.1	E	180OXLEY	281	264	Faded
149	Middlebrook AF	31	5.1	S	150	29.5	E	149MIDDBK	22	189	30m wide
221	Tamworth AD	31	5.0	S	150	50.8	E	221TAMWTH	37	125	Tar / Grass
33	Booloola AG	31	4.5	S	149	50.8	E	033BOOLOO	68	252	50m wide
97	Glenanaar AG	31	4.3	S	147	56.3	E	097GLNANA	247	265	40m wide
274	Yahgunyah AG	31	3.9	S	147	52.7	E	274YAHGNY	253	265	25m wide
50	Carnarvon AF	31	3.1	S	149	54.8	E	050CARNAR	61	253	12m wide. OK if no crop.
108	Gunnedah SES AF	31	2.6	S	150	17.1	E	108GUNSES	29	234	Road traffic
246	Walcha AF	31	0.5	S	151	33.2	E	246WALCHA	99	98	
52	Carrol Common AG	31	0.5	S	150	26.6	E	052CARRLA	15	211	Paddock
66	Coonamble AD	30	58.8	S	148	22.8	E	066COONMA	205	267	Paved 30m in 90m grass.Grass marked 30m + 90m.
230	The Pines AG	30	58.6	S	149	43.1	E	230PINES	78	263	Faded
122	Kennedys AF	30	58.3	S	150	11.0	E	122KENNDY	34	254	Half Tar
233	Tiawandra AG	30	57.6	S	150	17.5	E	233TIAWAN	24	251	20m wide
163	Mt Wooloala TP	30	57.4	S	150	29.9	E	163WOOLOA	7.8	199	
107	Gunnedah AD	30	57.4	S	150	14.9	E	107GUNNDA	27	254	80m wide Tar/Grass
16	Baradine AF	30	57.3	S	149	5.5	E	016BARDNA	137	267	60m Wide.
62	Coolaba AG	30	56.9	S	146	50.1	E	062COOLAB	352	268	30m wide.

	Way Point	Latitude			Longitude			ID	Distance	Bearing	Description
161	Mount Caroll TP	30	56.9	S	150	26.0	E	161MCAROL	11	234	
213	Strathalie AG	30	56.8	S	150	34.4	E	213STRTHA	7.7	144	Faded
147	Merrylands AF	30	56.3	S	149	50.8	E	147MERRYL	65	265	
272	Woombalong TP	30	55.1	S	150	26.9	E	272WOOMBA	8.0	247	
179	Ourimperee AF	30	54.8	S	150	2.4	E	179OURIMP	46	267	
172	Nobby Rock TP	30	53.9	S	150	21.8	E	172NOBBYR	16	267	
23	Bengalala AG	30	53.9	S	150	14.6	E	023BENGAL	27	268	40m wide.
1	Lake Keepit AF	30	53.4	S	150	31.6	E	001LKKPT			Kangaroos on strip Call on radio 122.7 for a Kangaroo sweep if landing after 5p
88	Emerald Hil TP	30	53.0	S	150	6.3	E	088EMRLDS	40	271	
190	Quambone AF	30	52.8	S	147	50.5	E	190QUAMBO	256	270	
240	Tranquil AG	30	52.3	S	150	23.3	E	240TRANQI	13	279	NOT PRACTICBLE
265	Williamby TP	30	52.0	S	150	35.0	E	265WILLIA	6.2	65	
243	Ultralight AF	30	51.9	S	150	32.3	E	243ULITE	3.1	23	Narrow
202	Sandy Camp AF	30	51.9	S	147	45.0	E	202SANDYC	265	270	
208	Sport Rec AG	30	50.9	S	150	29.9	E	208SPORTR	5.5	330	Short
57	Clostoun TP	30	49.8	S	150	13.6	E	057COLSTO	29	283	
113	Halls Creek AG	30	49.5	S	150	55.3	E	113HALLSC	38	79	Narrow
270	Wollum AG	30	48.8	S	151	24.3	E	270WOLLUM	84	84	Faded
123	Kentucky AG	30	48.8	S	151	30.8	E	123KENTUC	95	85	40m wide
99	Glencaire AG	30	48.3	S	151	6.8	E	099GLENCR	57	81	Complete Faded
30	Boggabri S AG	30	46.7	S	150	4.7	E	030BOGSTH	45	286	10m wide
234	Tienyah AG	30	46.1	S	150	27.8	E	234TIENYA	15	336	30m wide
89	Erinvale AG	30	46.0	S	150	0.8	E	089ERINVA	51	286	40m wide
135	Longford AG	30	46.0	S	151	6.7	E	135LONGFD	58	76	Slope
140	Manilla AG	30	45.9	S	150	43.4	E	140MANILA	24	53	25m wide
76	Delwood Stn TP	30	45.5	S	149	48.0	E	076DELWOO	71	282	
138	Lydhurst AG	30	44.7	S	150	30.6	E	138LYDHUR	16	355	50m wide except between trees at S end of 01/19
158	Mount Baldwin TP	30	43.8	S	150	38.9	E	158MTBALD	21	33	
29	Boggabri AF	30	43.4	S	150	3.0	E	029BOGGBA	49	292	
255	Watsons Creek TP	30	43.2	S	151	0.7	E	255WATSNS	50	68	
45	Bungendore AG	30	43.0	S	150	59.6	E	045BUGEAG	49	67	Paddock
189	Primavera AG	30	43.0	S	150	48.8	E	189PRIMVA	34	55	Faded
92	Flood Hill AG	30	42.6	S	150	5.8	E	092FLOODH	46	296	35m wide
162	Mount Surprise TP	30	42.5	S	150	21.1	E	162MTSURP	26	321	
141	Melrose AG	30	42.2	S	151	0.0	E	141MELAG	50	65	25m wide
269	Wittagoona AG	30	42.1	S	150	47.5	E	269WITTAG	33	51	Faded
193	Rangari AG	30	41.2	S	150	23.5	E	193RANGAR	26	331	High at South end
257	Wean Racecr AG	30	41.0	S	150	14.4	E	257WEANRA	36	310	Tall Grass
159	Mount Borah TP	30	40.8	S	150	36.5	E	159BORAHT	25	19	
35	Bora HG AF	30	40.5	S	150	38.8	E	035BORA-A	27	26	Short. Strips may be mown 20m wide.
267	Wilsons Creek AG	30	39.7	S	151	25.6	E	267WILSNC	90	74	40m wide

	Way Point	Latitude			Longitude			ID	Distance	Bearing	Description
82	Dunmore AF	30	39.5	S	150	52.5	E	082DUNMRE	42	52	
215	Strathfield AG	30	38.9	S	150	44.6	E	215STHFLD	34	38	25m wide
121	Kelvin Grve AG	30	38.7	S	151	33.8	E	121KELVGR	103	75	Faded
49	Carmarthen AG	30	37.1	S	150	44.0	E	049CARMAG	36	33	20m wide along dirt road.
150	Mihi AG	30	37.0	S	150	21.0	E	150MIHIAG	35	331	Faded
10	Baan Baa S AG	30	36.3	S	149	57.6	E	010BAANBS	63	300	Faded
36	Borah Gap	30	35.5	S	150	36.5	E	036BPRGAP	34	13	
5	Arding AG	30	35.5	S	151	31.1	E	005ARDING	101	71	30m wide
207	Split Rock TP	30	34.6	S	150	41.8	E	207SPLTRK	38	25	
15	Banoon AG	30	34.6	S	150	26.1	E	015BANOON	36	346	15m wide. Faded
175	Oakhampton AF	30	34.6	S	150	39.7	E	175OAKHAM	37	20	
129	Leards SF TP	30	34.2	S	150	10.1	E	129LEARSF	49	316	
9	Baan Baa AG	30	32.9	S	149	56.8	E	009BAANBA	67	304	40m wide
6	Armidale AD	30	32.0	S	151	36.9	E	006ARMDLA	111	69	05/23 paved 30m wide 10/28 grass 90m wide
176	Oaky Creek AG	30	31.2	S	150	36.5	E	176OAKYCK	42	11	Faded
126	Kingstown AG	30	30.6	S	151	6.5	E	126KINGST	70	53	Faded
160	Mount Byar TP	30	29.3	S	150	17.5	E	160MTBYAR	50	333	
132	Linton AG	30	29.3	S	150	51.2	E	132LINTAG	55	35	30m wide
241	Turrawan AG	30	28.7	S	149	54.7	E	241TURRWA	75	308	Faded
252	Warraba Stn AG	30	28.4	S	150	57.9	E	252WARRBA	63	42	Faded
48	Carinda AD	30	27.5	S	147	42.6	E	048CARNDA	274	279	Disused. Looks 30m usable. At one time 140m wide.
216	Sundown Val AF	30	27.3	S	150	59.2	E	216SUNDVA	65	42	
134	Log Cabin AG	30	26.1	S	150	31.8	E	134LOGCAB	51	0	Faded
83	Duval AG	30	25.9	S	151	39.2	E	083DUVAL	119	65	60m wide
137	Lugwadine AG	30	25.2	S	150	26.0	E	137LUGWAD	53	350	Faded
228	Thalgarrah AG	30	25.1	S	151	51.1	E	228THALGA	137	68	Faded
17	Barraba AD	30	23.6	S	150	35.9	E	017BARRBA	56	7	60m Wide
186	Pine View TP	30	22.9	S	150	8.0	E	186PINEVT	68	326	
131	Lindesay AG	30	22.4	S	150	22.4	E	131LINDSY	59	346	High north
185	Pilliga AF	30	22.0	S	148	54.3	E	185PILIGA	166	290	
271	Woodsreef AG	30	20.9	S	150	45.3	E	271WODRAG	64	20	20m wide
146	Merryfield AG	30	20.8	S	151	12.0	E	146MERRYF	89	47	Faded
90	Eulah Creek TP	30	20.2	S	149	55.5	E	090EULAHC	84	317	
12	Bakers AG	30	19.9	S	150	59.6	E	012BAKERS	76	36	Faded
169	Narrabri AD	30	19.2	S	149	49.6	E	169NARRBA	92	313	80m wide Tar
2	Abington AG	30	19.0	S	151	15.2	E	002ABINGT	95	48	Faded
68	Coorabin AF	30	18.9	S	150	41.8	E	068COORBA	66	14	
47	Camels Hump TP	30	18.4	S	150	7.2	E	047CAMELH	76	329	
259	Wee Waa Sth AF	30	17.6	S	149	29.6	E	259WEEWAS	119	304	
119	Kaputar Twr TP	30	17.1	S	150	10.1	E	119KAPUTR	76	333	
117	Ironbark AG	30	16.9	S	150	50.0	E	117IROBAG	74	24	Faded

	Way Point	Latitude			Longitude			ID	Distance	Bearing	Description
218	Tabletop Mi AG	30	16.1	S	150	30.4	E	218TABTM	69	358	Faded
258	Wee Waa AD	30	15.5	S	149	24.5	E	258WEEWAA	128	303	100m wide Tar
78	Doonba AG	30	15.1	S	150	41.4	E	078DOONBA	73	13	Faded
184	Peidmont AG	30	14.8	S	150	37.8	E	184PEIDMN	72	8	Power lines on south side with red markers. stock
39	Brewon Stn AG	30	14.1	S	147	31.0	E	039BREWNA	297	283	20m wide.
133	Lochalgin AG	30	13.9	S	149	34.4	E	133LOCHAG	117	309	30m
40	Brigalows AF	30	13.0	S	150	22.1	E	040BRIGLA	76	349	30m wide.
79	Doyles Peak TP	30	12.0	S	150	6.0	E	079DOYLES	87	332	
111	Guyra AG	30	12.0	S	151	40.4	E	111GUYRA	134	55	80m wide
195	Ridegelsands AG	30	11.8	S	150	36.1	E	195RDGLDS	77	5	Faded
264	Widgen AF	30	11.0	S	149	40.2	E	264WIDGEN	113	314	50m wide Tar
44	Bundara AG	30	9.9	S	151	6.0	E	044BUNDAR	98	34	30m wide. May have livestock.
46	Burren Jn AD	30	9.5	S	148	58.5	E	046BURRNA	169	298	30m wide red dirt.
69	Copeton AG	30	9.4	S	150	56.5	E	069COPEYO	91	26	Faded
125	Kilarney AG	30	9.2	S	150	45.6	E	125KILARN	85	15	Completely Faded
154	Miralwyn AF	30	8.9	S	147	19.6	E	154MIRWYN	317	284	
217	Swan Rocks TP	30	8.6	S	150	3.4	E	217SWANRO	94	331	
104	Greenbah AF	30	8.6	S	149	32.8	E	104GRNBAH	125	311	
54	Castletop AG	30	7.9	S	150	7.2	E	054CASTLA	93	335	10m wide. Stock
198	Rosebery Pk AG	30	7.8	S	150	9.0	E	198ROSEBA	92	337	25m wide
143	Merah N AF	30	7.5	S	149	26.1	E	143MERAH	135	309	
187	Ponds AG	30	7.4	S	150	35.9	E	187PONDS	86	5	Faded
84	Edgeroi Silo TP	30	7.0	S	149	47.8	E	084EDGROS	111	321	
244	Upper Horton AF	30	6.5	S	150	24.2	E	244UHORTO	88	352	
156	Montana AG	30	5.0	S	149	57.4	E	156MNTANA	105	329	Faded
235	Togo Station AF	30	4.9	S	149	32.6	E	235TOGOAF	130	313	
155	Moema AG	30	4.1	S	149	53.2	E	155MOEMA	110	326	Faded
196	Rocky Creek AG	30	3.0	S	150	16.3	E	196ROCCRK	97	345	Faded
120	Keera AG	30	2.3	S	150	46.2	E	120KEERA	98	14	Faded
247	Walgett AD	30	2.0	S	148	7.5	E	247WALGTA	249	292	80m wide Tar/Grass
22	Ben Lomond AG	30	0.7	S	151	40.8	E	022BENLOM	148	49	E end 50m wide
32	Boolcarroll AG	29	59.9	S	149	23.4	E	032BOOLCA	147	312	10m wide dirt strip inside 60m wide fenced area
98	Glenara AG	29	59.8	S	150	14.3	E	098GLENAR	103	344	25m wide
204	Scrubby Knob TP	29	59.8	S	150	1.6	E	204SCUBKN	110	334	
71	Cryon AG	29	58.6	S	148	45.6	E	071CRYONA	197	301	40m wide.
38	Brewarrina AD	29	58.4	S	146	49.0	E	038BREWAR	370	285	30m wide paved.
205	Silent Grove AG	29	58.1	S	151	38.1	E	205SLIGRO	148	46	30m wide
181	Pallal AG	29	55.3	S	150	26.2	E	181PALLAL	108	355	Faded
21	Bellata Silo TP	29	55.1	S	149	47.4	E	021BELATS	129	327	
199	Rowena Eura AF	29	53.9	S	148	49.9	E	199ROWNAE	196	304	
31	BooBoo AG	29	53.7	S	149	55.5	E	031BOOBOO	125	332	30m wide

	Way Point	Latitude			Longitude			ID	Distance	Bearing	Description
115	Inverell AD	29	53.4	S	151	8.7	E	115INVELA	126	28	60m wide Tar/Grass
127	Koiwon AG	29	49.8	S	149	39.5	E	127KOIWON	144	325	40m wide
25	Bingara AF	29	49.0	S	150	32.3	E	025BINGRA	119	1	20m wide between markers
200	Rowena Fairfield AF	29	48.2	S	148	53.2	E	200ROWNAF	198	307	
226	Terry Hie Hi TP	29	47.7	S	150	9.2	E	226TERYHI	127	344	
116	Inverell N AF	29	46.5	S	151	10.1	E	116INVLNT	138	27	
110	Gurley Silo TP	29	44.0	S	149	48.0	E	110GURLYS	146	331	
86	Ellis AG	29	40.7	S	150	12.4	E	086ELLIS	138	347	25m wide
96	Glen Innes AD	29	40.5	S	151	41.4	E	096GLENIN	175	40	80m wide
231	Thistlede AF	29	40.5	S	149	27.0	E	231THISTL	170	322	
75	Delungra AF	29	37.6	S	150	46.0	E	075DELNGA	143	9	
242	Twynam AG	29	37.2	S	150	51.6	E	242TWYNAM	145	13	30m wide
136	Lorrimer AG	29	37.0	S	150	58.1	E	136LORRIM	148	17	Faded
224	Tellaraga S AG	29	35.7	S	149	24.4	E	224TLARAS	180	323	20m wide
250	Warialda AF	29	32.0	S	150	32.0	E	250WARLDA	151	0	
59	Collarenbri AD	29	31.3	S	148	34.9	E	059COLLAR	241	309	18/36 20m paved. Both 90m grass.
223	Tellaraga N AG	29	31.2	S	149	22.8	E	223TLARAN	188	324	25m wide
26	Biniguy AF	29	30.3	S	150	11.5	E	026BINIGA	157	348	50m Wide
157	Moree AD	29	29.9	S	149	50.7	E	157MOREEA	168	337	Tar
124	Keytah AF	29	29.0	S	149	31.0	E	124KEYTAH	184	328	30m wide
130	Lightning Ridge AD	29	27.1	S	147	58.5	E	130LIGHTR	293	302	100m wide Tar/Clay
210	St Elmo AG	29	23.9	S	149	21.5	E	210STELMO	200	326	30m wide
219	Tallawang AG	29	22.9	S	150	54.8	E	219TALLWA	172	13	20m wide
153	Milguy Silo TP	29	21.0	S	150	11.9	E	153MILGYS	174	350	
7	Ashford AF	29	19.0	S	151	3.4	E	007ASHFDA	182	16	25m wide between markers
8	Ashley AF	29	18.0	S	149	46.1	E	008ASHLEY	191	337	50m wide. Berm on W side.
109	Gunyerwarld AF	29	17.3	S	150	31.6	E	109GUNYWA	178	0	
41	Brightn Wat AG	29	16.9	S	149	13.7	E	041BRTONW	218	325	60m wide.
64	Coolatai TP	29	15.1	S	150	45.1	E	064COOLAT	184	7	
70	Croppa Creek TP	29	7.8	S	150	18.2	E	070CROPPS	197	354	
273	Wydidya AF	29	6.8	S	150	24.8	E	273WYDIDY	198	357	
93	Garah Silo TP	29	4.6	S	149	38.3	E	093GARAHS	219	337	
225	Tenterfield AD	28	59.5	S	151	55.8	E	225TENTFI	251	33	
167	Mungindi AD	28	58.1	S	149	3.3	E	167MUNGIN	257	326	100m wide
13	Ballandool AG	28	57.6	S	147	37.6	E	013BALAND	352	307	25m wide.
173	North Star AF	28	52.3	S	150	24.9	E	173NTHSTA	225	357	
227	Texas AF	28	50.1	S	151	9.2	E	227TEXAS	236	15	
20	Belara AG	28	49.6	S	150	27.8	E	020BELARA	229	358	Faded
34	Boomi AF	28	43.7	S	149	35.7	E	034BOOMIA	257	339	16m dirt strip in 50m wide area
212	Stanthorpe AD	28	37.2	S	151	58.9	E	212STANTH	289	29	50+ m wide Tar
178	Orungul AF	28	37.1	S	151	7.3	E	178ORUNGL	259	13	

	<b>Way Point</b>	<b>Latitude</b>			<b>Longitude</b>			<b>ID</b>	<b>Distance</b>	<b>Bearing</b>	<b>Description</b>
42	Bullamon Pn AG	28	36.2	S	148	52.1	E	042BULLMA	300	327	30m wide. Faded
102	Goondiwindi AD	28	31.4	S	150	19.2	E	102GONDIW	264	356	80m wide Tar/Grass
114	Inglewood AF	28	25.1	S	151	5.8	E	114INGLWD	280	11	
211	St George AD	28	3.0	S	148	35.7	E	211SGEOD	367	329	100m wide Tar
43	Bulli Creek AF	28	1.1	S	150	53.4	E	043BULLAF	321	6	10m dirt strip in 60m fenced area.
206	Southwood AF	27	53.7	S	150	2.5	E	206STWOAF	336	352	20m wide Tar
74	Dalby AD	27	9.5	S	151	15.8	E	074DALBYA	421	10	Tar X Strips Tar
222	Tara AD	27	9.4	S	150	28.6	E	222TARAAD	415	359	60m wide Tar
152	Miles AF	26	48.5	S	150	10.1	E	152MILESA	455	356	100m wide
197	Roma AD	26	32.7	S	148	46.5	E	197ROMAAD	512	340	80m wide Tar/Grass