

Map marking information for Michigan

Courtesy of Glenn Betzoldt

Non-Control Point Waypoints are indicated by a *

Latitude range: 40 14.4 to 45 24.5
Longitude range: -86 27.2 to -83 3.7

File created Thursday, 06 February 2020 at 15:11 GMT

USE AT YOUR OWN RISK

Do not use for navigation, for flight verification only.

Always consult the relevant publications for current and correct information. This service is provided free of charge with no warranties, expressed or implied.

User assumes all risk of use.

	Way Point	Latitude	Longitude	Distance	Bearing	
*	Piqua	40 14.4 N	84 9.2 W	98	182	SCA, RW Width: 75, Unicom: 123.05, Fuel: 100LL
*	Caldwell	40 37.5 N	86 9.3 W	120	232	54II, RW Width: 100
*	Grissom	40 38.9 N	86 9.1 W	119	233	Military, GUS, RW Width: 200, ATIS: 108.45, Tower: 133.7, Fuel: 100
*	Peru	40 47.1 N	86 8.8 W	114	236	I76, RW Width: 75, Unicom: 122.8, Fuel: 100LL
*	Robison	40 44.2 N	86 6.9 W	114	234	IN33, RW Width: 150, Fuel: 100
*	Kokomo	40 31.7 N	86 3.6 W	120	229	OKK, RW Width: 150, AWOS: 113.5, Unicom: 123.0, Fuel: 100LL
*	Goodenough	40 44.4 N	86 0.0 W	110	233	83IN, RW Width: 75
*	Converse	40 34.2 N	85 53.5 W	113	227	1I8, RW Width: 75, CTAF: 122.9
*	Wabash	40 45.7 N	85 47.9 W	102	230	IWH, RW Width: 75, Unicom: 122.8, Fuel: 100LL
*	Fox	40 38.2 N	85 41.3 W	104	225	78II, RW Width: 100
*	Huntington	40 51.2 N	85 27.4 W	87	226	HHG, RW Width: 75, AWOS: 126.575, Unicom: 122.8, Fuel: 100LL
47	Lee Farms	40 35.7 N	85 25.5 W	98	219	1IN9, RW Width: 75
*	Miller	40 43.0 N	85 15.0 W	87	218	C40, RW Width: 100, CTAF: 122.9, Fuel: 100LL
*	Fort Wayne	40 58.7 N	85 11.7 W	73	224	FWA, RW Width: 150, ATIS: 121.25, Tower: 119.1, Unicom: 122.95, Fuel: 100LL
*	Skips	40 50.2 N	85 10.3 W	79	219	2IN0, RW Width: 75
*	Lazy K	40 49.7 N	85 5.2 W	77	216	0IN2, RW Width: 60
*	Holt	40 54.0 N	85 0.0 W	71	216	8II5, RW Width: 50

	Way Point	Latitude			Longitude			Distance	Bearing	
*	Gage	40	48.9	N	84	55.7	W	74	212	13IN, RW Width: 60
92	Vanwert	40	51.8	N	84	36.4	W	65	202	VNW, RW Width: 95, AWOS: 125.175, Unicom: 123.0, Fuel: 100LL
*	Youngpeter	40	47.0	N	84	22.1	W	66	191	3OH6, RW Width: 60
*	Gerker	40	57.2	N	84	16.4	W	56	189	OH60, RW Width: 70
48	Lima	40	42.5	N	84	1.6	W	70	178	AOH, RW Width: 150, AWOS: 128.725, Unicom: 122.7, Fuel: 100LL
*	Dusting	40	57.1	N	83	58.9	W	55	176	6C2, RW Width: 150, CTAF: 122.9
13	Bluffton	40	53.1	N	83	52.1	W	60	171	5G7, RW Width: 75, Unicom: 122.8, Fuel: 100LL
*	Ada	40	47.4	N	83	49.8	W	66	170	0D7, RW Width: 110, Unicom: 122.8
*	Schaller	40	56.8	N	83	40.8	W	58	162	27OH, RW Width: 70
*	Hardin	40	36.6	N	83	38.6	W	78	165	I95, RW Width: 75, Unicom: 122.8, Fuel: 100LL
*	Ferrell	40	58.6	N	83	38.5	W	57	160	9OH8, RW Width: 79
*	Lutz	40	57.7	N	83	35.7	W	59	158	9OH7, RW Width: 75
*	Forest2	40	49.7	N	83	30.8	W	67	158	9OH9, RW Width: 100
*	Elliotts	40	31.5	N	83	30.7	W	85	162	O74, RW Width: 110, CTAF: 122.9
*	Tong Farm	40	58.2	N	83	27.5	W	61	152	95OH, RW Width: 85
*	Heilman	40	40.1	N	83	26.6	W	77	158	14OH, RW Width: 60
*	Wyandot	40	53.0	N	83	18.9	W	68	150	56D, RW Width: 75, CTAF: 122.9
*	Freefall	40	56.0	N	83	8.4	W	70	143	OH18, RW Width: 66
*	Marion	40	37.0	N	83	3.7	W	88	148	MNN, RW Width: 100, Unicom: 122.8, Fuel: 100LL
*	Scott IN	41	15.4	N	86	11.4	W	102	250	2IN4, RW Width: 100
*	Fulton IN	41	3.9	N	86	10.9	W	106	244	RCR, RW Width: 75, AWOS: 118.775, Unicom: 122.7, Fuel: 100LL
*	Unsicker	41	25.7	N	86	9.2	W	97	255	0II1, RW Width: 60
*	Ball	41	20.6	N	86	8.9	W	98	252	4IN5, RW Width: 70
*	Creighton	41	27.4	N	86	7.5	W	95	256	0II2, RW Width: 75
*	Arrowhead	41	17.6	N	86	4.3	W	96	250	IN11, RW Width: 125
*	Mentone	41	8.8	N	86	3.9	W	99	245	C92, RW Width: 40, CTAF: 122.9
*	Rusts	41	21.9	N	86	3.8	W	94	252	II95, RW Width: 80
*	Nappanee	41	26.8	N	85	56.2	W	87	254	C03, RW Width: 50, Unicom: 123.0, Fuel: 100LL
93	Warsaw	41	16.5	N	85	50.4	W	87	246	ASW, RW Width: 100, AWOS: 121.125, Unicom: 122.7, Fuel: 100LL
*	Wawasee	41	25.1	N	85	41.5	W	77	250	4IN9, RW Width: 80
*	Hull	41	29.1	N	85	35.6	W	72	252	II51, RW Width: 100
*	Plew	41	11.1	N	85	31.3	W	77	238	IN71, RW Width: 100, Unicom: 122.8, Fuel: 100LL
*	Stangland	41	19.0	N	85	27.9	W	71	242	5IN9, RW Width: 80
*	Wigent	41	12.6	N	85	27.5	W	74	238	30IN, RW Width: 70
*	Shaffer	41	16.9	N	85	26.3	W	70	241	9II0, RW Width: 75
*	Gordon	41	7.2	N	85	25.5	W	75	234	09IN, RW Width: 70
*	Terrys	41	10.2	N	85	25.3	W	73	236	3IG3, RW Width: 100
*	Homestead	41	4.5	N	85	23.2	W	76	232	29IN, RW Width: 75
*	Pippenger	41	19.0	N	85	22.3	W	67	241	3IN5, RW Width: 75
*	Gerigs	41	0.6	N	85	22.3	W	78	229	2IN2, RW Width: 65
22	Clark	41	17.1	N	85	21.6	W	67	239	19IN, RW Width: 100

	Way Point	Latitude			Longitude			Distance	Bearing	
*	Green	41	13.8	N	85	21.5	W	69	237	9IN8, RW Width: 75
*	Tropria	41	14.7	N	85	17.9	W	66	236	IN62, RW Width: 100
45	Kendallville	41	28.4	N	85	15.7	W	58	246	C62, RW Width: 75, AWOS: 119.925, Unicom: 122.8, Fuel: 100llglider Club On Field
*	Confers	41	5.9	N	85	14.6	W	70	229	1IN3, RW Width: 60
*	Dicks	41	5.8	N	85	14.5	W	70	229	3II9, RW Width: 65
*	Smith	41	8.6	N	85	9.2	W	65	228	SMD, RW Width: 100, AWOS: 124.55, Unicom: 122.8, Fuel: 100LL
29	De Kalb	41	18.4	N	85	3.9	W	56	233	GWB, RW Width: 100, AWOS: 124.15, Unicom: 123.0, Fuel: 100LL
*	Valhalla	41	0.1	N	84	59.6	W	66	219	IN91, RW Width: 130
*	Walker	41	25.9	N	84	58.9	W	48	237	4C2, RW Width: 100, Unicom: 122.8, Fuel: 100LL
*	Casad	41	4.8	N	84	56.6	W	61	220	56IN, RW Width: 100
*	Greuter	41	22.2	N	84	52.7	W	47	231	69II, RW Width: 85
*	Hilltop	41	15.5	N	84	51.8	W	51	224	58IN, RW Width: 100
*	Steinman	41	4.4	N	84	50.5	W	59	216	53II, RW Width: 80
*	Hook	41	16.5	N	84	48.3	W	48	223	IN18, RW Width: 100
*	Howensting	41	15.6	N	84	47.6	W	49	222	75OH, RW Width: 70
*	Arend	41	15.4	N	84	38.5	W	45	215	34OH, RW Width: 80, Fuel: 100ll/Mogas
16	Buehler	41	7.4	N	84	37.1	W	51	209	54OH, RW Width: 75
15	Brian	41	28.0	N	84	30.4	W	31	219	0G6, RW Width: 75, Unicom: 122.8, Fuel: 100LL
*	Strable Landing	41	12.3	N	84	29.8	W	44	205	OH99, RW Width: 65
19	Charloe	41	8.1	N	84	27.1	W	47	201	53OH, RW Width: 100
28	Defiance	41	20.2	N	84	25.7	W	36	206	DFI, RW Width: 72, AWOS: 121.425, Unicom: 122.7, Fuel: 100LL
*	Blevins	41	12.4	N	84	16.2	W	41	192	7OI1, RW Width: 75
*	Hiltner	41	9.3	N	84	12.9	W	43	188	OH19, RW Width: 70
*	Christy's	41	20.1	N	84	9.8	W	32	187	7OI0, RW Width: 100
*	Agner	41	4.2	N	84	5.2	W	48	180	51OH, RW Width: 80
39	Henry	41	22.4	N	84	4.1	W	30	179	7W5, RW Width: 65, Unicom: 123.0, Fuel: 100LL
81	Ruhe's	41	6.2	N	84	3.1	W	46	179	R47, RW Width: 65, Unicom: 123.0
*	Putnam	41	2.1	N	83	58.9	W	50	175	OWX, RW Width: 75, AWOS: 120.525, Unicom: 122.7, Fuel: 100LL
30	Deshler	41	12.9	N	83	52.5	W	40	167	6D7, RW Width: 70, CTAF: 122.9
*	Windswept	41	11.9	N	83	42.0	W	44	157	43OI, RW Width: 80
*	Tathams	41	4.4	N	83	41.1	W	51	160	72OI, RW Width: 100
32	Findlay	41	0.7	N	83	40.1	W	55	160	FDY, RW Width: 100, AWOS: 132.85, Unicom: 122.725, Fuel: 100LL
*	Bowling	41	23.5	N	83	37.8	W	35	145	1G0, RW Width: 75, AWOS: 120.725, Unicom: 122.8, Fuel: 100LL
*	Rutter	41	5.8	N	83	30.2	W	53	151	OA04, RW Width: 60
34	Fostoria	41	11.4	N	83	23.6	W	51	143	FZI, RW Width: 100, AWOS: 124.625, Unicom: 122.7, Fuel: 100LL
*	Seneca	41	5.7	N	83	12.8	W	61	140	16G, RW Width: 75, AWOS: 127.175, Unicom: 123.0, Fuel: 100LL
*	Fremont OH	41	20.0	N	83	9.7	W	52	128	14G, RW Width: 130, Unicom: 122.8, Fuel: 100LL
*	Eby	41	33.6	N	86	3.2	W	90	259	II74, RW Width: 60
*	Mishawaka	41	39.4	N	86	2.1	W	89	262	3C1, RW Width: 100, CTAF: 122.9, Fuel: 100LL
*	Elkhart	41	43.2	N	86	0.2	W	87	265	EKM, RW Width: 250, AWOS: 124.475, Tower: 119.5, Unicom: 122.95, Fuel: 100LL
90	Taylors	41	50.8	N	85	53.7	W	81	270	MI95, RW Width: 100

Map marking information for Michigan, page 4

	Way Point	Latitude			Longitude			Distance	Bearing	
*	Keenum	41	59.9	N	85	51.2	W	80	276	67MI, RW Width: 60
*	Goshen	41	31.6	N	85	47.6	W	80	256	GSH, RW Width: 180, AWOS: 121.45, Unicom: 123.05, Fuel: 100LL
*	Wolfe	41	41.5	N	85	35.7	W	69	262	IN65, RW Width: 200
79	Three Rivers	41	57.6	N	85	35.6	W	68	275	HAI, RW Width: 75, AWOS: 119.975, Unicom: 122.8, Fuel: 100LL
46	Kirsch	41	48.8	N	85	26.3	W	61	267	IRS, RW Width: 100, AWOS: 121.325, Unicom: 123.05, Fuel: 100LL
77	Reid	41	42.2	N	85	25.2	W	61	261	25IN, RW Width: 120, Unicom: 123.0
*	Yoder	41	41.1	N	85	22.4	W	59	260	5IN0, RW Width: 100
91	Tristate	41	38.4	N	85	5.0	W	47	253	ANQ, RW Width: 75, AWOS: 118.175, Unicom: 123.075, Fuel: 100LL
26	Coldwater	41	56.0	N	85	3.1	W	44	276	OEB, RW Width: 190, AWOS: 118.125, Unicom: 122.7, Fuel: 100LL
*	Strebig	41	41.7	N	85	2.8	W	45	257	52IN, RW Width: 130
*	Lautzenhiser	41	30.1	N	84	55.8	W	44	240	IN83, RW Width: 80
27	Crown	41	30.1	N	84	52.7	W	42	239	7IN2, RW Width: 100
65	Murphy	41	41.5	N	84	52.0	W	37	254	3II0, RW Width: 100
*	Jonesville	41	58.7	N	84	39.0	W	26	285	
40	Hillsdale	41	55.3	N	84	35.2	W	23	278	JYM, RW Width: 100, AWOS: 121.025, Unicom: 122.8, Fuel: 100LL
41	Holiday	41	36.6	N	84	32.9	W	26	234	
75	Ransom	41	46.6	N	84	32.1	W	21	255	
96	Wheatland	41	58.2	N	84	24.1	W	16	293	
54	Margarita	41	51.2	N	84	21.7	W	13	266	
73	Posey	41	53.9	N	84	17.8	W	10.0	280	
43	Huffman	41	30.2	N	84	15.6	W	23	201	4OH8, RW Width: 100
24	Clayton	41	51.7	N	84	14.2	W	7.1	267	
63	Morenci	41	43.2	N	84	13.1	W	11	215	
7	Airstrip	41	56.7	N	84	12.6	W	7.5	308	
68	Onsted	42	0.0	N	84	11.5	W	9.4	327	
4	ADG Steering	41	53.2	N	84	9.7	W	3.9	287	Steering turn point
35	Fulton OH	41	36.6	N	84	7.6	W	16	188	Use, RW Width: 75, AWOS: 127.375, Unicom: 123.0, Fuel: 100LL
95	Weston	41	46.2	N	84	5.8	W	5.9	189	
*	Grieser	41	32.6	N	84	5.0	W	19	181	
6	Adrian	41	52.1	N	84	4.6	W			ADG, RW Width: 150, AWOS: 118.375, Unicom: 122.8, Fuel: 100LL
1	N ADG Start	41	56.5	N	84	4.5	W	4.5	1	Start North
5	ADG Finish	41	52.2	N	84	4.5	W	0.1	48	Adrian Pub-T-ASOS:118.375-Ry 05/23:5001x100-Asph-Lgt-Ry 11/29:1810x150-Turf
2	S ADG Start	41	47.8	N	84	4.5	W	4.3	178	Start South
14	Bombers	41	42.0	N	84	4.2	W	10	178	
11	Bent	41	56.8	N	84	2.4	W	5.1	20	
67	Newbury	41	42.2	N	84	0.2	W	10	161	28OH, RW Width: 75, Fuel: 100/Mogas
3	E ADG Start	41	52.2	N	83	58.7	W	4.4	88	Start East
58	Merillat	41	58.5	N	83	55.5	W	9.3	46	34G, RW Width: 100, Unicom: 122.8, Fuel: 100LL
12	Betz	41	51.3	N	83	52.2	W	9.3	94	44G, RW Width: 92, CTAF: 122.9, Fuel: 100LL
78	Riga	41	48.6	N	83	49.3	W	12	107	
*	Toledo	41	35.2	N	83	48.5	W	21	144	TOL, RW Width: 150, ATIS: 118.75, Tower: 118.1, Unicom: 122.95, Fuel: 100LL

	Way Point	Latitude	Longitude	Distance	Bearing	
*	South Haven Area Reg.	42 21.1 N	86 15.3 W	101	287	Pub AWOS:118.025 Ry 04/22:4801x75-Asph-Lgt Ry 14/32:3275x190-Turf Ry 14 & 32 DSPL
*	Walle Field	42 28.2 N	86 7.6 W	98	292	Pub Ry 09/27:1750x60-Turf Ry09/27: Rough SFC With Soft Areas. Ry Soft In Spring & Whe
*	Chicora Field	42 28.0 N	85 58.8 W	92	294	Pri Ry 10/28:2400x60-Asph Ry10/28: Center 2400 FT By 30 FT Is Asph, And 15 FT Width O
*	Almena	42 15.2 N	85 51.0 W	82	287	Pub Ry 09/27:3300x100-Turf Ry 09/27 And DSPLCD THLDS MKD With 3 FT Yellow Cone
*	Cornish Field	42 6.1 N	85 50.3 W	80	281	Pri Ry 18/36:2200x85-Turf Mgr: Pete Cornish 269-808-6080
*	Mattawan	42 11.8 N	85 48.3 W	79	285	Pri Ry 05/23:2000x100-Turf Ry05: 05/23 THLDS & Width Marked With Yellow Cones. Ry23
*	Newmans	42 17.3 N	85 45.0 W	79	289	Pub Ry 18/36:2697x125-Turf-Lgt Ry18: Rwy 18 /36 & DSPLCD THLDS MKD With 3 FT Y
*	Prairie	42 7.4 N	85 42.6 W	74	282	P97, RW Width: 75, CTAF: 122.9, Fuel: Mogas
70	Perry	42 8.9 N	85 39.2 W	72	284	MI89, RW Width: 150
128	Plainwell	42 28.1 N	85 38.8 W	79	298	Pub-T Ry 01/19:2550x150-Turf Ry 09/27:2650x50-Asph-Lgt Ry09/27: Extensive Cracking. R
*	Triple H	42 21.9 N	85 33.4 W	72	295	Pub Ry 01/19:2400x100-Turf-Lgt-Rp01 Ry 09/27:2600x100-Turf-Lgt-Rp09 Ry09/27: NSTD
*	Kalamazoo	42 14.1 N	85 33.1 W	69	289	AZO, RW Width: 150, ATIS: 127.25, Tower: 118.3, Unicom: 122.95, Fuel: 100LL
*	Thrall	42 7.1 N	85 30.6 W	66	284	7MI3, RW Width: 80
*	East Lake	42 13.7 N	85 29.1 W	66	290	Pri Ry 17/35:2200x60-Turf Mgr: Clint Fleck 616-382-6537
*	Kellogg	42 18.4 N	85 15.0 W	58	297	BTL, RW Width: 150, ATIS: 128.325, Tower: 126.825, Unicom: 122.95, Fuel: 100LL
10	Bellevue	42 26.6 N	85 3.1 W	55	309	
55	Marshal	42 15.1 N	84 57.3 W	45	301	RMY, RW Width: 75, AWOS: 120.025, Unicom: 122.8, Fuel: 100ll/Mogas
23	Claucherty	42 4.7 N	84 49.6 W	36	291	MI35, RW Width: 100
8	Albion	42 13.9 N	84 44.5 W	37	307	
64	Moscow	42 3.0 N	84 30.5 W	22	300	
*	Jackson	42 15.6 N	84 27.6 W	29	324	JXN, RW Width: 150, ATIS: 125.725, Tower: 128.475, Unicom: 122.95, Fuel: 100LL
97	Williams	42 21.7 N	84 25.5 W	33	333	5MI7, RW Width: 100
9	Artesian	42 2.9 N	84 21.4 W	16	311	
*	Wagnen	42 9.3 N	84 20.1 W	21	327	6H4, RW Width: 55, CTAF: 122.9
17	Bunker	42 28.4 N	84 19.8 W	38	343	
*	Beach	42 7.2 N	84 18.1 W	18	327	
99	Woodstock	42 0.5 N	84 17.5 W	13	311	
*	West Napoleon	42 10.9 N	84 16.6 W	21	335	
*	Bunker 2	42 26.9 N	84 15.7 W	36	347	
*	Napoleon	42 10.3 N	84 15.6 W	20	336	3NP, RW Width: 200, CTAF: 122.9sky Diving
62	Mis	42 4.0 N	84 14.4 W	14	329	
84	Shamrock	42 5.7 N	84 14.4 W	15	332	6G8, RW Width: 100, CTAF: 122.9, Fuel: 100LL
98	Wolf	42 12.6 N	84 13.9 W	22	342	Pub-Ry 18/36:2155x100-Turf-Lg -MGR: Michael Kraus-517-522-8202
*	Norvel	42 9.8 N	84 11.2 W	18	345	
*	Jerrys	42 4.2 N	84 9.6 W	13	343	
50	Loch	42 1.2 N	84 8.2 W	9.5	344	
82	Sand Lake	42 3.4 N	84 8.1 W	12	347	
83	Sandhill	42 26.5 N	84 4.0 W	34	1	69G, RW Width: 100, CTAF: 122.9
21	Chrysler	42 15.1 N	84 3.5 W	23	2	
80	Rossettie	42 11.7 N	84 1.9 W	20	6	75G, RW Width: 100, CTAF: 122.9
52	Manchester	42 8.5 N	84 1.8 W	17	7	

	Way Point	Latitude	Longitude	Distance	Bearing	
42	Honey	42 4.7 N	83 59.2 W	13	18	7N4, RW Width: 90, CTAF: 122.9MGR: Raymond L. Kussmaul-517-456-4806
*	RV6	42 22.0 N	83 58.9 W	30	8	High Grass ??? Jim
59	Meyers	42 1.5 N	83 56.4 W	11	33	3TE, RW Width: 100, CTAF: 122.9paved Runway In Bad Shape
*	Carls	42 4.3 N	83 53.0 W	15	35	Pri-Ry 18/36:1800x50-Turf-Mgr: Carl Shemwell-313-721-4213
60	Mills	42 2.0 N	83 52.7 W	13	42	22T, RW Width: 75, CTAF: 122.9 #5321 Gate Dan Mills 734-476-1517
18	Cackleberry	42 25.5 N	83 52.1 W	35	15	2E8, RW Width: 100, CTAF: 122.9
*	Trudeau	42 5.3 N	83 45.9 W	19	46	Pri-Ry 09/27:1800x100-Turf-Mgr: John Trudeau-734-347-4512
*	Ann Arbor	42 13.4 N	83 44.7 W	26	35	Pub-Twr:120.3-ATIS:134.55-Ry 06/24:3505x75-Conc-Lgt-Ry 12/30:2750x110-Turf-Fuel: 100LL
*	Milan	42 3.0 N	83 44.4 W	19	54	MI09, RW Width: 100
*	Willow Run	42 14.4 N	83 31.9 W	33	47	YIP, RW Width: 161, AWOS: 132.35, ATIS: 127.425, Tower: 125.275, Fuel: 100LL
*	Detroit	42 12.8 N	83 21.2 W	38	57	DTW, RW Width: 200, Tower: 118.4, 128.125, 135.0, Unicom: 122.95, Fuel: 100LL
*	Park Township	42 47.8 N	86 9.7 W	108	302	Pub Ry 05/23:2999x50-Asph-Lgt Ry 12/30:2245x90-Turf Ry05/23: Numerous Cracks In Pvm
*	Tulip City	42 44.6 N	86 6.5 W	104	301	Pub ASOS:119.025 Ry 08/26:6002x100-Asph-Lgt-Rp08 Ry26: Also + 20 FT RR, 1100 FT 0 I
*	Curts Place	42 45.8 N	85 59.0 W	100	303	Pri Ry 03/21:2100x75-Turf Mgr: Curt de Jonge 616-688-5833
*	Harrys Field	42 52.6 N	85 57.3 W	103	307	Pri Ry E/W:2400x100-Turf-Rpe,W Own:Mark Vander Bie 616-836-3104
*	Ottawa Executive	42 49.0 N	85 55.7 W	100	305	Pub Ry 02/20:3800x60-Asph-Lgt Ry02: Apch Ratio 26:1 At DSPLCD THR Based On +16 FT
*	Bakers	42 43.9 N	85 54.3 W	96	303	Pri Ry 09/27:2000x75-Turf No Snow Removal. Mgr: Robert J Baker 616-688-5867
*	Padgham Field	42 31.8 N	85 49.4 W	87	298	Pub Ry 11/29:4300x75-Asph-Lgt Ry 15/33:1598x150-Turf Ry15/33: SFC Rough. Ry 15/33 M
*	Riverview	42 56.2 N	85 48.4 W	100	311	Pub Ry 14/32:3920x49-Asph-Lgt Ry14: Rwy 14 Apch Ratio 20:1 At Pavement End. Ry32: Ap
*	Weller	42 55.0 N	85 47.0 W	98	310	Pri Ry 09/27:1700x100-Turf-Rp27 Mgr: Harry M. Weller 616-453-3117
*	Calkins	42 41.5 N	85 38.8 W	85	306	Pub Ry 01/19:2200x75-Turf Ry 09/27:1800x100-Turf Ry 01/19 Local Use Only Ry Surface R
*	Grand Rapids	42 52.9 N	85 31.4 W	88	314	GRR, RW Width: 150, ATIS: 118.725, Tower: 135.65, Unicom: 122.95, Fuel: 100LL
*	Van Strien	42 55.4 N	85 22.7 W	86	318	Pri Ry 09/27:2700x65-Turf-Rp27 Personal Use Mgr: Greg Van Strien 616-897-5569
38	Hastings	42 39.8 N	85 20.8 W	74	311	9D9, RW Width: 200, Unicom: 123.075, Fuel: 100LL
*	Lowell	42 57.2 N	85 20.6 W	86	320	24C, RW Width: 100, Unicom: 123.0, Fuel: 100LL
31	Dowling	42 31.4 N	85 15.2 W	65	307	
104	Saranac	42 56.3 N	85 12.9 W	82	322	
152	W Steer SGP	42 56.3 N	85 9.6 W	80	324	
66	Nashville	42 36.0 N	85 5.6 W	63	315	
44	Ionia	42 56.3 N	85 3.6 W	78	326	Y70, RW Width: 340, AWOS: 118.9, Unicom: 122.8, Fuel: 100LL
103	S Ionia Start	42 51.9 N	85 3.6 W	74	324	
89	Sunfield	42 46.2 N	84 57.9 W	67	324	C43, RW Width: 100, CTAF: 122.9
106	Sunfield-Hiram Cure	42 46.2 N	84 57.9 W	67	324	Pub-T Ry 09/27:2314x100-Turf Ry09/27: Soft When Wet. Ry09: 09/27 Marked With 3 FT Yel
151	E Steer SGP	42 56.3 N	84 57.7 W	75	329	
94	Wend	42 34.7 N	84 54.5 W	56	319	49G, RW Width: 100, CTAF: 122.9
*	Airbatco	42 46.4 N	84 54.0 W	65	326	Pri Ry 18/36:2033x100-Turf Ry18/36: SFC Rough & Ireg With Rolling Terrain. Ry18: Apch F
105	David & Divine	42 55.8 N	84 53.2 W	73	331	
33	Fitch	42 34.5 N	84 48.7 W	54	323	FPK, RW Width: 95, AWOS: 118.075, Unicom: 123.0, Fuel: 100LL
109	Westphalia	42 55.8 N	84 47.9 W	71	334	
*	Abrams	42 46.5 N	84 44.0 W	62	332	Pub-Ry 09/27:3199x75-Asph-Lgt-Ry 18/36:2559X120 Turfmggr: Jon W. Bayless-517-627-214
*	Hoerners	42 51.9 N	84 42.3 W	66	335	MI10, RW Width: 85

	Way Point	Latitude			Longitude			Distance	Bearing	
*	Forest	42	54.6	N	84	40.5	W	68	337	3F5, RW Width: 80, CTAF: 122.9
86	Skyway	42	35.0	N	84	39.1	W	50	329	60G, RW Width: 100, CTAF: 122.9
76	Rapids	42	32.1	N	84	37.7	W	47	329	04MI, RW Width: 100
*	Zischke	42	51.7	N	84	37.1	W	64	338	92MI, RW Width: 75
115	Glowacki	43	0.0	N	84	35.8	W	72	341	97G, RW Width: 100, CTAF: 122.9
*	Lansing	42	46.7	N	84	35.2	W	59	338	LAN, RW Width: 150, ATIS: 119.75, Tower: 119.9, Unicom: 122.95, Fuel: 100LL
*	University	42	50.4	N	84	28.8	W	61	343	41G, RW Width: 100, CTAF: 122.9
*	Archer	42	54.4	N	84	28.3	W	65	344	MI28, RW Width: 110
*	Auction	42	37.0	N	84	27.2	W	48	340	
56	Mason	42	34.0	N	84	25.4	W	45	340	TEW, RW Width: 75, AWOS: 119.425, Unicom: 122.7, Fuel: 100LL
*	Dennis Farms	42	53.7	N	84	23.5	W	63	347	Pub Ry 09/27:1880x50-Turf Ry09/27: Rwy 09/27 Moderately Rolling Terrain. Ry09/27 1: Mo
51	Maidens	42	44.0	N	84	19.3	W	53	348	89Y, RW Width: 100, CTAF: 122.9
*	Test	42	43.5	N	84	11.7	W	52	354	
69	Owosso	42	59.6	N	84	8.3	W	68	358	Pub-T-AWOS:118.025-Ry 06/24:2483x130-Turf-Ry 11/29:4300x75-Asph-Lgt-Ry 18/36:2599
*	Cloud Nine West	42	32.8	N	84	7.7	W	41	357	46MI, RW Width: 100
25	Cloud Nine	42	33.1	N	84	5.9	W	41	359	MI26, RW Width: 150
72	Pingston	42	48.6	N	84	5.0	W	57	360	Pri-Ry 18/36:2600x100-Turf-Ry18: 18/36 THLDS MKD With Cones.-Mgr: Robert Pingston-
53	Maple	42	43.0	N	84	3.8	W	51	1	65G, RW Width: 113, Unicom: 122.8, Fuel: 100LL
87	Sod Farm	42	31.0	N	84	3.2	W	39	2	Power line at north end of N/S runway
61	Millstream	42	57.8	N	84	2.7	W	66	1	56M, RW Width: 70, CTAF: 122.9
49	Livingston	42	37.8	N	83	58.9	W	46	5	OZW, RW Width: 100, AWOS: 118.875, Unicom: 123.0, Fuel: 100LL
*	McKenzies	42	36.2	N	83	51.6	W	45	12	1MI5, RW Width: 60
57	McKenzie's	42	36.2	N	83	51.6	W	45	12	Pri-Ry 09/27:2450x60-Turf -MGR: David E McKenzie-517-545-8888
*	Flaigh	42	36.7	N	83	51.5	W	46	12	MI27, RW Width: 75
74	Raether	42	33.9	N	83	51.4	W	43	13	4Y1, RW Width: 60, CTAF: 122.9
85	Ski	42	32.5	N	83	48.6	W	42	16	
*	Prices	42	48.5	N	83	46.1	W	58	14	9G2, RW Width: 75, Unicom: 123.0, Fuel: 100LL
*	Bishop	42	57.9	N	83	44.7	W	67	12	FNT, RW Width: 150, ATIS: 133.15, Tower: 126.3, Unicom: 122.95, Fuel: 100LL
*	Muskegon	43	10.1	N	86	14.1	W	123	310	Pub Twr:126.25 ATIS:124.3 Ry 06/24:6501x150-Asph-Lgt Ry 14/32:6100x150-Asph-Lgt Fue
*	Grand Haven Memorial Ap	43	2.0	N	86	11.9	W	117	307	Pub Ry 09/27:3752x75-Asph-Lgt Ry 18/36:2058x60-Asph-Lgt Ry09: Also +15 FT Road, 445
*	Flying A Ranch	43	6.3	N	86	7.4	W	117	310	Pub Ry 09/27:1925x70-Turf-Rp27 Ry09/27: Lirl Not For Public Use. Ry09: Rwy 09 /27 & DS
*	Jablonski	43	4.9	N	86	5.7	W	115	310	Pub Ry 09/27:2995x100-Turf-Lgt Ry Rough With Mole Hills. Ry 09/27 & DSPLD THLDS M
*	Hat Field	43	5.8	N	86	5.7	W	116	310	Pub Ry 08/26:3600x100-Turf Ry 08/26 And DSPLCD THLDS MKD With 3 FT Yellow Cone
*	Fremont MI	43	26.4	N	85	59.7	W	127	319	FFX, RW Width: 100, AWOS: 118.775, Unicom: 123.0, Fuel: 100LL
136	Fremont	43	26.4	N	85	59.7	W	127	319	Pub AWOS:118.775 Ry 09/27:3502x75-Asph-Lgt Ry 18/36:6498x100-Asph-Lgt Ry18/36: Pav
*	Tyrone	43	17.4	N	85	46.9	W	114	319	Pri Ry 18/36:1800x100-Turf Conc Ramp Under Const. Occasional Parachute Jumping On Wee
*	Wilderness	43	14.7	N	85	42.7	W	110	319	Pub Ry 09/27:2543x100-Turf Ry09: Rwy 09/27 & DSPLD THLSDS MKD With 3 FT Yellow
123	Sparta	43	7.7	N	85	40.6	W	104	317	Pub-T AWOS:132.950 Ry 07/25:4032x75-Asph-Lgt Ry07: Rwy Markings Do Not Reflect Ifr
*	North Cedar	43	15.5	N	85	32.8	W	106	323	Pri Ry E/W:2700x60-Turf Emgcy Only; Soft Spots When Wet. Also, No Snow Plowing. Watc
*	Wells	43	7.7	N	85	30.3	W	99	321	35C, RW Width: 100, CTAF: 122.9
*	Wabasis	43	7.7	N	85	23.9	W	96	323	MI80, RW Width: 80, Fuel: 80

	Way Point	Latitude			Longitude			Distance	Bearing	
122	Lakeview	43	27.1	N	85	15.9	W	109	332	13C, RW Width: 75, Unicom: 122.8, Fuel: 100LL
107	Smyrna	43	3.5	N	85	15.3	W	88	324	
37	Greenville	43	8.5	N	85	15.2	W	92	326	6D6, RW Width: 200, Unicom: 122.8, Fuel: 100LL
117	Langston	43	18.5	N	85	14.6	W	101	330	
*	Fairplains	43	9.4	N	85	8.9	W	91	329	02MI, RW Width: 100
110	Fenwick	43	8.9	N	85	4.4	W	89	331	
*	Minikey	43	9.7	N	85	3.7	W	89	331	MI13, RW Width: 175
102	N Ionia Start	43	0.6	N	85	3.6	W	81	328	
121	Edmore	43	24.5	N	85	2.6	W	102	336	
113	Butternut	43	10.9	N	84	55.9	W	87	335	
111	Hubbardston	43	5.5	N	84	50.6	W	81	335	
108	Pewamo	43	1.6	N	84	49.7	W	77	335	27/09
116	Hamp	43	24.0	N	84	48.0	W	97	341	68R, RW Width: 100, CTAF: 122.9
36	Gratiot	43	19.3	N	84	41.3	W	91	343	AMN, RW Width: 75, AWOS: 124.175, Unicom: 122.8, Fuel: 100LL
*	Airborn	43	18.6	N	84	38.6	W	90	344	MI04, RW Width: 150
*	Randolphs	43	6.8	N	84	31.2	W	77	345	82MI, RW Width: 100
*	Tripp Creek	43	3.9	N	84	29.4	W	74	346	39T, RW Width: 50, CTAF: 122.9
88	St Johns	43	2.1	N	84	26.1	W	72	347	Pub-T-Ry 07/25:2777x120-Turf-Rp07-Ry07/25: -MGR: Michael Schiffer-989-834-5067
*	Schiffer	43	2.1	N	84	26.0	W	72	347	3S5, RW Width: 120, CTAF: 122.9
*	Ernies	43	25.3	N	84	11.7	W	93	357	1MI4, RW Width: 148
20	Chesaning	43	10.9	N	84	8.0	W	79	358	Pub-Ry 09/27:2800x150-Turf-Lgt-Ry 18/36:2582x150-Turf-Lgt-Ry 18/36 & 09 /27 MGR Jim
*	Wightman	43	6.6	N	84	7.6	W	75	358	7MI6, RW Width: 60
116	Woodside	43	12.9	N	84	2.9	W	81	1	
*	Silver Lake	43	38.7	N	86	27.2	W	149	316	Pri Ry 08/26:2660x400-Turf Own:Ronald A. Biritz 407-695-7190
*	Ludington	43	57.8	N	86	24.5	W	162	322	Pub AWOS:119.925 Ry 01/19:3503x75-Asph-Lgt Ry 08/26:5003x75-Asph-Lgt Fuel: 100LL A
*	Oceana	43	38.5	N	86	19.8	W	145	318	Pub AWOS:122.700 Ry 09/27:3500x75-Asph-Lgt Ry 15/33:2251x100-Turf Ry 15/33 Rough &
*	Thorn	43	55.8	N	86	9.9	W	154	324	Pri Ry 09/27:1650x100-Turf-Rp09 All TFC Remain South of Arpt. Mgr: Webster W Thorn JR
144	Baldwin	43	52.5	N	85	50.5	W	143	328	Pub Ry 05/23:2800x100-Turf Ry 09/27:3800x75-Asph Ry09/27: Considerable Pavement Crac
135	White Cloud	43	33.6	N	85	46.5	W	126	324	Pub Ry 18/36:2916x60-Asph-Lgt Ry18: Apch Ratio 20:1 At DSPLCD Thld. Ry36: 15 FT Roa
143	Reed City Nartron	43	54.0	N	85	31.0	W	137	333	Pub Ry 17/35:4506x100-Asph Ry17/35: Rwy 17/35 SFC Rough; Cracks In Ry; Considerable
138	Big Rapids	43	43.4	N	85	30.2	W	128	331	Pub-T AWOS:121.125 Ry 09/27:4300x75-Asph-Lgt Ry 14/32:2699x75-Asph-Lgt Ry14/32: E
156	Cain	43	36.0	N	85	29.6	W	121	329	Pub Ry 18/36:3450x100-Turf Ry18: Rwy 18/36 & DSPLD THLDS MKD With 3 FT Yellow C
*	Capen	43	37.5	N	85	19.1	W	119	333	Pri Ry E/W:1800x100-Turf-Lgt-Rpe,W Ry N/S:1450x100-Turf-Rpn,S <For Rwy LGTS Call 2
145	Evart	43	53.7	N	85	17.1	W	133	337	Pub Ry 06/24:3800x75-Asph-Lgt Ry06: Ne. Mgr: Zak Szakacs 231-734-2181 Associate Arpt 1
129	Canadian Lakes	43	34.9	N	85	17.0	W	116	333	Pub-T Ry 18/36:3800x100-Turf-Lgt Ry18: DSPLCD THLD MKD With LGTD Cones. Ry18:
*	Mecosta Morton	43	37.8	N	85	15.8	W	118	334	Pub Ry 03/21:2010x100-Turf Ry 09/27:2027x100-Turf Ry03: 03/21 & DSPLCD THLDS MK
*	Scott MI	43	51.9	N	85	1.4	W	127	341	Pri Ry 09/27:2904x100-Turf Ry09: 09/27 Reflectors Each Side; Both Directions. Owner Requ
119	Ojibwa	43	43.2	N	85	0.2	W	118	340	Pub Ry 05/23:3600x125-Turf-Lgt Ry05: & 23 MKD With 3 FT Yellow Cones. Ry05: Apch Ra
132	Lake Isabella	43	38.7	N	84	59.3	W	114	340	Pub-T Ry 11/29:2582x50-Asph-Lgt Ry11/29: NSTD Lirl, Not Faa Approved Lighting Fixture
124	Woodruff Lake	43	33.3	N	84	58.7	W	109	339	Pub Ry 09/27:3700x105-Turf Ry09: Rwy 09 /27 & DSPLD THLDS MKD With 3 FT Yellow v
140	Clare	43	50.1	N	84	44.5	W	122	346	Pub-T Ry 04/22:3500x75-Asph-Lgt Ry 09/27:2500x75-Asph-Lgt Fuel: 100LL 24 HR. Self Se

	Way Point	Latitude			Longitude			Distance	Bearing	
118	Mount Pleasant	43	37.3	N	84	44.3	W	109	345	MOP, RW Width: 160, Unicom: 123.0, Fuel: 100LL
146	Gladwin Zettel	43	58.2	N	84	28.5	W	127	352	Pub Ry 09/27:4699x75-Asph-Lgt Ry 15/33:2580x150-Turf Ry15/33: CLSD When Snow Cove
*	White Star	43	58.8	N	84	22.0	W	127	354	
114	Midland	43	39.8	N	84	15.7	W	108	356	Pub-T AWOS:119.525 Ry 06/24:3801x75-Asph-Lgt Ry 18/36:3001x75-Asph-Lgt Fuel: 100LL
*	MBS	43	32.0	N	84	4.8	W	100	360	Pub Twr:120.1 ATIS:125.925 Ry 05/23:8002x150-Asph-Lgt Ry 14/32:6399x150-Asph-Lgt Fu
*	Gross	43	50.8	N	84	0.7	W	119	1	Pub Ry 09/27:2565x100-Turf-Lgt Ry09: 09/27 MKD With 3 FT Yellow Cones. Ry27: Apch R
142	Manistee Co Blacker	44	16.4	N	86	14.8	W	173	327	Pub AWOS:111.400 Ry 09/27:5501x100-Asph-Lgt Ry 18/36:2721x75-Asph-Lgt Ry18: Also +
126	Eagle Landing	44	18.5	N	85	46.3	W	164	334	
137	Wamberg	44	5.2	N	85	43.8	W	152	332	Pri Ry 12/30:4000x80-Turf Mgr: Kent Seaver 847-304-5800
131	Phils	44	27.0	N	85	30.9	W	167	338	PVT, Tall Trees, Soft
*	Mikes	44	13.6	N	85	27.0	W	154	337	Field H,C
141	Tustin East Strip	44	5.8	N	85	26.4	W	147	336	PVT Strip
*	Tustin Strip	44	4.7	N	85	26.3	W	145	336	PVT
100	Cadillac Start	44	16.4	N	85	25.8	W	156	338	
125	Looks Good	44	18.0	N	85	25.2	W	157	338	
149	Wexford County	44	16.5	N	85	25.2	W	156	338	07/25 5000X100 Asphalt 18/36 2600X150 Turfglider Operationmany Restaurants, Stores.
101	Cadillac Finish	44	16.7	N	85	24.8	W	156	338	
*	Manton W	44	26.5	N	85	24.8	W	165	340	Field H
*	Manton E	44	24.1	N	85	22.4	W	162	340	Fields H, Wires North End East of Cloverleaf
*	Rose Lake E	44	3.5	N	85	18.4	W	142	338	270_1200', Fields H_W
*	M-55 E	44	15.3	N	85	15.9	W	152	340	Fields H
*	McBain NW	44	12.8	N	85	12.7	W	149	341	Fields Hay
127	Home Acres Sky Ranch	44	19.2	N	85	10.3	W	155	342	Pub Ry 09/27:3830x160-Turf-Lgt Ry 18/36:2550x150-Turf-Lgt Ry09: 09/27 & Ry 18/36 MKD
*	Marion N	44	10.2	N	85	9.5	W	146	341	Fields H
*	M-115/14mile	44	1.1	N	85	7.9	W	137	341	Field H
*	Vogel	44	11.8	N	85	4.5	W	146	343	Field H,W
*	Stittsville	44	26.5	N	85	4.3	W	160	345	Field H
*	Mile/E. Lotan	44	16.5	N	85	3.3	W	151	344	Field H,W
134	Moorestown Airpark	44	27.8	N	84	59.8	W	161	346	Pub Ry 03/21:2797x100-Turf Ry 09/27:2599x100-Turf Ry03: 03/21 MKD With 3 FT Yellow
*	Star City	44	22.4	N	84	59.3	W	156	345	Field H
*	Butterfield	44	17.2	N	84	57.3	W	150	345	Field H
154	Moddersville Strip	44	16.5	N	84	56.4	W	149	346	PVT
147	Clare County	44	3.2	N	84	48.8	W	135	346	Pub Ry 05/23:3000x100-Turf Ry 09/27:2437x100-Turf Ry 18/36:2978x50-Asph-Lgt Ry09/27
150	Houghton Lake State	44	19.8	N	84	47.5	W	151	348	Pub Ry 16/34:2750x104-Turf Ry 16 And 34 MKD With Yellow Cones. Ry16: Apch Ratio At 1
*	Roscommon	44	21.6	N	84	40.3	W	152	350	Pub ASOS:111.600 Ry 09/27:4000x75-Asph-Lgt Ry 18/36:2200x100-Turf Ry18: 18/36 MKD
*	Roscommon Conservation	44	28.4	N	84	34.0	W	158	352	Pub Ry 09/27:3552x75-Asph-Lgt Ry 18/36:2160x100-Turf Ry18/36: SFC Rough With Patche
120	Sugar Springs	44	8.4	N	84	26.2	W	137	354	Pub Ry E/W:3800x50-Turf Mgr: Richard Sager 989-426-9153
*	St. Helen Camping	44	22.0	N	84	24.0	W	151	355	Pub Ry 12/30:2600x120-Turf Ry 18/36:2600x110-Turf Ry12: 12/30 & Ry 18/36 & DSPLCD
*	Boyer	44	23.4	N	84	3.7	W	151	0	
*	Hale	44	21.9	N	83	45.8	W	150	5	
*	Oscoda	44	27.3	N	83	22.8	W	158	11	

	Way Point	Latitude	Longitude	Distance	Bearing	
*	Frankfort Dow Memorial	44 37.5 N	86 12.1 W	190	331	Pub AWOS:118.325 Ry 15/33:4050x75-Asph-Lgt Ry15: Apch Ratio 16:1 To DSPLCD THLD
130	Thompsonville	44 31.0 N	85 58.5 W	179	333	Pub Ry 09/27:2900x75-Asph-Lgt-Rp09 Ry 17/35:2475x150-Turf-Rp35 Ry17/35: SFC Rough
*	Lake Ann Airway Estates	44 41.9 N	85 54.8 W	188	335	Pub Ry 09/27:2537x100-Turf Ry09: 09/27 & DSPLCD THLDS MKD With 3 FT Yellow Conc
*	Green Lake	44 36.4 N	85 45.5 W	180	336	Pub Ry 05/23:2800x170-Turf Ry 16/34:1700x170-Turf Rys 05/23 & 16/34 & DSPLCD THLD
*	Cherry Capital	44 44.5 N	85 35.0 W	185	340	Pub Twr:124.2 ATIS:119.175 Ry 10/28:6500x150-Asph-Lgt Ry 18/36:5378x150-Asph-Lgt Fu
*	M-113	44 34.9 N	85 26.2 W	173	340	Field H
133	Fahrney Strip	44 30.1 N	85 19.0 W	167	341	NICE
*	Fife Lakes NE	44 35.7 N	85 18.7 W	172	342	Field H,W, 270_2500 West Wires
148	Kalkaska City	44 43.5 N	85 12.2 W	178	344	Pub Ry 10/28:3500x75-Asph-Lgt Ry10: Rwy MKG Faded Rwy10/28 MKG Faded Mgr: Penny
*	Spencer Road	44 38.6 N	85 7.2 W	173	345	Field H, Wires 300' S. End
*	Crawford Lake Road	44 43.1 N	85 4.2 W	176	346	Field H,W
*	Mancelona	44 55.5 N	85 4.0 W	188	347	
153	King Trout	44 36.9 N	84 57.1 W	169	347	Pri Ry 06/24:2100x60-Turf Mgr: George M. Carr 517-371-2577
*	Fletcher Road	44 32.2 N	84 56.1 W	164	347	Field H
*	Lakes of the North	44 54.7 N	84 52.5 W	186	349	
*	Grayling AAF	44 40.8 N	84 43.7 W	171	351	Pub Twr:126.2 AWOS:119.075 Ry 05/23:5000x150-Conc-Lgt Ry 14/32:5000x150-Asph-Lgt E
*	Higgins N	44 32.3 N	84 43.1 W	163	350	Field H
*	Eagle II	44 48.4 N	84 16.6 W	177	357	
*	Lost Creek	44 39.6 N	84 14.3 W	168	358	
*	Atlanta	44 59.9 N	84 7.8 W	188	359	
*	Mio Oscoda Co	44 40.5 N	84 7.3 W	168	359	
*	M65	44 45.4 N	83 48.1 W	174	4	
*	Rye Patch	44 44.6 N	83 47.6 W	173	4	
155	Glennie	44 35.8 N	83 42.9 W	164	5	
*	Tecumseh Club	44 44.5 N	83 42.6 W	173	5	
*	Harrisville	44 40.2 N	83 18.3 W	171	11	
*	Boyne Mountain	45 9.9 N	84 55.5 W	201	350	
*	Gaylord	45 0.9 N	84 42.1 W	191	352	
*	Campbell	45 24.5 N	84 36.0 W	214	354	
*	Hillman	45 5.0 N	83 56.0 W	193	2	
*	Alpena North	45 8.0 N	83 26.7 W	198	8	